

Buckeye Health Plan - MyCare Ohio (MMP)

# 2024

## FORMULARY

(LIST OF COVERED DRUGS)



**NOTE TO EXISTING MEMBERS:**

This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.**

For more recent information or other questions, please contact Buckeye Health Plan Member Services at **1-866-549-8289, TTY: 711**. Member Service hours are from **8 a.m. to 8 p.m., Monday through Friday**.

After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. Or visit:

<http://mmp.BuckeyeHealthPlan.com>.



## **Buckeye Health Plan – MyCare Ohio | 2024 List of Covered Drugs (Formulary)**

This is a list of drugs that members can get in Buckeye Health Plan – MyCare Ohio (Buckeye).

- Buckeye Health Plan – MyCare Ohio is a health plan that contracts with both Medicare and Ohio Medicaid to provide benefits of both programs to enrollees.
- The List of Covered Drugs and/or pharmacy and provider networks may change throughout the year. We will send you a notice before we make a change that affects you.
- Benefits may change on January 1 of each year.
- You can always check Buckeye's up-to-date List of Covered Drugs online at <http://mmp.buckeyehealthplan.com>.
- Limitations and restrictions may apply. For more information, call Buckeye Member Services or read the Buckeye Member Handbook.
- You can get this information for free in other languages. Call 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.
- Puede obtener esta información en otros idiomas gratis. Llame al 1-866-549-8289. El horario de atención es de 8 a. m. a 8 p. m., de lunes a viernes. Luego del horario de atención, los fines de semana y los días feriado, es posible que se le pida que deje un mensaje. Le devolveremos la llamada el próximo día hábil. Los usuarios de TTY deben llamar al 711. La llamada es gratuita.
- You can get this information for free in other formats, such as large print, braille, or audio. Call 1-866-549-8289 from 8 a.m. to 8 p.m., Monday through Friday. TTY users call 711. The call is free.
- If you would like this information in a format other than English or in an alternate format, please call 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free. You can also email [OH\\_MMP\\_EmailRequests@centene.com](mailto:OH_MMP_EmailRequests@centene.com).

## Frequently Asked Questions (FAQ)

Find answers here to questions you have about this List of Covered Drugs. You can read all of the FAQ to learn more, or look for a question and answer.

---

### 1. What prescription drugs are on the List of Covered Drugs? (We call the List of Covered Drugs the "Drug List" for short.)

The drugs on the List of Covered Drugs that starts on page 10 are the drugs covered by Buckeye. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as "network pharmacies".

Buckeye will cover all medically necessary drugs on the Drug List if:

- your doctor or other prescriber says you need them to get better or stay healthy, **and**
- you fill the prescription at a Buckeye network pharmacy.

Buckeye may have additional steps to access certain drugs (see question #5 below).

You can also see an up-to-date list of drugs that we cover on our website at <http://mmp.buckeyehealthplan.com> or call Member Services at 1-866-549-8289 (TTY: 711).

---

### 2. Does the Drug List ever change?

Yes. Buckeye may add or remove drugs on the Drug List during the year. Generally, the Drug List will only change if:

- a cheaper drug comes along that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval for a drug. (*Prior approval* is permission from Buckeye before you can get a drug.)
- Add or change the amount of a drug you can get (called "quantity limits").
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

(For more information on these drug rules, see page 3.)

We will tell you when a drug you are taking is removed from the Drug List. We will also tell you when we change our rules for covering a drug. Questions 3, 4, and 7 below have more information on what happens when the Drug List changes.



**If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

---

You can always check Buckeye's up to date Drug List online at <http://mmp.buckeyehealthplan.com>.

You can also call Member Services to check the current Drug List at 1-866-549-8289 (TTY: 711).

---

### **3. What happens when a cheaper drug comes along that works as well as a drug on the Drug List now?**

If you are taking a drug that is removed because a cheaper drug that works just as well comes along, we will tell you. We will tell you at least 60 days before we remove it from the Drug List **or** when you ask for a refill. Then you can get a 60-day supply of the drug before the change to the Drug List is made.

We will mail you a notice if you are taking a drug, and we change our rules for covering it. You will receive the notice by mail at least 60 days before we remove the drug from our List of Covered Drugs. Or, we have to tell you when you request a refill of the drug. If we tell you when you refill your drug, you will receive a 60-day supply of the drug. For more information on these drug rules, see below. If you have questions about the notice you receive from Buckeye, call Member Services at 1-866-549-8289. TTY Users should call 711. Hours are from 8 a.m. to 8 p.m., Monday through Friday.

---

### **4. What happens when we find out a drug is not safe?**

If the Food and Drug Administration (FDA) says a drug you are taking is not safe, we will take it off the Drug List right away. We will also send you a letter telling you that. If you have any questions after being notified of the change, you should contact the doctor who prescribed the drug for you.

---

### **5. Are there any restrictions or limits on drug coverage? Or are there any required actions to take in order to get certain drugs?**

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior approval (or prior authorization):** For some drugs, you or your doctor or other prescriber must get approval from Buckeye before you fill your prescription. If you don't get approval, Buckeye may not cover the drug.
  - **Quantity limits:** Sometimes Buckeye limits the amount of a drug you can get.
  - **Step therapy:** Sometimes Buckeye requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.
- 



**If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

---

You can find out if your drug has any additional requirements or limits by looking in the tables on page 8. You can also get more information by visiting our web site at <http://mmp.buckeyehealthplan.com>. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an "exception" from these limits. Please see questions 11 for more information on exceptions.

- If you are in a nursing home or other long-term care facility and need a drug that is not on the Drug List, or if you cannot easily get the drug you need, we can help. We will cover a 31-day emergency supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new Buckeye member. This will give you time to talk to your doctor or other prescriber. He or she can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please see question 11 for more information about exceptions.

---

## 6. How will you know if the drug you want has limitations or if there are required actions to take to get the drug?

The List of Covered Drugs on page 10 has a column labeled "Necessary actions, restrictions, or limits on use".

---

## 7. What happens if we change our rules on how we cover some drugs? For example, if we add prior authorization (approval), quantity limits, and/or step therapy restrictions on a drug.

We will tell you if we add prior approval, quantity limits, and/or step therapy restrictions on a drug. We will tell you at least 60 days before the restriction is added or when you next ask for a refill. Then, you can get a 60-day supply of the drug before the change to the Drug List is made. This gives you time to talk to your doctor or other prescriber about what to do next.


---

## 8. How can you find a drug on the Drug List?

There are two ways to find a drug:

- You can search alphabetically (if you know how to spell the drug), *or*
- You can search by medical condition.

To search **alphabetically**, go to the Alphabetical Listing section. You can find it by reviewing the index of drugs that begins on page 147.

 **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

---

To search **by medical condition**, find the section labeled “List of drugs by medical condition” on page 10. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Cardiovascular Agents. That is where you will find drugs that treat heart conditions.

---

## 9. What if the drug you want to take is not on the Drug List?

If you don't see your drug on the Drug List, call Member Services at 1-866-549-8289 (TTY: 711) and ask about it. If you learn that Buckeye will not cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. He or she can prescribe a drug on the Drug List that is like the one you want to take. **Or**
  - You can ask the health plan to make an exception to cover your drug. Please see question 11 for more information about exceptions.
- 

## 10. What if you are a new Buckeye member and can't find your drug on the Drug List or have a problem getting your drug?

We can help. We may cover a temporary 30-day supply of your drug during the first 90 days you are a member of Buckeye. This will give you time to talk to your doctor or other prescriber. He or she can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires prior approval by Buckeye, **or**
- you are taking a drug that is part of a step therapy restriction.

If you live in a nursing home or other long-term care facility, you may refill your prescription for as long as 91 to 98 days. You may refill the drug multiple times during your first 90 days in the plan. This gives your prescriber time to change your drugs to ones on the Drug List or ask for an exception.

Throughout the plan year, you may have a change in your treatment setting (the place where you get and take your medicine) because of the level of care you require. Such transitions may include, but are not limited to:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting



**If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

---

- Members who transfer from one skilled-nursing facility to another and are served by a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Buckeye will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a network pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and get approval for continued coverage of your drug. We will review these requests for continuation of therapy on a case-by-case basis when you are on a stabilized drug regimen that, if changed, is known to have risks. To ask for a temporary supply of a drug, call Member Services.

---

## 11. Can you ask for an exception to cover your drug?

Yes. You can ask Buckeye to make an exception to cover a drug that is not on the Drug

List. You can also ask us to change the rules on your drug.

- For example, Buckeye may limit the amount of a drug we will cover. If your drug has a limit, you can ask us to change the limit and cover more.
  - Other examples: You can ask us to drop step therapy restrictions or prior approval requirements.
- 

## 12. How long does it take to get an exception?

First, we must get a statement from your prescriber supporting your request for an exception. After we get the statement, we will give you a decision on your exception request within 72 hours.


If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we will give you a decision within 24 hours of getting your prescriber's supporting statement.

---

## 13. How can you ask for an exception?

To ask for an exception, call Member Services. A Member Services representative will work with you and your provider to help you ask for an exception.

---

 **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

---

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS - Drugs to Treat ADHD, Sleep and Eating Disorders</b> |           |                     |
| Analeptics   |           |                     |
| CAFFEINE ANHYDROUS POWD  | F         | RX/OTC              |
| <b>ALTERNATIVE MEDICINES</b>   |           |                     |
| Alternative Medicine - A's   |           |                     |
| ALPHA LIPOIC ACID CAPS 50 MG, 300 MG   | F         |                     |
| <i>alpha-lipoic acid (thioctic acid) CAPS</i>  | F         |                     |
| Alternative Medicine - C's   |           |                     |
| <i>coenzyme q10 (ubidecarenone) CAPS 10 MG, 30 MG, 50 MG, 60 MG, 100 MG, 200 MG, 300 MG, 400 MG</i>    | F         |                     |
| COQ-10 TR CPR  | F         |                     |
| NEOQ10 CAPS  | F         |                     |
| Alternative Medicine - U   |           |                     |
| CYTO-Q MAX LIQD  | F         |                     |
| CYTO-Q T/F LIQD  | F         |                     |
| CYTO-Q LIQD  | F         |                     |
| Alternative Medicine Combinations  |           |                     |
| LIQ-10 SYRP 15 UNIT/5ML-50 MG/5ML  | F         |                     |
| <b>ANALGESICS - ANTI-INFLAMMATORY - Drugs to Treat Pain, Swelling, Muscle and Joint Conditions</b>     |           |                     |
| Nonsteroidal Anti-inflammatory Agents (NSAIDs)   |           |                     |
| ADVIL MIGRAINE CAPS (Use <i>ibuprofen</i> )  | NF        |                     |
| ADVIL CAPS (Use <i>ibuprofen</i> )   | NF        |                     |
| ADVIL TABS (Use <i>ibuprofen</i> )   | NF        |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ALEVE ARTHRITIS TABS (Use <i>naproxen sodium</i> )                                 | NF        |                     |
| ALEVE CAPS (Use <i>naproxen sodium</i> )   | NF        |                     |
| ALEVE TABS (Use <i>naproxen sodium</i> )   | NF        |                     |
| CHILDRENS ADVIL SUSP 100 MG/5ML (Use <i>ibuprofen</i> )                            | F         | RX/OTC              |
| CHILDRENS ADVIL SUSP 100 MG/5ML (Use <i>ibuprofen</i> )                            | NF        | RX/OTC              |
| CHILDRENS MOTRIN SUSP 100 MG/5ML (Use <i>ibuprofen</i> )                           | NF        | RX/OTC              |
| <i>ibuprofen CAPS</i>  | F         |                     |
| <i>ibuprofen CHEW</i>  | F         |                     |
| <i>ibuprofen SUSP 50 MG/1.25ML, 100 MG/5ML</i>                                     | F         | RX/OTC              |
| <i>ibuprofen TABS 200 MG</i>   | F         |                     |
| INFANTS ADVIL SUSP (Use <i>ibuprofen</i> )   | F         |                     |
| INFANTS ADVIL SUSP (Use <i>ibuprofen</i> )   | NF        |                     |
| MOTRIN CHILDRENS CHEW (Use <i>ibuprofen</i> )                                      | NF        |                     |
| MOTRIN INFANTS DROPS SUSP (Use <i>ibuprofen</i> )                                  | NF        |                     |
| MOTRIN INFANTS DROPS SUSP (Use <i>ibuprofen</i> )                                  | F         |                     |
| <i>naproxen sodium CAPS</i>  | F         |                     |
| <i>naproxen sodium TABS 220 MG</i>   | F         |                     |
| <b>ANALGESICS - NonNarcotic - Drugs to Treat Pain, Muscle and Joint Conditions</b> |           |                     |
| Analgesics Other   |           |                     |
| <i>acetaminophen CAPS 500 MG</i>   | F         |                     |
| <i>acetaminophen CHEW</i>  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>acetaminophen LIQD 160 MG/5ML</i>                                      | F         |                     |
| <i>acetaminophen SOLN OR 160 MG/5ML</i>                                   | F         |                     |
| <i>acetaminophen SUPP 120 MG, 650 MG</i>                                  | F         |                     |
| <i>acetaminophen SUSP 80 MG/2.5ML, 160 MG/5ML, 650 MG/20.3ML</i>          | F         |                     |
| <i>acetaminophen TABS 325 MG, 500 MG</i>                                  | F         |                     |
| <i>acetaminophen TBCR</i>   | F         |                     |
| FEVERALL INFANTS SUPP   | F         |                     |
| FEVERALL JUNIOR STRENGTH SUPP   | F         |                     |
| TYLENOL 8 HOUR ARTHRITISPAIN TBCR (Use <i>acetaminophen</i> )             | NF        |                     |
| TYLENOL 8 HOUR TBCR (Use <i>acetaminophen</i> )                           | NF        |                     |
| TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER CHEW (Use <i>acetaminophen</i> ) | NF        |                     |
| TYLENOL CHILDRENS PAIN +FEVER SUSP (Use <i>acetaminophen</i> )            | NF        |                     |
| TYLENOL CHILDRENS SUSP (Use <i>acetaminophen</i> )                        | NF        |                     |
| TYLENOL EXTRA STRENGTH TABS (Use <i>acetaminophen</i> )                   | NF        |                     |
| TYLENOL FOR CHILDREN/ADULTS SUSP (Use <i>acetaminophen</i> )              | NF        |                     |
| TYLENOL INFANTS PAIN+FEVER SUSP (Use <i>acetaminophen</i> )               | NF        |                     |
| TYLENOL TABS (Use <i>acetaminophen</i> )                                  | NF        |                     |
| <b>Salicylates</b>  |           |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>aspirin CHEW</i>  | F         |                     |
| ASPIRIN SUPP 300 MG  | F         |                     |
| <i>aspirin TABS 325 MG</i>   | F         |                     |
| <i>aspirin TBEC 81 MG, 325 MG</i>  | F         |                     |
| ECOTRIN ARTHRITIS PAIN TBEC (Use <i>aspirin</i> )  | F         |                     |
| ECOTRIN REGULAR STRENGTH TBEC (Use <i>aspirin</i> )                                      | NF        |                     |
| ECOTRIN TBEC (Use <i>aspirin</i> )   | NF        |                     |
| <b>ANORECTAL AND RELATED PRODUCTS - Rectal Drugs to Treat Pain, Swelling and Itching</b> |           |                     |
| <b>Rectal Combinations</b>   |           |                     |
| <i>phenylephrine-mineral oil-petrolatum 0.25 %-74.9 %-14 %</i>                           | F         |                     |
| PREPARATION H (Use <i>phenylephrine-mineral oil-petrolatum</i> )                         | NF        |                     |
| PREPARATION H (Use <i>phenylephrine-mineral oil-petrolatum</i> )                         | F         |                     |
| <b>Rectal Local Anesthetics</b>  |           |                     |
| <i>lidocaine (anorectal) CREA</i>  | F         |                     |
| LMX 5 CREA (Use <i>lidocaine (anorectal)</i> )   | NF        |                     |
| RECTICARE CREA (Use <i>lidocaine (anorectal)</i> )                                       | NF        |                     |
| <b>ANTACIDS</b>  |           |                     |
| <b>Antacid Combinations</b>  |           |                     |
| <i>alum &amp; mag hydrox-simethicone CHEW 200 MG-25 MG-200 MG</i>                        | F         |                     |
| <i>alum &amp; mag hydrox-simethicone LIQD</i>  | F         |                     |
| <i>alum &amp; mag hydrox-simethicone SUSP</i>  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| <i>aluminum hydroxide-mag carb CHEW</i>   | F         |                     | Antacids - Bicarbonate  |           |                     |
| <i>aluminum hydroxide-mag carb SUSP 237.5 MG/5ML-254 MG/5ML, 358 MG/15ML-95 MG/15ML</i>       | F         |                     | <i>sodium bicarbonate (antacid) TABS 325 MG, 650 MG</i>                 | F         |                     |
| <i>calcium carbonate-simethicone CHEW 1000 MG-60 MG</i>                                       | F         |                     | SODIUM BICARBONATE POWD   | F         | RX/OTC              |
| GAVISCON EXTRA STRENGTH RELIEF FORMULA SUSP ( <i>Use aluminum hydroxide-mag carb</i> )        | F         |                     | Antacids - Calcium Salts  |           |                     |
| GAVISCON EXTRA STRENGTH CHEW ( <i>Use aluminum hydroxide-mag carb</i> )                       | NF        |                     | ANTACID SOFT CHEWS CHEW   | F         |                     |
| GAVISCON EXTRA STRENGTH SUSP ( <i>Use aluminum hydroxide-mag carb</i> )                       | F         |                     | ANTACID CHEW  | F         |                     |
| GAVISCON SUSP ( <i>Use aluminum hydroxide-mag carb</i> )                                      | NF        |                     | <i>calcium carbonate (antacid) CHEW 500 MG, 750 MG, 1000 MG</i>         | F         |                     |
| GELUSIL CHEW ( <i>Use alum &amp; mag hydrox-simethicone</i> )                                 | NF        |                     | <i>calcium carbonate (antacid) SUSP</i>                                 | F         |                     |
| HYVEE ADVANCED ANTACID MAXIMUM STRENGTH SUSP ( <i>Use alum &amp; mag hydrox-simethicone</i> ) | NF        |                     | CALCIUM CARBONATE TABS 648 MG   | F         |                     |
| MAALOX ADVANCED MAXIMUM STRENGTH CHEW ( <i>Use calcium carbonate-simethicone</i> )            | NF        |                     | CVS ANTACID SOFT CHEWS ULTRA STRENGTH CHEW                              | F         |                     |
| MAALOX MAX CHEW ( <i>Use calcium carbonate-simethicone</i> )                                  | NF        |                     | TUMS CHEWY BITES CHEW ( <i>Use calcium carbonate (antacid)</i> )        | F         |                     |
| MAG-AL LIQD   | F         |                     | TUMS CHEWY DELIGHTS CHEW  | F         |                     |
| Antacids - Aluminum Salts   |           |                     | TUMS E-X 750 CHEW ( <i>Use calcium carbonate (antacid)</i> )            | NF        |                     |
| ALUMINUM HYDROXIDE SUSP 320 MG/5ML  | F         |                     | TUMS E-X 750 CHEW ( <i>Use calcium carbonate (antacid)</i> )            | F         |                     |
|   |           |                     | TUMS EXTRA STRENGTH 750 CHEW ( <i>Use calcium carbonate (antacid)</i> ) | F         |                     |
|   |           |                     | TUMS EXTRA STRENGTH 750 CHEW ( <i>Use calcium carbonate (antacid)</i> ) | NF        |                     |
|   |           |                     | TUMS LASTING EFFECTS CHEW ( <i>Use calcium carbonate (antacid)</i> )    | NF        |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| TUMS SMOOTHIES CHEW (Use calcium carbonate (antacid))  | F         |                     |
| TUMS SMOOTHIES CHEW (Use calcium carbonate (antacid))  | NF        |                     |
| TUMS ULTRA 1000 CHEW (Use calcium carbonate (antacid)) | NF        |                     |
| TUMS ULTRA 1000 CHEW (Use calcium carbonate (antacid)) | F         |                     |
| TUMS CHEW (Use calcium carbonate (antacid))            | NF        |                     |
| <b>Antacids - Magnesium Salts</b>                      |           |                     |
| magnesium oxide TABS                                   | F         |                     |
| MAGNESIUM CAPS   | F         |                     |
| <b>ANTHELMINTICS - Drugs to Treat Worm Infections</b>  |           |                     |
| <b>Anthelmintics</b>                                   |           |                     |
| pyrantel pamoate SUSP 144 MG/ML                        | F         |                     |
| <b>ANTIDIABETICS - Drugs to Regulate Blood Sugar</b>   |           |                     |
| <b>Diabetic Other</b>                                  |           |                     |
| CVS GLUCOSE CHEW                                       | F         |                     |
| CVS SOFT GLUCOSE CHEW                                  | F         |                     |
| DEX4   | F         |                     |
| DEX4 FAST ACTING GLUCOSE                               | F         |                     |
| DEX4 NATURALS  | F         |                     |
| DEX4 POUCH PACK  | F         |                     |
| DEX4 QUICK DISSOLVE GLUCOSE CHEW                       | F         |                     |
| dextrose (diabetic use) GEL                            | F         |                     |
| GLUCOSE INSTANT ENERGY                                 | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| GLUCOSE CHEW  | F         |                     |
| GNP GLUCOSE CHEW  | F         |                     |
| GNP QUICK DISSOLVE GLUCOSE CHEW                                 | F         |                     |
| GOODSENSE GLUCOSE   | F         |                     |
| KROGER GLUCOSE  | F         |                     |
| LEADER GLUCOSE 6 MG-4 GM  | F         |                     |
| LEADER QUICK DISSOLVE GLUCOSE CHEW                              | F         |                     |
| LONGS GLUCOSE   | F         |                     |
| MEIJER GLUCOSE  | F         |                     |
| PREFERRED PLUS GLUCOSE  | F         |                     |
| PX GLUCOSE  | F         |                     |
| RA GLUCOSE  | F         |                     |
| RA TRUEPLUS GLUCOSE GEL   | F         |                     |
| RELION GLUCOSE  | F         |                     |
| SM GLUCOSE  | F         |                     |
| SMART SENSE GLUCOSE   | F         |                     |
| SMART SENSE GLUCOSE TABLETS                                     | F         |                     |
| TGT GLUCOSE   | F         |                     |
| TRUEPLUS GLUCOSE GEL GEL  | F         |                     |
| UP & UP GLUCOSE   | F         |                     |
| WALGREENS GLUCOSE   | F         |                     |
| <b>ANTIDIARRHEAL/PROBIOTIC AGENTS - Drugs to Treat Diarrhea</b> |           |                     |
| <b>Antidiarrheal/Probiotic Agents - Misc.</b>                   |           |                     |
| ACIDOPHILUS WAFR  | F         |                     |
| BIO-K PLUS STRONG CPDR  | F         |                     |
| BIOMEPRO CAPS   | F         |                     |
| BIOMEPRO CPDR   | F         |                     |
| BIOMEPRO LIQD   | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>bismuth subsalicylate</i><br>CHEW 262 MG                                 | F         |                     |
| <i>bismuth subsalicylate</i><br>SUSP 262 MG/15ML, 525 MG/15ML, 525 MG/30ML  | F         |                     |
| <i>bismuth subsalicylate</i><br>TABS  | F         |                     |
| CULTURELLE<br>ADVANCED<br>REGULARITY<br>PROBIOTIC &<br>PREBIOTIC CAPS       | F         |                     |
| LACTINEX PACK (Use<br><i>lactobacillus</i> )                                | F         |                     |
| <i>lactobacillus</i> CAPS   | F         |                     |
| <i>lactobacillus</i> CHEW   | F         |                     |
| <i>lactobacillus</i> PACK   | F         |                     |
| <i>lactobacillus</i> TABS   | F         |                     |
| MORE-DOPHILUS<br>ACIDOPHILUS POWD   | F         |                     |
| NEWFLORA PROBIOTIC<br>CAPS  | F         |                     |
| PEPTO BISMOL TABS<br>(Use <i>bismuth</i><br><i>subsalsalicylate</i> )       | NF        |                     |
| PEPTO-BISMOL MAX<br>STRENGTH SUSP (Use<br><i>bismuth subsalsalicylate</i> ) | NF        |                     |
| PEPTO-BISMOL TO-GO<br>CHEW (Use <i>bismuth</i><br><i>subsalsalicylate</i> ) | F         |                     |
| PEPTO-BISMOL CHEW<br>(Use <i>bismuth</i><br><i>subsalsalicylate</i> )       | F         |                     |
| PEPTO-BISMOL SUSP<br>(Use <i>bismuth</i><br><i>subsalsalicylate</i> )       | NF        |                     |
| PROBIOTIC CAPS  | F         |                     |
| REJUVAFLOR CAPS   | F         |                     |
| Antidiarrheal/Probiotic Combinations  |           |                     |
| ACIDOPHILUS/CITRUS<br>PECTIN TABS   | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| KALA TABS   | F         |                     |
| <i>lactobacillus acidophilus-pectin</i> CAPS            | F         |                     |
| Antiperistaltic Agents                                  |           |                     |
| IMODIUM A-D CAPS<br>(Use <i>loperamide hcl</i> )        | NF        | RX/OTC              |
| IMODIUM A-D SOLN<br>(Use <i>loperamide hcl</i> )        | F         |                     |
| IMODIUM A-D SOLN<br>(Use <i>loperamide hcl</i> )        | NF        |                     |
| IMODIUM A-D TABS (Use<br><i>loperamide hcl</i> )        | NF        |                     |
| <i>loperamide hcl</i> CAPS                              | F         | RX/OTC              |
| <i>loperamide hcl</i> SOLN 1<br>MG/7.5ML                | F         |                     |
| <i>loperamide hcl</i> SUSP                              | F         |                     |
| <i>loperamide hcl</i> TABS                              | F         |                     |
| LOPERAMIDE<br>HYDROCHLORIDE SUSP                        | F         |                     |
| <b>ANTIEMETICS - Drugs to Treat Nausea and Vomiting</b> |           |                     |
| Antiemetics - Anticholinergic                           |           |                     |
| ANTIVERT CHEW (Use<br><i>meclizine hcl</i> )            | NF        | RX/OTC              |
| <i>dimenhydrinate</i> TABS                              | F         |                     |
| DRAMAMINE TABS (Use<br><i>dimenhydrinate</i> )          | F         |                     |
| DRAMAMINE TABS (Use<br><i>dimenhydrinate</i> )          | NF        |                     |
| <i>meclizine hcl</i> CHEW                               | F         | RX/OTC              |
| <i>meclizine hcl</i> TABS 12.5<br>MG, 25 MG             | F         | RX/OTC              |
| <b>ANTIHISTAMINES - Drugs to Treat Allergies</b>        |           |                     |
| Antihistamines - Alkylamines                            |           |                     |
| ALA-HIST IR TABS  | F         |                     |
| <i>chlorpheniramine maleate</i><br>SYRP                 | F         |                     |
| <i>chlorpheniramine maleate</i><br>TABS                 | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| HISTEX PD LIQD 0.938 MG/ML (Use triprolidine hcl)            | F         |                     | ALLEGRA ALLERGY TABS (Use fexofenadine hcl)                  | NF        |                     |
| HISTEX SYRP  | F         |                     | cetirizine hcl CAPS  | F         |                     |
| MICLARA LQ LIQD  | F         |                     | cetirizine hcl CHEW  | F         |                     |
| PEDIACLEAR PD CHILDRENS LIQD (Use triprolidine hcl)          | F         |                     | cetirizine hcl SOLN OR                                       | F         | RX/OTC              |
| PEDIAVENT SYRP   | F         |                     | cetirizine hcl TABS  | F         |                     |
| triprolidine hcl LIQD 0.625 MG/ML, 0.938 MG/ML               | F         |                     | CLARITIN ALLERGY CHILDRENS SOLN (Use loratadine)             | NF        |                     |
| Antihistamines - Ethanolamines                               |           |                     | CLARITIN CHILDRENS CHEW (Use loratadine)                     | F         |                     |
| BENADRYL ALLERGY CHILDRENS CHEW (Use diphenhydramine hcl)    | NF        |                     | CLARITIN CHILDRENS CHEW (Use loratadine)                     | NF        |                     |
| BENADRYL ALLERGY CHILDRENS LIQD (Use diphenhydramine hcl)    | NF        |                     | CLARITIN REDITABS JUNIORS TBDP (Use loratadine)              | NF        |                     |
| BENADRYL ALLERGY ULTRATABS TABS (Use diphenhydramine hcl)    | NF        |                     | CLARITIN REDITABS TBDP 10 MG (Use loratadine)                | NF        |                     |
| BENADRYL ALLERGY CAPS (Use diphenhydramine hcl)              | NF        |                     | CLARITIN CHEW (Use loratadine)                               | NF        |                     |
| BENADRYL ALLERGY TABS (Use diphenhydramine hcl)              | NF        |                     | CLARITIN CHEW (Use loratadine)                               | F         |                     |
| diphenhydramine hcl CAPS                                     | F         |                     | CLARITIN SOLN (Use loratadine)                               | NF        |                     |
| diphenhydramine hcl CHEW                                     | F         |                     | CLARITIN TABS (Use loratadine)                               | NF        |                     |
| diphenhydramine hcl LIQD 12.5 MG/5ML, 25 MG/10ML, 50 MG/20ML | F         |                     | fexofenadine hcl SUSP  | F         |                     |
| diphenhydramine hcl TABS 25 MG                               | F         |                     | fexofenadine hcl TABS 60 MG, 180 MG                          | F         |                     |
| diphenhydramine hcl TBDP                                     | F         |                     | levocetirizine dihydrochloride TABS                          | F         | RX/OTC              |
| Antihistamines - Non-Sedating                                |           |                     | loratadine CHEW  | F         |                     |
| ALLEGRA ALLERGY CHILDRENS SUSP (Use fexofenadine hcl)        | F         |                     | loratadine SOLN  | F         |                     |
|  |           |                     | loratadine TABS  | F         |                     |
|  |           |                     | loratadine TBDP 10 MG  | F         |                     |
|  |           |                     | XYZAL ALLERGY 24HR TABS (Use levocetirizine dihydrochloride) | NF        | RX/OTC              |
|  |           |                     | ZYRTEC ALLERGY CAPS (Use cetirizine hcl)                     | NF        |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| ZYRTEC ALLERGY TABS<br><i>(Use cetirizine hcl)</i>                    | NF        |                     | AVICEL PH 105<br>MICROCRYSTALLINE<br>CELLULOSE POWD | F         | RX/OTC              |
| ZYRTEC CHILDRENS<br>ALLERGY CHEW 10 MG<br><i>(Use cetirizine hcl)</i> | NF        |                     | CELLULOSE<br>MICROCRYSTALLINE<br>CRYS               | F         | RX/OTC              |
| ZYRTEC CHILDRENS<br>ALLERGY SOLN OR<br><i>(Use cetirizine hcl)</i>    | NF        | RX/OTC              | CELLULOSE<br>MICROCRYSTALLINE<br>POWD               | F         | RX/OTC              |
| ZYRTEC CHEW 10 MG<br><i>(Use cetirizine hcl)</i>                      | NF        |                     | CELLULOSE PARTIALLY<br>DEPOLYMERIZED POWD           | F         | RX/OTC              |
| <b>ANTISEPTICS &amp; DISINFECTANTS</b>                                |           |                     | CHOLESTEROL<br>ACETATE POWD                         | F         | RX/OTC              |
| Iodine Antiseptics  |           |                     | CHOLESTEROL POWD                                    | F         | RX/OTC              |
| BETADINE ANTISEPTIC<br>CREA   | F         |                     | CITRULLINE(L)                                       | F         | RX/OTC              |
| BETADINE SURGICAL<br>SCRUB SOLN                                       | F         |                     | CYANOCOBALAMIN<br>CRYS                              | F         | RX/OTC              |
| BETADINE SWABSTICKS<br>SWAB <i>(Use povidone-<br/>iodine)</i>         | F         |                     | CYANOCOBALAMIN<br>POWD                              | F         |                     |
| BETADINE SOLN <i>(Use<br/>povidone-iodine)</i>                        | NF        |                     | L-CITRULLINE  | F         | RX/OTC              |
| BETADINE SOLN   | F         |                     | MICROCRYSTALLINE<br>CELLULOSE NF 101<br>POWD        | F         | RX/OTC              |
| FIRST AID ANTISEPTIC<br>OINTMENT OINT                                 | F         |                     | MICROCRYSTALLINE<br>CELLULOSE NF 102<br>POWD        | F         | RX/OTC              |
| <i>povidone-iodine SOLN 10<br/>%</i>                                  | F         |                     | MICROCRYSTALLINE<br>CELLULOSE NF 105<br>POWD        | F         | RX/OTC              |
| <b>CHEMICALS</b>  |           |                     | Bulk Chemicals - H's                                |           |                     |
| Bulk Chemicals - A's  |           |                     | HYDROXOCOBALAMIN                                    | F         | RX/OTC              |
| ACETAMINOPHEN GRAN  | F         |                     | HYDROXYPROPYL<br>METHYLCELLULOSE                    | F         | RX/OTC              |
| ACETAMINOPHEN<br>POWD   | F         | RX/OTC              | HYPROMELLOSE 100000<br>MPA-S                        | F         | RX/OTC              |
| Bulk Chemicals - B's  |           |                     | HYPROMELLOSE 4000<br>MPA-S                          | F         | RX/OTC              |
| BIOTIN  | F         | RX/OTC              | HYPROMELLOSE<br>4000CPS                             | F         | RX/OTC              |
| BIOTIN-D  | F         | RX/OTC              | HYPROMELLOSE<br>METHOCEL K100M                      | F         | RX/OTC              |
| Bulk Chemicals - C's  |           |                     |   |           |                     |
| AVICEL PH 101<br>MICROCRYSTALLINE<br>CELLULOSE POWD                   | F         | RX/OTC              |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                       | Drug Tier | Requirements/Limits |
|---------------------------------|-----------|---------------------|
| HYPROMELLOSE TYPE 2910          | F         | RX/OTC              |
| METHOCEL E4M                    | F         | RX/OTC              |
| METHOCEL E4M PREMIUM            | F         | RX/OTC              |
| METHOCEL E4M PREMIUM CR         | F         | RX/OTC              |
| METHOCEL K100M PREMIUM          | F         | RX/OTC              |
| Bulk Chemicals - L's            |           |                     |
| CARNITINE (L)                   | F         | RX/OTC              |
| L-CARNITINE                     | F         | RX/OTC              |
| LEVOCARNITINE                   | F         | RX/OTC              |
| L-LYSINE HCL POWD               | F         | RX/OTC              |
| L-LYSINE MONOHYDROCHLORIDE POWD | F         | RX/OTC              |
| Bulk Chemicals - P's            |           |                     |
| PROPYLENE GLYCOL                | F         | RX/OTC              |
| Bulk Chemicals - S's            |           |                     |
| SALICYLIC ACID POWD             | F         | RX/OTC              |
| Liquids                         |           |                     |
| BENZYL BENZOATE                 | F         | RX/OTC              |
| CASTOR OIL                      | F         | RX/OTC              |
| GLYCERIN LIQD                   | F         | RX/OTC              |
| GLYCERIN SOLN                   | F         |                     |
| HM CASTOR OIL                   | F         | RX/OTC              |
| QC CASTOR OIL                   | F         | RX/OTC              |
| SESAME OIL                      | F         | RX/OTC              |
| Solids                          |           |                     |
| BORIC ACID POWD                 | F         | RX/OTC              |
| CO-ENZYME Q 10                  | F         | RX/OTC              |
| COENZYME Q10                    | F         | RX/OTC              |
| GNP BORIC ACID POWD             | F         | RX/OTC              |
| POTASSIUM BROMIDE CRY           | F         | RX/OTC              |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| POTASSIUM BROMIDE POWD  | F         |                     |
| QC BORIC ACID POWD  | F         | RX/OTC              |
| SM BORIC ACID POWD  | F         | RX/OTC              |
| SODIUM BROMIDE  | F         | RX/OTC              |
| <b>CONTRACEPTIVES - Drugs to Prevent Pregnancy</b>                          |           |                     |
| Emergency Contraceptives  |           |                     |
| <i>levonorgestrel (emergency oc) 1.5 MG</i>                                 | F         |                     |
| PLAN B ONE-STEP (Use <i>levonorgestrel (emergency oc)</i> )                 | NF        |                     |
| PLAN B ONE-STEP (Use <i>levonorgestrel (emergency oc)</i> )                 | F         |                     |
| <b>COUGH/COLD/ALLERGY - Drugs to Treat Cough, Cold and Allergy Symptoms</b> |           |                     |
| Antitussives  |           |                     |
| <i>benzonatate</i>  | F         |                     |
| DELSYM COUGH CHILDRENS SUER (Use <i>dextromethorphan polistirex</i> )       | F         |                     |
| DELSYM SUER (Use <i>dextromethorphan polistirex</i> )                       | F         |                     |
| DELSYM TABS   | F         |                     |
| <i>dextromethorphan hbr CAPS</i>  | F         |                     |
| <i>dextromethorphan hbr LIQD 15 MG/5ML</i>                                  | F         |                     |
| <i>dextromethorphan hbr SYRP 15 MG/5ML</i>                                  | F         |                     |
| <i>dextromethorphan polistirex LQCR</i>                                     | F         |                     |
| <i>dextromethorphan polistirex SUER</i>                                     | F         |                     |
| HYCODAN SOLN (Use <i>hydrocodone bitartrate-homatropine methylbromide</i> ) | NF        |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| HYCODAN TABS 1.5 MG-5 MG (Use hydrocodone bitartrate-homatropine methylbromide)                       | NF        |                     | ALEVE-D SINUS & HEADACHE (Use pseudoephedrine-naproxen sodium)                 | NF        |                     |
| hydrocodone bitartrate-homatropine methylbromide SOLN   | F         |                     | ALKA-SELTZER PLUS COLD (Use chlorpheniramine-phenylephrine-asa)                | NF        |                     |
| hydrocodone bitartrate-homatropine methylbromide TABS   | F         |                     | ALKA-SELTZER PLUS SEVERECOLD (Use chlorpheniramine-phenylephrine-asa)          | NF        |                     |
| ROBITUSSIN LINGERING COLDLONG-ACTING COUGHGELS CAPS (Use dextromethorphan hbr)                        | NF        |                     | ALKA-SELTZER SEVERE COLD (Use chlorpheniramine-phenylephrine-asa)              | NF        |                     |
| Cough/Cold/Allergy Combinations   |           |                     | ALLEGRA-D 12 HOUR ALLERGY & CONGESTION TB12 (Use fexofenadine-pseudoephedrine) | NF        |                     |
| ACTICON SOLN  | F         |                     | ALLEGRA-D 24 HOUR ALLERGY & CONGESTION TB24 (Use fexofenadine-pseudoephedrine) | NF        |                     |
| ACTICON TABS  | F         |                     | AQUANAZ TABS   | F         |                     |
| ACTIDOGESIC-DF TABS   | F         |                     | brompheniramine & phenyleph ELIX   | F         |                     |
| ACTIDOGESIC TABS  | F         |                     | brompheniramine & pseudoeph LIQD 15 MG/5ML-1 MG/5ML                            | F         |                     |
| ACTINEL DM LIQD   | F         |                     | CAPCOF SYRP  | F         |                     |
| ACTINEL PEDIATRIC LIQD  | F         |                     | CAPMIST DM TABS 400 MG-15 MG-60 MG   | F         |                     |
| ACTINEL LIQD  | F         |                     | CAPRON DM LIQD   | F         |                     |
| ADVIL COLD & SINUS TABS (Use pseudoephedrine-ibuprofen)   | F         |                     | CAPRON DMT TABS  | F         |                     |
| ALAHIST CF TABS   | F         |                     | cetirizine-pseudoephedrine   | F         |                     |
| ALAHIST D   | F         |                     | CHLO HIST  | F         |                     |
| ALAHIST DM LIQD 7.5 MG/5ML-15 MG/5ML-2 MG/5ML (Use phenylephrine-dexbrompheniramine-dextromethorphan) | F         |                     | CHLO TUSS 30 MG/5ML-12.5 MG/5ML-1 MG/5ML                                       | F         |                     |
| ALAHIST PE TABS   | F         |                     |  |           |                     |
| ALEVE-D SINUS & COLD (Use pseudoephedrine-naproxen sodium)  | NF        |                     |  |           |                     |
| ALEVE-D SINUS & COLD (Use pseudoephedrine-naproxen sodium)  | F         |                     |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| CHLOPHEDIANOL/DEXC<br>HLOPHENIRAMINE./PSE<br>UDOEPHEDRINE  | F         |                     | CORICIDIN HBP<br>MAXIMUM STRENGTH<br>FLU TABS ( <i>Use<br/>dextromethorphan-<br/>acetaminophen-<br/>chlorpheniramine</i> ) | NF        |                     |
| <i>chlorpheniramine &amp;<br/>phenylephrine LIQD 10<br/>MG/5ML-4 MG/5ML</i>  | F         |                     | CORICIDIN HBP TABS<br>( <i>Use dextromethorphan-<br/>acetaminophen-<br/>chlorpheniramine</i> )                             | F         |                     |
| <i>chlorpheniramine &amp;<br/>phenylephrine TABS 10<br/>MG-4 MG</i>  | F         |                     | COUGH AND CHEST<br>CONGESTION DM<br>COUGH SYRUP SYRP   | F         |                     |
| <i>chlorpheniramine &amp;<br/>pseudoeph TABS</i>   | F         |                     | DECONEX DMX TABS 10<br>MG-400 MG-17.5 MG   | F         |                     |
| <i>chlorpheniramine-dm<br/>TABS 4 MG-30 MG</i>   | F         |                     | DECONEX IR TABS  | F         |                     |
| <i>chlorpheniramine-<br/>phenylephrine-<br/>acetaminophen TABS 5<br/>MG-325 MG-2 MG</i>                                    | F         |                     | DELSYM CHILDRENS<br>COUGH PLUS SORE<br>THROAT LIQD   | F         |                     |
| <i>chlorpheniramine-<br/>phenylephrine-asa</i>   | F         |                     | DELSYM CHILDRENS<br>DAY NIGHT MISC   | F         |                     |
| CLARITIN-D 12 HOUR<br>TB12 ( <i>Use loratadine &amp;<br/>pseudoephedrine</i> )   | NF        |                     | DELSYM COUGH/SORE<br>THROAT LIQD   | F         |                     |
| CLARITIN-D 24 HOUR<br>TB24 ( <i>Use loratadine &amp;<br/>pseudoephedrine</i> )   | NF        |                     | DELSYM DAY NIGHT<br>MISC   | F         |                     |
| COLD & ALLERGY<br>CHILDRENS LIQD   | F         |                     | DELSYM NIGHTTIME<br>COUGH MAXIMUM<br>STRENGTH SOLN   | F         |                     |
| COMTrex COLD &<br>COUGH MAXIMUM<br>STRENGTH TABS ( <i>Use<br/>dextromethorphan-<br/>phenylephrine-<br/>acetaminophen</i> ) | NF        |                     | <i>dexbrompheniramine-<br/>phenylephrine TABS</i>  | F         |                     |
| CONEX COLD/ALLERGY<br>SOLN   | F         |                     | <i>dextromethorphan-<br/>acetaminophen-<br/>chlorpheniramine TABS<br/>325 MG-2 MG-10 MG</i>                                | F         |                     |
| CONEX COLD/ALLERGY<br>TABS   | F         |                     | <i>dextromethorphan-<br/>doxylamine-<br/>acetaminophen CAPS</i>  | F         |                     |
| CORICIDIN HBP COUGH<br>& COLD TABS ( <i>Use<br/>chlorpheniramine-dm</i> )  | NF        |                     | <i>dextromethorphan-<br/>doxylamine-<br/>acetaminophen LIQD</i>  | F         |                     |
| CORICIDIN HBP COUGH<br>& COLD TABS ( <i>Use<br/>chlorpheniramine-dm</i> )  | F         |                     | <i>dextromethorphan-<br/>guaifenesin CAPS</i>  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| <i>dextromethorphan-guaifenesin LIQD 100 MG/5ML-10 MG/5ML, 100 MG/5ML-5 MG/5ML, 150 MG/7.5ML-15 MG/7.5ML, 200 MG/10ML-20 MG/10ML, 200 MG/20ML-20 MG/20ML, 200 MG/5ML-10 MG/5ML, 400 MG/20ML-20 MG/20ML</i> | F         |                     | DOLOGESIC TABS 500 MG-1 MG   | F         |                     |
| <i>dextromethorphan-guaifenesin SYRP 100 MG/5ML-10 MG/5ML</i>  | F         |                     | <i>doxylamine-dm LIQD 15 MG/15ML-6.25 MG/15ML, 30 MG/30ML-12.5 MG/30ML</i> | F         |                     |
| <i>dextromethorphan-guaifenesin TABS 400 MG-20 MG</i>  | F         |                     | <i>doxylamine-phenylephrine</i>  | F         |                     |
| <i>dextromethorphan-guaifenesin TB12 1200 MG-60 MG, 600 MG-30 MG</i>   | F         |                     | DURAFLU TABS 200 MG-325 MG-20 MG-60 MG                                     | F         |                     |
| <i>dextromethorphan-phenylephrine-acetaminophen CAPS</i>   | F         |                     | ED A-HIST DM TABS  | F         |                     |
| <i>dextromethorphan-phenylephrine-acetaminophen LIQD</i>   | F         |                     | ED A-HIST LIQD (Use chlorpheniramine & phenylephrine)                      | F         |                     |
| <i>dextromethorphan-phenylephrine-acetaminophen PACK</i>   | F         |                     | ED BRON GP LIQD  | F         |                     |
| <i>dextromethorphan-phenylephrine-acetaminophen TABS 5 MG-325 MG-10 MG</i>   | F         |                     | <i>fexofenadine-pseudoephedrine TB12</i>                                   | F         |                     |
| <i>diphenhydramine-phenylephrine-acetaminophen LIQD 5 MG/10ML-325 MG/10ML-12.5 MG/10ML</i>   | F         |                     | <i>fexofenadine-pseudoephedrine TB24</i>                                   | F         |                     |
| <i>diphenhydramine-phenylephrine-acetaminophen PACK</i>  | F         |                     | GLENMAX PEB DM LIQD  | F         |                     |
| <i>diphenhydramine-phenylephrine-acetaminophen TABS 5 MG-325 MG-12.5 MG</i>  | F         |                     | G-TUSICOF LIQD   | F         |                     |
| DOLOGESIC-DF TABS  | F         |                     | <i>guaifenesin-codeine SOLN 10 MG/5ML-100 MG/5ML</i>                       | F         |                     |
|  |           |                     | <i>guaifenesin-codeine SYRP</i>  | F         |                     |
|  |           |                     | HISTEX-DM SYRP   | F         |                     |
|  |           |                     | HM DIBROMM COLD AND ALLERGY CHILDRENS LIQD                                 | F         |                     |
|  |           |                     | <i>hydrocodone polistirex-chlorpheniramine polistirex SUER</i>             | F         |                     |
|  |           |                     | LOHIST-D LIQD  | F         |                     |
|  |           |                     | LOHIST-DM SYRP   | F         |                     |
|  |           |                     | <i>loratadine &amp; pseudoephedrine TB12</i>                               | F         |                     |
|  |           |                     | <i>loratadine &amp; pseudoephedrine TB24</i>                               | F         |                     |
|  |           |                     | LORTUSS LQ   | F         |                     |
|  |           |                     | MAR-COF CG EXPECTORANT LIQD  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/ Limits | Drug Name   | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|---|-----------|----------------------|
| MAXICHLOR PEH DM TABS   | F         |                      | MUCINEX CHILDRENS MULTI-SYMPTOM COLD LIQD (Use phenylephrine w/ dm-gg)                        | F         |                      |
| MAXIFED TR TABS   | F         |                      | MUCINEX CHILDRENS MULTI-SYMPTOM COUGH,COLD & FEVER LIQD (Use phenylephrine-dm-gg w/ apap)     | NF        |                      |
| MAXIFED TABS  | F         |                      | MUCINEX CHILDRENS STUFFYNOSE AND CHEST CONGESTION LIQD (Use phenylephrine-guaifenesin)        | F         |                      |
| MAXI-TUSS CD LIQD   | F         |                      | MUCINEX COUGH & CONGESTION CHILDRENS LIQD (Use phenylephrine w/ dm-gg)                        | F         |                      |
| MAXI-TUSS JR LIQD   | F         |                      | MUCINEX COUGH FOR KIDS PACK   | F         |                      |
| MAXI-TUSS PE JR LIQD  | F         |                      | MUCINEX D MAXIMUM STRENGTH TB12 (Use pseudoephedrine-guaifenesin)                             | F         |                      |
| MAXI-TUSS PE MAX LIQD   | F         |                      | MUCINEX DM MAXIMUM STRENGTH TB12 (Use dextromethorphan-guaifenesin)                           | NF        |                      |
| MAXI-TUSS PE LIQD   | F         |                      | MUCINEX DM TB12 (Use dextromethorphan-guaifenesin)  | F         |                      |
| MAXI-TUSS TR LIQD   | F         |                      | MUCINEX D TB12 (Use pseudoephedrine-guaifenesin)  | F         |                      |
| M-CLEAR WC SOLN   | F         |                      | MUCINEX FAST-MAX COLD & FLU DAY/NIGHT CPPK (Use phenylephrine-doxylamine-dm-guaifenesin-apap) | NF        |                      |
| M-END DMX   | F         |                      | MUCINEX FAST-MAX COLD FLU& SORE THROAT CLEAR & COOL LIQD (Use phenylephrine-dm-gg w/ apap)    | F         |                      |
| M-END PE LIQD   | F         |                      |   |           |                      |
| MICLARA DM LIQD   | F         |                      |   |           |                      |
| MUCINEX CHILDRENS COLD COUGH & SORE THROAT LIQD (Use phenylephrine-dm-gg w/ apap)                   | NF        |                      |   |           |                      |
| MUCINEX CHILDRENS FREEFORM MULTI-SYMPTOM COLD,FLU & SORE THR LIQD (Use phenylephrine-dm-gg w/ apap) | NF        |                      |   |           |                      |
| MUCINEX CHILDRENS FREEFROM DAY TIME/NIGHT TIME LQPK   | F         |                      |   |           |                      |
| MUCINEX CHILDRENS FREEFROM MULTI-SYMPTOM COLD & FLU NIGHTTIM SOLN                                   | F         |                      |   |           |                      |
| MUCINEX CHILDRENS FREEFROM MULTI-SYMPTOM COLD AND STUFFY NOS LIQD (Use phenylephrine w/ dm-gg)      | F         |                      |   |           |                      |
| MUCINEX CHILDRENS MULTI-SYMPTOM COLD & FEVER LIQD (Use phenylephrine-dm-gg w/ apap)                 | NF        |                      |   |           |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/ Limits | Drug Name  | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|--|-----------|----------------------|
| MUCINEX FAST-MAX COLD FLU& SORE THROAT LIQD (Use phenylephrine-dm-gg w/ apap)                 | F         |                      | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH LIQD (Use phenylephrine w/ dm-gg)                                   | F         |                      |
| MUCINEX FAST-MAX COLD/FLU MAXIMUM STRENGTH LIQD (Use phenylephrine-dm-gg w/ apap)             | F         |                      | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH TABS  | F         |                      |
| MUCINEX FAST-MAX COLD/FLU/SORE THROAT MAXIMUM STRENGTH CAPS (Use phenylephrine-dm-gg w/ apap) | F         |                      | MUCINEX FAST-MAX SEVERE CONGESTION/COUGH NIGHTSHIFT COLD/FLU TBPK  | F         |                      |
| MUCINEX FAST-MAX COLD/FLU LIQD (Use phenylephrine-dm-gg w/ apap)                              | F         |                      | MUCINEX FAST-MAY DAY/NIGHT COLD & FLU MAXIMUM STRENGTH CPPK (Use phenylephrine-doxylamine-dm-guaifenesin-apap) | F         |                      |
| MUCINEX FAST-MAX COLD/FLUMAXIMUM STRENGTH CAPS (Use phenylephrine-dm-gg w/ apap)              | F         |                      | MUCINEX FREEFROM COLD & FLU DAYTIME/NIGHTTIME LQPK   | F         |                      |
| MUCINEX FAST-MAX COLD/FLUNIGHTSHIFT SEV CLD/FLU DAY&NIGHT MS TBPK                             | F         |                      | MUCINEX FREEFROM COLD & FLU DAYTIME LIQD (Use phenylephrine-dm-gg w/ apap)                                     | F         |                      |
| MUCINEX FAST-MAX DAY/NITE M/S MISC  | F         |                      | MUCINEX FREEFROM COLD & FLU NIGHTTIME SOLN   | F         |                      |
| MUCINEX FAST-MAX KICKSTART SEVERE COLD & FLU LIQD (Use phenylephrine-dm-gg w/ apap)           | NF        |                      | MUCINEX MULTI-SYMPATOM COLD DAY/NIGHT PACK MISC  | F         |                      |
| MUCINEX FAST-MAX SEVERE CONGESTION & COUGH ARCTIC BURST LIQD (Use phenylephrine w/ dm-gg)     | F         |                      | MUCINEX NIGHTSHIFT COLD & FLU ARCTIC BURST SOLN  | F         |                      |
| MUCINEX FAST-MAX SEVERE CONGESTION & COUGH CLEAR & COOL LIQD (Use phenylephrine w/ dm-gg)     | F         |                      | MUCINEX NIGHTSHIFT COLD & FLU CLEAR&COOL SOLN  | F         |                      |
|   |           |                      | MUCINEX NIGHTSHIFT COLD & FLU SOLN   | F         |                      |
|   |           |                      | MUCINEX NIGHTSHIFT COLD &FLU MAXIMUM STRENGTH TABS   | F         |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/ Limits | Drug Name  | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|--|-----------|----------------------|
| MUCINEX NIGHTSHIFT SEVERECOLD & FLU MAXIMUM STRENGTH SOLN   | F         |                      | <i>phenylephrine w/ dm-gg LIQD 10 MG/10ML-200 MG/10ML-20 MG/10ML, 10 MG/15ML-200 MG/15ML-18 MG/15ML, 10 MG/20ML-400 MG/20ML-20 MG/20ML, 2.5 MG/5ML-100 MG/5ML-5 MG/5ML, 2.5 MG/5ML-75 MG/5ML-5 MG/5ML, 5 MG/5ML-100 MG/5ML-10 MG/5ML</i> | F         |                      |
| MUCINEX NIGHTSHIFT SEVERECOLD & FLU MAXIMUM STRENGTH TABS   | F         |                      | <i>phenylephrine w/ dm-gg SYRP 5 MG/5ML-100 MG/5ML-10 MG/5ML</i>   | F         |                      |
| MUCINEX NIGHTSHIFT SINUSCLEAR&COOL SOLN   | F         |                      | <i>phenylephrine w/ dm-gg TABS 10 MG-385 MG-17.5 MG</i>  | F         |                      |
| MUCINEX NIGHTSHIFT SINUSMAXIMUM STRENGTH TABS   | F         |                      | <i>phenylephrine-acetaminophen-guaifenesin LIQD</i>  | F         |                      |
| MUCINEX NIGHTSHIFT SINUS SOLN   | F         |                      | <i>phenylephrine-acetaminophen-guaifenesin TABS 5 MG-200 MG-325 MG</i>   | F         |                      |
| MUCINEX SINUS-MAX DAY/NIGHT MAXIMUM STRENGTH CPPK ( <i>Use phenylephrine-doxylamine-dm-guaifenesin-apap</i> ) | F         |                      | <i>phenylephrine-brompheniramine-dm LIQD 2.5 MG/5ML-5 MG/5ML-1 MG/5ML, 5 MG/10ML-10 MG/10ML-2 MG/10ML</i>  | F         |                      |
| MUCINEX SINUS-MAX PRESSURE/PAIN/COUGH MAXIMUM STRENGTH CAPS ( <i>Use phenylephrine-dm-gg w/ apap</i> )        | F         |                      | <i>phenylephrine-chlorphen-dm LIQD 10 MG/5ML-4 MG/5ML-15 MG/5ML</i>  | F         |                      |
| MUCINEX SINUS-MAX/NIGHTSHIFT DAY/NIGHT MAXIMUM STRENGTH TBPK  | F         |                      | <i>phenylephrine-chlorpheniramine-dm w/ apap SUSP</i>  | F         |                      |
| MULTI-SYMPTOM COLD DAYTIME/NIGHTTIME CHILDRENS MISC   | F         |                      | <i>phenylephrine-dexbrompheniramine-dextromethorphan LIQD</i>  | F         |                      |
| NASOPEN PE  | F         |                      | <i>phenylephrine-diphenhydramine-dm-guaifenesin-apap TBPK</i>  | F         |                      |
| NINJACOF LIQD   | F         |                      | <i>phenylephrine-dm-gg w/ apap LIQD</i>  | F         |                      |
| NINJACOF-XG LIQD  | F         |                      |  |           |                      |
| NOREL AD TABS   | F         |                      |  |           |                      |
| <i>phenylephrine w/ acetaminophen TABS 5 MG-325 MG</i>  | F         |                      |  |           |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/ Limits | Drug Name   | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|---|-----------|----------------------|
| <i>phenylephrine-dm-gg w/ apap TABS 5 MG-200 MG-325 MG-10 MG</i>                      | F         |                      | <i>pseudoephedrine-guaifenesin TB12 1200 MG-120 MG, 600 MG-60 MG</i>                            | F         |                      |
| <i>phenylephrine-dm SOLN</i>  | F         |                      | <i>pseudoephedrine-ibuprofen TABS</i>   | F         |                      |
| <i>phenylephrine-doxylamine-dextromethorphan-acetaminophen LIQD</i>                   | F         |                      | <i>pseudoephedrine-naproxen sodium</i>  | F         |                      |
| <i>phenylephrine-doxylamine-dm-guaifenesin-apap CPPK</i>                              | F         |                      | QC MEDIFIN PE TABS<br>(Use <i>phenylephrine-guaifenesin</i> )                                   | NF        |                      |
| <i>phenylephrine-guaifenesin LIQD 2.5 MG/5ML-100 MG/5ML</i>                           | F         |                      | ROBITUSSIN COUGH+CHEST CONGESTION DM LIQD<br>(Use <i>dextromethorphan-guaifenesin</i> )         | NF        |                      |
| <i>phenylephrine-guaifenesin TABS 10 MG-400 MG</i>                                    | F         |                      | ROBITUSSIN COUGH+CHEST CONGESTION DM LIQD<br>(Use <i>dextromethorphan-guaifenesin</i> )         | F         |                      |
| POLY HIST FORTE 10 MG-10.5 MG   | F         |                      | ROBITUSSIN HONEY COUGH & CHEST CONGESTION DM LIQD<br>(Use <i>dextromethorphan-guaifenesin</i> ) | F         |                      |
| POLY-HIST DM  | F         |                      | ROBITUSSIN PEAK COLD MULTI-SYMPTOM COLD LIQD<br>(Use <i>phenylephrine w/ dm-gg</i> )            | F         |                      |
| POLY-TUSSIN AC LIQD 10 MG/5ML-10 MG/5ML-4 MG/5ML                                      | F         |                      | ROBITUSSIN SEVERE COUGH/SORE THROAT LIQD  | F         |                      |
| POLYTUSSIN DM   | F         |                      | RU-HIST D TABS  | F         |                      |
| POLYTUSSIN DM LIQD<br>(Use <i>phenylephrine-dexbrompheniramine-dextromethorphan</i> ) | F         |                      | RYMED TABS  | F         |                      |
| POLY-VENT DM TABS   | F         |                      | SM COLD & ALLERGY CHILDRENS LIQD  | F         |                      |
| POLY-VENT IR TABS   | F         |                      | STAHIST AD TABS   | F         |                      |
| <i>promethazine &amp; phenylephrine SYRP</i>  | F         |                      | STAHIST TP TABS   | F         |                      |
| <i>promethazine w/codeine SOLN</i>  | F         |                      | THERAFLU FLU & SORE THROAT PACK   | F         |                      |
| <i>promethazine w/codeine SYRP</i>  | F         |                      |   |           |                      |
| <i>promethazine-dm SYRP</i>   | F         |                      |   |           |                      |
| <i>promethazine-phenylephrine-codeine</i>   | F         |                      |   |           |                      |
| <i>pseudoephed-bromphen-dm SYRP 10 MG/5ML-30 MG/5ML-2 MG/5ML</i>                      | F         |                      |   |           |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| THERAFLU SEVERE COLD & COUGH NIGHTTIME PACK (Use diphenhydramine-phenylephrine-acetaminophen)  | F         |                     | TYLENOL COLD & FLU SEVERE TABS (Use phenylephrine-dm-gg w/ apap)   | NF        |                     |
| THERAFLU SEVERE COLD MULTI SYMPTOM PACK (Use dextromethorphan-phenylephrine-acetaminophen)     | NF        |                     | TYLENOL COLD & HEAD SEVERE CONGESTION TABS (Use phenylephrine-acetaminophen-guaifenesin)                       | NF        |                     |
| TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SYRP   | F         |                     | TYLENOL COLD + FLU + COUGH FOR ADULTS/NIGHT LIQD (Use phenylephrine-doxylamine-dextromethorphan-acetaminophen) | NF        |                     |
| TRIAMINIC NIGHT TIME COLD & COUGH SYRP   | F         |                     | TYLENOL SINUS SEVERE TABS (Use phenylephrine-acetaminophen-guaifenesin)  | NF        |                     |
| TUSICOF LIQD   | F         |                     | TYLENOL WARMING COUGH & SEVER CONGESTION DAYTIME LIQD (Use phenylephrine-dm-gg w/ apap)                        | NF        |                     |
| TUSNEL DM LIQD   | F         |                     | VANACOF  | F         |                     |
| TUSNEL PEDIATRIC LIQD  | F         |                     | VANACOF DM LIQD (Use phenylephrine w/ dm-gg)   | F         |                     |
| TUSNEL-DM PEDIATRIC LIQD   | F         |                     | VANACOF DMX LIQD   | F         |                     |
| TUSNEL LIQD  | F         |                     | VANATAB DM TABS  | F         |                     |
| TUSNEL TABS  | F         |                     | VICKS NYQUIL COLD & FLU NIGHTTIME RELIEF LIQD (Use dextromethorphan-doxylamine-acetaminophen)                  | NF        |                     |
| TUSSI-PRES PEDIATRIC LIQD (Use phenylephrine w/ dm-gg)   | NF        |                     | VICKS NYQUIL COLD & FLU NIGHTTIME RELIEF LIQD (Use dextromethorphan-doxylamine-acetaminophen)                  | F         |                     |
| TUSSI-PRES PEDIATRIC LIQD (Use phenylephrine w/ dm-gg)   | F         |                     |  |           |                     |
| TYLENOL CHILDRENS COLD/FLU SUSP (Use phenylephrine-chlorpheniramine-dm w/ apap)                | NF        |                     |  |           |                     |
| TYLENOL CHILDRENS PLUS MULTI-SYMPTOM COLD SUSP (Use phenylephrine-chlorpheniramine-dm w/ apap) | NF        |                     |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| VICKS NYQUIL COLD & FLU LIQD (Use dextromethorphan-doxylamine-acetaminophen)     | F         |                     |
| VICKS NYQUIL COUGH LIQD (Use doxylamine-dm)                                      | NF        |                     |
| VICKS NYQUIL HBP COLD & FLU LIQD (Use dextromethorphan-doxylamine-acetaminophen) | NF        |                     |
| WAL-FLU SEVERE COLD NIGHT TIME PACK  | F         |                     |
| WESTUSSIN DM   | F         |                     |
| ZYRTEC-D ALLERGY/CONGESTION (Use cetirizine-pseudoephedrine)                     | NF        |                     |
| ZYRTEC-D ALLERGY/SINUS (Use cetirizine-pseudoephedrine)                          | NF        |                     |
| Expectorants   |           |                     |
| GERI-TUSSIN SYRP   | F         |                     |
| guaifenesin LIQD 100 MG/5ML, 200 MG/10ML, 400 MG/20ML                            | F         |                     |
| guaifenesin SYRP   | F         |                     |
| guaifenesin TABS   | F         |                     |
| guaifenesin TB12   | F         |                     |
| MUCINEX FOR KIDS PACK 100 MG   | F         |                     |
| MUCINEX MAXIMUM STRENGTH TB12 (Use guaifenesin)                                  | F         |                     |
| MUCINEX TB12 (Use guaifenesin)   | F         |                     |
| potassium iodide (expectorant) SOLN  | F         |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| SSKI SOLN (Use potassium iodide (expectorant))           | NF        |                     |
| Misc. Respiratory Inhalants                              |           |                     |
| sodium chloride (inhalant) AERS                          | F         |                     |
| <b>DERMATOLOGICALS - Drugs to Treat Skin Conditions</b>  |           |                     |
| Acne Products  |           |                     |
| ACNE MEDICATION 10 LOTN                                  | F         |                     |
| ACNE MEDICATION 5 LOTN                                   | F         |                     |
| adapalene GEL 0.1 %                                      | F         | RX/OTC              |
| BENZAC AC WASH LIQD 5 % (Use benzoyl peroxide)           | NF        | RX/OTC              |
| benzoyl peroxide CREA 10 %                               | F         |                     |
| benzoyl peroxide FOAM 5.3 %, 10 %                        | F         |                     |
| benzoyl peroxide GEL 2.5 %, 5 %, 10 %                    | F         |                     |
| benzoyl peroxide LIQD 5 %, 10 %                          | F         |                     |
| benzoyl peroxide MISC 6 %                                | F         | RX/OTC              |
| DIFFERIN DAILY DEEP CLEANSER LIQD (Use benzoyl peroxide) | NF        | RX/OTC              |
| DIFFERIN GEL 0.1 % (Use adapalene)                       | NF        | RX/OTC              |
| Antibiotics - Topical                                    |           |                     |
| bacitracin (topical) OINT                                | F         |                     |
| bacitracin zinc OINT                                     | F         |                     |
| bacitracin-polymyxin b OINT                              | F         |                     |
| neomycin-bacitracin-polymyxin OINT                       | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>neomycin-bacitracin-polymyxin-pramoxine</i>  | F         |                     |
| <i>neomycin-polymyxin w/ pramoxine</i>  | F         |                     |
| NEOSPORIN ORIGINAL OINT (Use <i>neomycin-bacitracin-polymyxin</i> )                       | NF        |                     |
| NEOSPORIN ORIGINAL OINT (Use <i>neomycin-bacitracin-polymyxin</i> )                       | F         |                     |
| NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH (Use <i>neomycin-polymyxin w/ pramoxine</i> ) | NF        |                     |
| POLYSPORIN OINT 10000 UNIT/GM-500 UNIT/GM (Use <i>bacitracin-polymyxin b</i> )            | F         |                     |
| POLYSPORIN OINT 10000 UNIT/GM-500 UNIT/GM (Use <i>bacitracin-polymyxin b</i> )            | NF        |                     |
| <b>Antifungals - Topical</b>  |           |                     |
| ALEVAZOL OINT   | F         |                     |
| AZOLEN TINCTURE SOLN  | F         |                     |
| <i>butenafine hcl</i>   | F         | RX/OTC              |
| <i>clotrimazole (topical) CREA</i>  | F         | RX/OTC              |
| <i>clotrimazole (topical) SOLN</i>  | F         | RX/OTC              |
| FUNGOID TINCTURE SOLN   | F         |                     |
| LAMISIL AT JOCK ITCH CREA (Use <i>terbinafine hcl (topical)</i> )                         | NF        |                     |
| LAMISIL AT CREA (Use <i>terbinafine hcl (topical)</i> )                                   | F         |                     |
| LAMISIL AT CREA (Use <i>terbinafine hcl (topical)</i> )                                   | NF        |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| LOTRIMIN AF JOCK ITCH CREA (Use <i>clotrimazole (topical)</i> )         | NF        | RX/OTC              |
| LOTRIMIN AF CREA (Use <i>clotrimazole (topical)</i> )                   | NF        | RX/OTC              |
| LOTRIMIN ULTRA (Use <i>butenafine hcl</i> )                             | NF        | RX/OTC              |
| MICATIN CREA (Use <i>miconazole nitrate (topical)</i> )                 | F         |                     |
| <i>miconazole nitrate (topical) AERP</i>                                | F         |                     |
| <i>miconazole nitrate (topical) CREA</i>                                | F         |                     |
| <i>miconazole nitrate (topical) POWD EX</i>                             | F         |                     |
| <i>terbinafine hcl (topical) CREA</i>                                   | F         |                     |
| TINACTIN DEODORANT AERP (Use <i>tolnaftate</i> )                        | NF        |                     |
| TINACTIN JOCK ITCH AERP (Use <i>tolnaftate</i> )                        | NF        |                     |
| TINACTIN AERP (Use <i>tolnaftate</i> )                                  | F         |                     |
| TINACTIN CREA (Use <i>tolnaftate</i> )                                  | NF        |                     |
| <i>tolnaftate AERP</i>  | F         |                     |
| <i>tolnaftate CREA</i>  | F         |                     |
| <i>tolnaftate LIQD</i>  | F         | RX/OTC              |
| <i>tolnaftate POWD EX</i>   | F         |                     |
| <i>tolnaftate SOLN</i>  | F         | RX/OTC              |
| <b>Antihistamines-Topical</b>   |           |                     |
| BENADRYL EXTRA STRENGTH CREA (Use <i>diphenhydramine-zinc acetate</i> ) | NF        |                     |
| <i>diphenhydramine-zinc acetate CREA 2 %-0.1 %</i>                      | F         |                     |
| <i>diphenhydramine-zinc acetate LIQD</i>                                | F         |                     |
| <b>Antiseborrheic Products</b>  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| HEAD & SHOULDERS 2IN1 CLASSIC CLEAN/NORMAL SHAM (Use pyrithione zinc) | NF        |                     | hydrocortisone (topical) OINT 1 %                      | F         | RX/OTC              |
| HEAD & SHOULDERS CLASSIC CLEAN/NORMAL SHAM (Use pyrithione zinc)      | NF        |                     | hydrocortisone acetate (topical) OINT                  | F         |                     |
| HEAD & SHOULDERS DRY SCALP 2 IN 1 SHAM (Use pyrithione zinc)          | NF        |                     | HYDROCORTISONE CREA                                    | F         |                     |
| HEAD & SHOULDERS DRY SCALP CARE 2 IN 1 SHAM (Use pyrithione zinc)     | NF        |                     | VANICREAM HC MAXIMUM STRENGTH CREA                     | F         |                     |
| pyrithione zinc SHAM 1 %  | F         |                     | Diaper Rash Products                                   |           |                     |
| SEBEX   | F         |                     | diaper rash products OINT                              | F         |                     |
| selenium sulfide LOTN 1 %   | F         |                     | Emollients   |           |                     |
| selenium sulfide SHAM 1 %   | F         |                     | AQUA GLYCOLIC FACE CREAM CREA                          | F         |                     |
| SELSUN BLUE CARE MENS MAXIMUM STRENGTH LOTN (Use selenium sulfide)    | F         |                     | AQUAPHILIC OINT  | F         |                     |
| SELSUN BLUE DAILY LOTN (Use selenium sulfide)                         | NF        |                     | BETA CARE CREA   | F         |                     |
| SELSUN BLUE MEDICATED LOTN (Use selenium sulfide)                     | F         |                     | CETAPHIL MOISTURIZING CREA (Use emollient)             | NF        |                     |
| SELSUN BLUE MEDICATED LOTN (Use selenium sulfide)                     | NF        |                     | DERMABASE OIL IN WATER CREA                            | F         |                     |
| SELSUN BLUE MOISTURIZING LOTN (Use selenium sulfide)                  | NF        |                     | emollient OINT 41 %                                    | F         |                     |
| SELSUN BLUE LOTN (Use selenium sulfide)                               | NF        |                     | EUCERIN CALMING DAILY MOISTURIZER CREA (Use emollient) | NF        |                     |
| SELSUN BLUE LOTN (Use selenium sulfide)                               | F         |                     | EUCERIN SKIN CALMING CREA (Use emollient)              | NF        |                     |
| Corticosteroids - Topical   |           |                     | glycerin (topical)                                     | F         |                     |
| hydrocortisone (topical) CREA 0.5 %, 1 %                              | F         | RX/OTC              | lactic acid (ammonium lactate) CREA                    | F         | RX/OTC              |
|   |           |                     | lactic acid (ammonium lactate) LOTN 12 %               | F         | RX/OTC              |
|   |           |                     | LEADER FINGER CREAM CREA                               | F         |                     |
|   |           |                     | PENTRAVAN CREA   | F         |                     |
|   |           |                     | PETROLATUM   | F         |                     |
|   |           |                     | RA ADVANCED HEALING OINT                               | F         |                     |
|   |           |                     | THERAPEUTIC MOISTURIZING CREA                          | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|
| VANICREAM CREA  | F         |                      |
| <i>vitamins a &amp; d (topical) OINT</i>                            | F         |                      |
| Keratolytic/Antimitotic/Vesicant Agents                             |           |                      |
| ATRIX SYSTEM 1 KIT  | F         |                      |
| CLEAR AWAY ONE STEP WARTREMOVER PADS<br><i>(Use salicylic acid)</i> | F         |                      |
| COMPOUND W LIQD<br><i>(Use salicylic acid)</i>                      | F         |                      |
| CVS PSORIASIS MEDICATED SHAMPOO PLUS CONDITIONER SHAM               | F         |                      |
| CVS THERAPEUTIC DANDRUFFMAXIMUM STRENGTH SHAM                       | F         |                      |
| DERMAREST PSORIASIS MEDICATED SHAMPOO PLUS CONDITIONER SHAM         | F         |                      |
| <i>salicylic acid CREA 2 %</i>                                      | F         |                      |
| <i>salicylic acid LIQD 2 %, 17 %</i>                                | F         |                      |
| <i>salicylic acid PADS 40 %</i>                                     | F         |                      |
| <i>salicylic acid STRP</i>  | F         |                      |
| SELSUN BLUE DEEP CLEANSING SHAM                                     | F         |                      |
| SELSUN BLUE NATURALS DRYSCALP SHAM                                  | F         |                      |
| THERAPEUTIC DANDRUFF SHAM   | F         |                      |
| THERAPEUTIC T+PLUS MAXIMUM STRENGTH SHAM                            | F         |                      |
| Liniments   |           |                      |
| ZIKS ARTHRITIS PAIN RELIEF CREA                                     | F         |                      |
| Local Anesthetics - Topical   |           |                      |

| Drug Name                                     | Drug Tier | Requirements/ Limits |
|---|-----------|----------------------|
| <i>capsaicin CREA 0.025 %, 0.075 %, 0.1 %</i> | F         |                      |
| <i>capsaicin PTCH</i>                         | F         |                      |
| CAPZASIN-HP CREA<br><i>(Use capsaicin)</i>    | F         |                      |
| CAPZASIN-HP CREA<br><i>(Use capsaicin)</i>    | NF        |                      |
| CIRCATA CREA                                  | F         |                      |
| DERMACINRX CIRCATRIX CREA                     | F         |                      |
| <i>lidocaine CREA 4 %</i>                     | F         |                      |
| LMX 4 CREA<br><i>(Use lidocaine)</i>          | F         |                      |
| SALONPAS-HOT PTCH<br><i>(Use capsaicin)</i>   | F         |                      |
| Misc. Topical                                 |           |                      |
| ALOE VESTA PROTECTIVE OINT                    | F         |                      |
| AQUAGARD HYDRATING OINT                       | F         |                      |
| <i>benzoin compound TINC</i>                  | F         | RX/OTC               |
| BENZOIN TINCTURE PLAIN TINC                   | F         | RX/OTC               |
| BENZOIN TINCTURE TINC                         | F         | RX/OTC               |
| BORIC ACID GRAN                               | F         | RX/OTC               |
| CUTTER ALL FAMILY MOSQUITO WIPES SHEE         | F         |                      |
| CUTTER ALL FAMILY AERO                        | F         |                      |
| CUTTER ALL FAMILY LIQD                        | F         |                      |
| CUTTER BACKWOODS DRY AERO                     | F         |                      |
| CUTTER BACKWOODS AERO                         | F         |                      |
| CUTTER BACKWOODS LIQD                         | F         |                      |
| CUTTER DRY AERO                               | F         |                      |
| CUTTER LEMON EUCALYPTUS LIQD                  | F         |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name                                       | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|---|-----------|---------------------|
| CUTTER NATURAL AERO  | F         |                     | OFF FAMILYCARE SMOOTH & DRY AERO                | F         |                     |
| CUTTER NATURAL LIQD  | F         |                     | OFF FAMILYCARE TROPICAL FRESH LIQD              | F         |                     |
| CUTTER SKINSATIONS AERO  | F         |                     | OFF FAMILYCARE UNSCENTED LIQD                   | F         |                     |
| CUTTER SKINSATIONS LIQD  | F         |                     | OFF SMOOTH & DRY AERO                           | F         |                     |
| CUTTER SPORT AERO  | F         |                     | RANGER READY REPELLENT LIQD                     | F         |                     |
| CUTTER AERO  | F         |                     | REPEL 100 LIQD                                  | F         |                     |
| CVS INSECT REPELLENT AERO  | F         |                     | REPEL FAMILY DRY AERO                           | F         |                     |
| CVS TOTAL HOME INSECT REPELLENT AERO                                 | F         |                     | REPEL FAMILY AERO                               | F         |                     |
| <i>dimethicone (topical) CREA 5 %</i>                                | F         |                     | REPEL HUNTERS FORMULA AERO                      | F         |                     |
| EUCERIN ORIGINAL HEALING CREA ( <i>Use skin protectants, misc.</i> ) | NF        |                     | REPEL LEMON EUCALYPTUS INSECT REPELLENT AERO    | F         |                     |
| <i>lanolin (topical) CREA</i>  | F         |                     | REPEL MOSQUITO WIPES SHEE                       | F         |                     |
| MAXI DEET LIQD   | F         |                     | REPEL SPORTSMEN DRY AERO                        | F         |                     |
| NATRAPEL 12-HOUR TICK & INSECT REPELLENT CONTINUOUS SPRAY AERO       | F         |                     | REPEL SPORTSMEN MAX AERO                        | F         |                     |
| NATRAPEL LIQD  | F         |                     | REPEL SPORTSMEN MAX LIQD                        | F         |                     |
| OFF ACTIVE AERO  | F         |                     | REPEL SPORTSMEN MAX LOTN                        | F         |                     |
| OFF DEEP WOODS DRY AERO  | F         |                     | REPEL SPORTSMEN AERO                            | F         |                     |
| OFF DEEP WOODS SPORTSMEN AERO  | F         |                     | REPEL TICK DEFENSE AERO                         | F         |                     |
| OFF DEEP WOODS SPORTSMEN LIQD  | F         |                     | SAWYER INSECT REPELLENT CONTROLLED RELEASE LOTN | F         |                     |
| OFF DEEP WOODS TOWELETTES SHEE                                       | F         |                     | SAWYER PREMIUM INSECT REPELLENT LIQD            | F         |                     |
| OFF DEEP WOODS AERO  | F         |                     | <i>skin protectants, misc. CREA</i>             | F         |                     |
| OFF DEEP WOODS LIQD  | F         |                     |   |           |                     |
| OFF FAMILYCARE CLEAN FEEL LIQD                                       | F         |                     |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name                                       | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|---|-----------|---------------------|
| <i>skin protectants, misc. OINT</i>                                    | F         |                     | CHEMSTRIP 5 OB                                  | F         |                     |
| SM BENZOIN TINCTURE NFXI TINC  | F         | RX/OTC              | CHEMSTRIP 7                                     | F         |                     |
| SM BENZOIN TINCTURE TINC   | F         | RX/OTC              | CHEMSTRIP 9 STRIPS                              | F         |                     |
| SORBIDON HYDRATE CREA  | F         |                     | CLINITEST RAPID COVID-19ANTIGEN SELF-TEST KIT   | F         |                     |
| ULTRATHON INSECT REPELLENT 8 AERO                                      | F         |                     | COVID-19 AG TEST KIT                            | F         |                     |
| ULTRATHON INSECT REPELLENT LOTN  | F         |                     | COVID-19 AT-HOME TEST KIT KIT                   | F         |                     |
| XERAC AC   | F         |                     | COVID-19 TEST SPECIMEN COLLECTION               | F         |                     |
| <i>zinc oxide (topical) OINT 20 %</i>                                  | F         |                     | CUE COVID-19 TEST CARTRIDGE CART                | F         |                     |
| <b>Scabicides &amp; Pediculicides</b>                                  |           |                     | CVS COVID-19 AT HOME TESTKIT KIT                | F         |                     |
| NIX CREME RINSE LIQD EX ( <i>Use permethrin</i> )                      | NF        |                     | CVS KETONE CARE                                 | F         |                     |
| <i>permethrin LIQD EX</i>  | F         |                     | ELLUME COVID-19 HOME TEST KIT                   | F         |                     |
| <i>pyrethrins-piperonyl butoxide SHAM 4 %-0.3 %-0.33 %, 4 %-0.33 %</i> | F         |                     | EVERLYWELL COVID-19 TESTHOME COLLECTION KIT DTC | F         |                     |
| VANALICE GEL   | F         |                     | FASTEP COVID-19 ANTIGEN HOME TEST KIT           | F         |                     |
| <b>DIAGNOSTIC PRODUCTS</b>   |           |                     | FLOWFLEX COVID-19 ANTIGEN HOME TEST KIT         | F         |                     |
| <b>Diagnostic Tests</b>  |           |                     | FORA GTEL BLOOD KETONE TEST STRIPS              | F         |                     |
| BD VERITOR AT-HOME COVID-19 TEST KIT                                   | F         |                     | FORA TEST N' GO ADVANCE/VOICE/6 CONNECT         | F         |                     |
| BINAXNOW COVID-19 AG CARD HOME TEST KIT                                | F         |                     | GENABIO COVID-19 RAPID SELF TEST KIT 1-PACK KIT | F         |                     |
| CARESTART COVID-19 ANTIGEN HOME TEST KIT                               | F         |                     | GENABIO COVID-19 RAPID SELF TEST KIT 2-PACK KIT | F         |                     |
| CELLTRION DIATRUST COVID-19 AG HOME TEST KIT                           | F         |                     | GOJJI BLOOD KETONE TEST STRIPS                  | F         |                     |
| CHEMSTRIP 10 MD  | F         |                     | IHEALTH COVID-19 ANTIGENRAPID TEST KIT          | F         |                     |
| CHEMSTRIP -10 WITH SG  | F         |                     |   |           |                     |
| CHEMSTRIP 2 GP STRIPS  | F         |                     |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| INDICAID COVID-19 RAPID ANTIGEN AT-HOME TEST KIT    | F         |                     | BALANCED NUTRITIONAL DRINK LIQD OR   | F         | RX/OTC              |
| INTELISWAB COVID-19 RAPID TEST KIT                  | F         |                     | BOOST HIGH PROTEIN LIQD OR   | F         | RX/OTC              |
| KETO-DIASTIX  | F         |                     | ENSURE ACTIVE HEART HEALTH LIQD OR   | F         | RX/OTC              |
| KETONE TEST STRIPS STRP                             | F         |                     | ENSURE ACTIVE HIGH PROTEIN LIQD OR   | F         | RX/OTC              |
| KETONE STRP   | F         |                     | ENSURE ACTIVE LIGHT LIQD OR  | F         | RX/OTC              |
| KETOSTIX STRP                                       | F         |                     | ENSURE CLEAR LIQD OR   | F         | RX/OTC              |
| LUCIRA CHECK IT COVID-19TEST KIT KIT                | F         | RX/OTC              | ENSURE COMPACT LIQD OR   | F         | RX/OTC              |
| MULTISTIX 10 SG                                     | F         |                     | ENSURE HIGH PROTEIN LIQD OR  | F         | RX/OTC              |
| NOVA MAX PLUS KETONE TESTSTRIPS                     | F         |                     | ENSURE MAX PROTEIN LIQD OR   | F         | RX/OTC              |
| ON/GO COVID-19 ANTIGEN SELF-TEST KIT                | F         |                     | ENSURE NUTRITION SHAKE LIQD OR   | F         | RX/OTC              |
| ON/GO ONE COVID-19 ANTIGEN HOME TEST KIT            | F         |                     | ENSURE ORIGINAL LIQD OR  | F         | RX/OTC              |
| PILOT COVID-19 AT-HOME TEST KIT                     | F         |                     | ENSURE LIQD OR   | F         | RX/OTC              |
| PIXEL COVID-19 PCR TEST HOME COLLECTION KIT         | F         |                     | HEALTHY ACCENTS NUTRA FIT LIQD OR  | F         | RX/OTC              |
| PRECISION XTRA                                      | F         |                     | HEALTHY ACCENTS NUTRA FITPLUS LIQD OR  | F         | RX/OTC              |
| QUICKVUE AT-HOME COVID-19 TEST KIT                  | F         |                     | HIGH-PROTEIN NUTRITIONALSHAKE LIQD OR  | F         | RX/OTC              |
| RAPID SARS-COV-2 ANTIGENTEST CARD KIT               | F         |                     | NUTRITIONAL DRINK LIQD OR  | F         | RX/OTC              |
| RELION KETONE TEST STRIPS STRP                      | F         |                     | NUTRITIONAL SHAKE COMPLETE LIQD OR   | F         | RX/OTC              |
| SPEEDY SWAB RAPID COVID-19 ANTIGEN SELF-TEST KIT    | F         |                     | NUTRITIONAL SHAKE PLUS PROTEIN LIQD OR   | F         | RX/OTC              |
| <b>DIETARY PRODUCTS/DIETARY MANAGEMENT PRODUCTS</b> |           |                     | NUTRITIONAL SHAKE LIQD OR  | F         | RX/OTC              |
| Nutritional Supplements                             |           |                     | <b>ENDOCRINE AND METABOLIC AGENTS - MISC. - Drugs to Treat Bone Disease and Regulate</b> |           |                     |
| BALANCED NUTRITIONAL DRINK PLUS LIQD OR             | F         | RX/OTC              |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <b>Hormones</b>   |           |                     |
| Fertility Regulators  |           |                     |
| OVIDREL INJ   | F         |                     |
| <b>GASTROINTESTINAL AGENTS - MISC. - Miscellaneous Gastrointestinal Drugs</b>                                     |           |                     |
| Antiflatulents  |           |                     |
| GAS-X EXTRA STRENGTH CHEW (Use simethicone)   | NF        |                     |
| MYLICON INFANTS GAS RELIEF DYE FREE SUSP (Use simethicone)  | NF        |                     |
| MYLICON INFANTS GAS RELIEF DYE FREE SUSP (Use simethicone)  | F         |                     |
| MYLICON INFANTS GAS RELIEF SUSP (Use simethicone)   | F         |                     |
| PHAZYME ULTRA STRENGTH CAPS (Use simethicone)   | F         |                     |
| PHAZYME ULTRA STRENGTH CAPS (Use simethicone)   | NF        |                     |
| simethicone CAPS 125 MG, 180 MG   | F         |                     |
| simethicone CHEW  | F         |                     |
| simethicone LIQD OR 20 MG/0.3ML   | F         |                     |
| simethicone SUSP 20 MG/0.3ML  | F         |                     |
| <b>GENITOURINARY AGENTS - MISCELLANEOUS - Miscellaneous Drugs to Treat Reproductive Organs and Urinary System</b> |           |                     |
| Alkalinizers  |           |                     |
| ORACIT  | F         |                     |
| sodium citrate & citric acid  | F         | RX/OTC              |
| Urinary Analgesics  |           |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| AZO URINARY PAIN RELIEF MAXIMUM STRENGTH TABS (Use phenazopyridine hcl) | F         |                     |
| phenazopyridine hcl TABS 95 MG, 99.5 MG                                 | F         |                     |
| <b>HEMATOPOIETIC AGENTS - Drugs to Treat Blood Disorders</b>            |           |                     |
| Cobalamins  |           |                     |
| cyanocobalamin SOLN IJ 1000 MCG/ML                                      | F         |                     |
| hydroxocobalamin acetate SOLN   | F         |                     |
| NASCOBAL SOLN NA (Use cyanocobalamin)                                   | F         |                     |
| Folic Acid/Folates  |           |                     |
| folic acid CAPS   | F         |                     |
| FOLIC ACID CAPS   | F         |                     |
| FOLIC ACID POWD   | F         | RX/OTC              |
| folic acid SOLN   | F         |                     |
| folic acid TABS   | F         | RX/OTC              |
| Hematopoietic Mixtures  |           |                     |
| ACTIVE FE   | F         |                     |
| BP VIT 3  | F         |                     |
| CENTRATEX CAPS  | F         |                     |
| CORVITE 150 (Use iron-folic acid-vitamin c-vitamin b6-vitamin b12-zinc) | NF        |                     |
| CORVITE 150 TABS  | F         |                     |
| CORVITE FE TABS   | F         |                     |
| DERMACINRX DOTREMIN TABS  | F         |                     |
| DERMACINRX FOLTAMIN TABS  | F         |                     |
| fe fumarate-vitamin c-vitamin b12-folic acid                            | F         | RX/OTC              |
| fe fum-iron polysacch complex-fa-b complex-c-zn-mn-cu                   | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| FERIVA 21/7   | F         |                     | FERAHEME (Use ferumoxytol)                                 | F         |                     |
| FERIVAFA  | F         |                     | FER-IN-SOL SOLN (Use ferrous sulfate)                      | NF        |                     |
| FERRALET 90   | F         |                     | FERRLECIT (Use sodium ferric gluconate complex in sucrose) | NF        |                     |
| ferrous fumarate w/ b12-vit c-fa-ifc  | F         |                     | ferrous gluconate TABS 27 MG, 240 MG, 324 MG               | F         |                     |
| FOLDITAM TABS   | F         |                     | FERROUS GLUCONATE TABS 324 MG                              | F         |                     |
| folic acid-vitamin b6-vitamin b12 TABS 25 MG-2.2 MG-1 MG, 25 MG-2.5 MG-1 MG | F         |                     | FERROUS SULFATE ANHYDROUS POWD                             | F         | RX/OTC              |
| FOLITE  | F         |                     | ferrous sulfate dried TABS 200 MG                          | F         |                     |
| FOLIVANE-F  | F         |                     | ferrous sulfate dried TBCR                                 | F         |                     |
| FOLIXAPURE TABS   | F         |                     | FERROUS SULFATE POWD                                       | F         | RX/OTC              |
| FOLTRATE TABS   | F         | RX/OTC              | ferrous sulfate SOLN                                       | F         |                     |
| FOLTREXYL TABS  | F         |                     | ferrous sulfate TABS 27 MG, 65 MG, 325 MG                  | F         |                     |
| FUSION PLUS   | F         |                     | ferrous sulfate TBCR 45 MG, 50 MG                          | F         |                     |
| HEMATOGEN FA  | F         |                     | ferrous sulfate TBEC                                       | F         |                     |
| INTEGRA PLUS  | F         |                     | FERROUS SULFATE TBEC (Use ferrous sulfate)                 | F         |                     |
| iron combinations CAPS  | F         | RX/OTC              | HEMATEX POLYSACCHARIDE IRON COMPLEX TABS                   | F         |                     |
| iron-folic acid-vitamin c-vitamin b6-vitamin b12-zinc                       | F         |                     | HEMATEX LIQD   | F         |                     |
| IROSPAN 24/6  | F         |                     | ICAR PEDIATRIC SUSP (Use carbonyl iron)                    | NF        |                     |
| MTX SUPPORT TABS  | F         | RX/OTC              | INFED  | F         |                     |
| NEPHRON FA  | F         |                     | INJECTAFER 750 MG/15ML                                     | F         |                     |
| NIFEREX TABS  | F         |                     | IRON CHEWS PEDIATRIC CHEW                                  | F         |                     |
| NUFERA TABS   | F         |                     | IRON UP LIQD   | F         |                     |
| TARON FORTE   | F         |                     | IRON TABS 90 MG  | F         |                     |
| Iron  |           |                     | MONOFERRIC   | F         |                     |
| ACCRUFER  | F         |                     |  |           |                     |
| carbonyl iron SUSP  | F         |                     |  |           |                     |
| carbonyl iron TABS  | F         |                     |  |           |                     |
| EZFE 200 CAPS   | F         |                     |  |           |                     |
| FEOSOL NATURAL RELEASE TABS (Use carbonyl iron)                             | NF        |                     |  |           |                     |
| FEOSOL TABS (Use ferrous sulfate dried)                                     | F         |                     |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NOVAFERRUM 125 LIQD   | F         |                     |
| NOVAFERRUM PEDIATRIC DROPS LIQD                                       | F         |                     |
| <i>polysaccharide iron complex CAPS 150 MG</i>                        | F         |                     |
| PROFE CAPS  | F         |                     |
| SLOW FE TBCR 45 MG<br>(Use ferrous sulfate)                           | F         |                     |
| SLOW FE TBCR 45 MG<br>(Use ferrous sulfate)                           | NF        |                     |
| SLOW RELEASE IRON TBCR  | F         |                     |
| <i>sodium ferric gluconate complex in sucrose</i>                     | F         |                     |
| TRIFERIC PACK   | F         |                     |
| VENOFER   | F         |                     |
| <b>HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS</b>                      |           |                     |
| Antihistamine Hypnotics   |           |                     |
| <i>diphenhydramine hcl (sleep) CAPS 50 MG</i>                         | F         |                     |
| <i>diphenhydramine hcl (sleep) TABS 25 MG</i>                         | F         |                     |
| UNISOM SLEEPGELS CAPS (Use <i>diphenhydramine hcl (sleep)</i> )       | F         |                     |
| <b>LAXATIVES - Bowel Treatment Drugs</b>                              |           |                     |
| Bulk Laxatives  |           |                     |
| <i>calcium polycarbophil TABS</i>                                     | F         |                     |
| CITRUCEL FIBER LAXATIVE POWD (Use <i>methylcellulose (laxative)</i> ) | NF        |                     |
| CITRUCEL TABS (Use <i>methylcellulose (laxative)</i> )                | F         |                     |
| KONSYL DAILY FIBER PACK 100 %   | F         |                     |
| KONSYL DAILY PSYLLIUM FIBER PACK                                      | F         |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| KONSYL ORIGINAL DAILY FIBER PACK                               | F         |                     |
| <i>methylcellulose (laxative) POWD</i>                         | F         |                     |
| <i>methylcellulose (laxative) TABS</i>                         | F         |                     |
| <b>Laxative Combinations</b>                                   |           |                     |
| SENNAPLUS CAPS   | F         |                     |
| <i>sennosides-docusate sodium TABS</i>                         | F         |                     |
| SENOKOT S TABS (Use <i>sennosides-docusate sodium</i> )        | F         |                     |
| STOOL SOFTENER + STIMULANT LAXATIVE CAPS                       | F         |                     |
| <b>Laxatives - Miscellaneous</b>                               |           |                     |
| MIRALAX MIX-IN PAX PACK (Use <i>polyethylene glycol 3350</i> ) | NF        |                     |
| MIRALAX PACK (Use <i>polyethylene glycol 3350</i> )            | F         |                     |
| MIRALAX PACK (Use <i>polyethylene glycol 3350</i> )            | NF        |                     |
| MIRALAX POWD (Use <i>polyethylene glycol 3350</i> )            | NF        |                     |
| <i>polyethylene glycol 3350 PACK</i>                           | F         |                     |
| <i>polyethylene glycol 3350 POWD</i>                           | F         |                     |
| SORBITOL RE 70 %   | F         |                     |
| <b>Lubricant Laxatives</b>                                     |           |                     |
| FLEET OIL ENEM (Use <i>mineral oil</i> )                       | F         |                     |
| MINERAL OIL HEAVY OIL XX                                       | F         | RX/OTC              |
| <i>mineral oil ENEM</i>  | F         |                     |
| <i>mineral oil OIL OR</i>                                      | F         | RX/OTC              |
| <b>Saline Laxatives</b>  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| EQL EPSOM SALT GRAN XX   | F         |                     | <i>sennosides CHEW</i>                                     | F         |                     |
| FLEET ENEMA ENEM<br>(Use sodium phosphates)                                    | F         |                     | <i>sennosides LIQD</i>                                     | F         |                     |
| FLEET ENEMA ENEM<br>(Use sodium phosphates)                                    | NF        |                     | <i>sennosides SYRP 8.8 MG/5ML</i>                          | F         |                     |
| FLEET PEDIATRIC ENEM<br>(Use sodium phosphates)                                | F         |                     | <i>sennosides TABS 8.6 MG, 15 MG, 17.2 MG, 25 MG</i>       | F         |                     |
| <i>magnesium citrate</i>   | F         |                     | SENOKOT TABS (Use <i>sennosides</i> )                      | NF        |                     |
| <i>magnesium hydroxide SUSP 7.75 %, 400 MG/5ML, 1200 MG/15ML, 2400 MG/30ML</i> | F         |                     | <b>Surfactant Laxatives</b>                                |           |                     |
| <i>magnesium sulfate (laxative) GRAN OR</i>                                    | F         |                     | <i>benzocaine-docusate sodium ENEM</i>                     | F         |                     |
| MILK OF MAGNESIA CONCENTRATE SUSP  | F         |                     | COLACE CLEAR CAPS (Use <i>docusate sodium</i> )            | F         |                     |
| PEDIA-LAX CHEW   | F         |                     | COLACE CAPS 100 MG (Use <i>docusate sodium</i> )           | NF        |                     |
| PHILLIPS (Use <i>magnesium oxide (laxative)</i> )                              | F         |                     | <i>docusate calcium</i>                                    | F         |                     |
| RA EPSOM SALT GRAN XX  | F         |                     | <i>docusate sodium CAPS</i>                                | F         |                     |
| <i>sodium phosphates ENEM</i>  | F         |                     | <i>docusate sodium ENEM 283 MG/5ML</i>                     | F         |                     |
| <b>Stimulant Laxatives</b>   |           |                     | <i>docusate sodium LIQD</i>                                | F         |                     |
| <i>bisacodyl SUPP</i>  | F         |                     | <i>docusate sodium TABS</i>                                | F         |                     |
| <i>bisacodyl TBEC</i>  | F         |                     | DOCUSOL KIDS ENEM (Use <i>docusate sodium</i> )            | F         |                     |
| <i>castor oil OIL 100 %</i>  | F         |                     | ENEMEEZ KIDS MINI ENEMA ENEM (Use <i>docusate sodium</i> ) | NF        |                     |
| DULCOLAX PINK LAXATIVE TBEC (Use <i>bisacodyl</i> )                            | NF        |                     | PEDIA-LAX LIQD   | F         |                     |
| DULCOLAX SUPP (Use <i>bisacodyl</i> )  | NF        |                     | <b>MEDICAL DEVICES AND SUPPLIES</b>                        |           |                     |
| DULCOLAX TBEC (Use <i>bisacodyl</i> )  | NF        |                     | <b>Contraceptives</b>                                      |           |                     |
| EX-LAX CHEW (Use <i>sennosides</i> )   | NF        |                     | AIMSCO LUBRICATED MISC                                     | F         |                     |
| FLEET BISACODYL ENEM   | F         |                     | DUREX REALFEEL NON-LATEX                                   | F         |                     |
| <i>sennosides CAPS</i>   | F         |                     | FANTASY LUBRICATED/SPERMICI DE MISC                        | F         |                     |
|  |           |                     | FANTASY LUBRICATED MISC                                    | F         |                     |
|  |           |                     | FC2 FEMALE CONDOM  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| KIMONO LUBRICATED MISC                            | F         |                     |
| KIMONO MICRO THIN PLUS SPERMICIDE LUBRICATED MISC | F         |                     |
| KIMONO MICRO THIN MISC                            | F         |                     |
| KIMONO SENSATION LUBRICATED MISC                  | F         |                     |
| KIMONO SENSATION PLUS SPERMICIDE LUBRICATED MISC  | F         |                     |
| MAXX LUBRICATED MISC                              | F         |                     |
| PREMIUM CONDOMS LUBRICATED MISC                   | F         |                     |
| TRUSTEX LUBRICATED EXTRALARGE MISC                | F         |                     |
| TRUSTEX LUBRICATED EXTRASTRENGTH MISC             | F         |                     |
| TRUSTEX LUBRICATED/RIBBED/STUDDDED MISC           | F         |                     |
| TRUSTEX LUBRICATED/SPERMICIDE EXTRA LARGE MISC    | F         |                     |
| TRUSTEX LUBRICATED/SPERMICIDE EXTRA STRENGTH MISC | F         |                     |
| TRUSTEX LUBRICATED/SPERMICIDE MISC                | F         |                     |
| TRUSTEX LUBRICATED MISC                           | F         |                     |
| TRUSTEX NON-LUBRICATED MISC                       | F         |                     |
| TRUSTEX WITH NONOXYNOL-9/RIBBED/STUDDDED MISC     | F         |                     |
| TRUSTEX/RIA LUBRICATED SPERMICIDE MISC            | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TRUSTEX/RIA LUBRICATED/SPERMICIDE MISC                        | F         |                     |
| TRUSTEX/RIA LUBRICATED MISC                                   | F         |                     |
| TRUSTEX/RIA NON-LUBRICATED MISC                               | F         |                     |
| Respiratory Aids  |           |                     |
| PEDIATRIC MEDIUM MASK   | F         | RX/OTC              |
| PEDIATRIC SMALL MASK  | F         | RX/OTC              |
| Respiratory Therapy Supplies                                  |           |                     |
| ACE AEROSOL CLOUD ENHANCER MISC                               | F         | RX/OTC              |
| ADULT MASK LARGE MISC   | F         | RX/OTC              |
| AEROCHAMBER MINI AEROSOLCHAMBER DEVI                          | F         | RX/OTC              |
| AEROCHAMBER MV MISC   | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW VU MISC                                 | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW-VU/LARGE MASK MISC                      | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW-VU/MASK MISC                            | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW-VU/MEDIUM MASK MISC                     | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW-VU/SMALL MASK MISC                      | F         | RX/OTC              |
| AEROCHAMBER PLUS FLOW-VU MISC                                 | F         | RX/OTC              |
| AEROCHAMBER Z-STAT PLUS VALVED HOLDING CHAMBER W/FLOW VU MISC | F         | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| AEROCHAMBER Z-STAT PLUS/FLOWSIGNAL MISC                           | F         | RX/OTC              | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/SMALL INFANT DEVI | F         | RX/OTC              |
| AEROCHAMBER Z-STAT PLUS/LARGE MASK MISC                           | F         | RX/OTC              | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/SMALL DEVI        | F         | RX/OTC              |
| AEROCHAMBER Z-STAT PLUS/MEDIUM MASK MISC                          | F         | RX/OTC              | CLEVER CHOICE PEAK FLOW METER                                     | F         | RX/OTC              |
| AEROCHAMBER Z-STAT PLUS/SMALL MASK MISC                           | F         | RX/OTC              | COMPACT SPACE CHAMBER/ANTI-STATIC/LARGE MASK DEVI                 | F         | RX/OTC              |
| AEROCHAMBER/FLOWSIGNAL MISC                                       | F         | RX/OTC              | COMPACT SPACE CHAMBER/ANTI-STATIC/MEDIUM MASK DEVI                | F         | RX/OTC              |
| AEROTRACH PLUS MISC   | F         | RX/OTC              | COMPACT SPACE CHAMBER/ANTI-STATIC/SMALL MASK DEVI                 | F         | RX/OTC              |
| AEROVENT PLUS HOLDING CHAMBER/COLLAPSIBLE DEVI                    | F         | RX/OTC              | COMPACT SPACE CHAMBER/ANTI-STATIC DEVI                            | F         | RX/OTC              |
| AIRZONE PEAK FLOW METER   | F         | RX/OTC              | EASIVENT/MASK-LARGE MISC  | F         | RX/OTC              |
| BREATHERITE VALVED MDI CHAMBER/COLLAPSIBLE DEVI                   | F         | RX/OTC              | EASIVENT/MASK-MEDIUM MISC   | F         | RX/OTC              |
| BREATHERITE VALVED MDI CHAMBER/RIGID DEVI                         | F         | RX/OTC              | EASIVENT/MASK-SMALL MISC  | F         | RX/OTC              |
| CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/ADULT LARGE DEVI  | F         | RX/OTC              | EASIVENT MISC   | F         | RX/OTC              |
| CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/MEDIUM/3 YEA DEVI | F         | RX/OTC              | EQ SPACE CHAMBER ANTI-STATIC/LARGE MASK DEVI                      | F         | RX/OTC              |
| CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/MEDIUM DEVI       | F         | RX/OTC              | EQ SPACE CHAMBER ANTI-STATIC/MEDIUM MASK DEVI                     | F         | RX/OTC              |
|   |           |                     | EQ SPACE CHAMBER ANTI-STATIC/SMALL MASK DEVI                      | F         | RX/OTC              |
|   |           |                     | EQ SPACE CHAMBER ANTI-STATIC DEVI                                 | F         | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name                                      | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| FLEXICHAMBER ADULT MASK/SMALL                         | F         | RX/OTC              | OPTICHAMBER DIAMOND/SMALLFACE MASK MISC        | F         | RX/OTC              |
| FLEXICHAMBER CHILD MASK/LARGE                         | F         | RX/OTC              | OPTICHAMBER DIAMOND MISC                       | F         | RX/OTC              |
| FLEXICHAMBER CHILD MASK/SMALL                         | F         | RX/OTC              | PANDA MASK LARGE                               | F         | RX/OTC              |
| FLEXICHAMBER DEVI                                     | F         | RX/OTC              | PANDA MASK MEDIUM                              | F         | RX/OTC              |
| IN-CHECK INSPIRATORY FLOWMETER/NASAL WITH MASK DEVI   | F         | RX/OTC              | PANDA MASK SMALL                               | F         | RX/OTC              |
| IN-CHECK INSPIRATORY FLOWMETER/ORAL DEVI              | F         | RX/OTC              | PARI VORTEX ADULT MASK                         | F         | RX/OTC              |
| LITETOUCH MASK LARGE MISC                             | F         | RX/OTC              | PEAK AIR PEAK FLOW METERADULT/PEDIATRIC        | F         | RX/OTC              |
| LITETOUCH MASK MEDIUM MISC                            | F         | RX/OTC              | PEDIATRIC MOUTHPIECE/DISPOSABLE MISC           | F         | RX/OTC              |
| LITETOUCH MASK SMALL MISC                             | F         | RX/OTC              | PEDIATRIC PANDA MASK                           | F         | RX/OTC              |
| MICROCHAMBER DEVI                                     | F         | RX/OTC              | PERSONAL BEST FULL RANGE                       | F         | RX/OTC              |
| MICROCHAMBER MISC                                     | F         | RX/OTC              | PIKO 1 ELECTRONIC                              | F         | RX/OTC              |
| MICROLIFE DIGITAL PEAK FLOW METER                     | F         | RX/OTC              | POCKET CHAMBER DEVI                            | F         | RX/OTC              |
| MICROSPACER MISC                                      | F         | RX/OTC              | POCKET PEAK FLOW METER                         | F         | RX/OTC              |
| MINI WRIGHT AFS PEAK FLOWMETER LOW RANGE              | F         | RX/OTC              | PRO COMFORT INHALER SPACER CHAMBER ADULT MISC  | F         | RX/OTC              |
| MINI WRIGHT PEAK FLOW METER                           | F         | RX/OTC              | PRO COMFORT INHALER SPACER CHAMBER CHILD MISC  | F         | RX/OTC              |
| ONE-WAY VALVED EXPIRATORYMOUTHPIECE/DISPOSABLE MISC   | F         | RX/OTC              | PRO COMFORT INHALER SPACER CHAMBER INFANT DEVI | F         | RX/OTC              |
| ONE-WAY VALVED INSPIRATORY MOUTHPIECE/DISPOSABLE MISC | F         | RX/OTC              | PROCARE SPACER CHAMBER W/ADULT MASK DEVI       | F         | RX/OTC              |
| OPTICHAMBER DIAMOND/LARGEFACE MASK DEVI               | F         | RX/OTC              | PROCARE SPACER CHAMBER W/CHILD MASK DEVI       | F         | RX/OTC              |
| OPTICHAMBER DIAMOND/MEDIUM FACE MASK MISC             | F         | RX/OTC              | PURE COMFORT INHALER SPACER CHAMBER ADULT DEVI | F         | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/<br>Limits | Drug Name  | Drug Tier | Requirements/<br>Limits |
|--|-----------|-------------------------|--|-----------|-------------------------|
| PURE COMFORT PEAK FLOW METER ADULT                   | F         | RX/OTC                  | <i>calcium carbonate-cholecalciferol CHEW 400 UNIT-500 MG, 400 UNIT-600 MG</i> | F         |                         |
| PURE COMFORT PEAK FLOW METER CHILD                   | F         | RX/OTC                  | <i>calcium carbonate-cholecalciferol TABS</i>                                  | F         |                         |
| RITEFLO DEVI   | F         | RX/OTC                  | CALCIUM CARBONATE POWD OR  | F         |                         |
| SIDESTREAM PEDIATRIC FACEMASK/TUCKER THE TURTLE MISC | F         | RX/OTC                  | <i>calcium carbonate TABS 600 MG, 1250 MG, 1500 MG</i>                         | F         |                         |
| SIDESTREAM PEDIATRIC FACEMASK MISC                   | F         | RX/OTC                  | <i>calcium carbonate-vitamin d w/ minerals CHEW</i>                            | F         |                         |
| SILICONE MASK FOR BREATHERITE CHAMBER/INFANT MISC    | F         | RX/OTC                  | <i>calcium carbonate-vitamin d w/ minerals TABS</i>                            | F         |                         |
| SILICONE MASK FOR BREATHERITE CHAMBER/PEDIATRIC MISC | F         | RX/OTC                  | <i>calcium carbonate-vitamin d CAPS</i>  | F         |                         |
| TRUZONE PEAK FLOW METER                              | F         | RX/OTC                  | <i>calcium carbonate-vitamin d TABS 250 MG-125 UNIT, 600 MG-200 UNIT</i>       | F         |                         |
| VORTEX HOLDING CHAMBER/MASK/CHILD S/FROG DEVI        | F         | RX/OTC                  | CALCIUM CITRATE W/D TABS   | F         |                         |
| VORTEX HOLDING CHAMBER/MASK/TODDLER/LADY BUG DEVI    | F         | RX/OTC                  | CALCIUM CITRATE/VITAMIN D3 LIQD  | F         |                         |
| VORTEX VALVED HOLDING CHAMBER DEVI                   | F         | RX/OTC                  | CALCIUM CITRATE+ D TABS  | F         |                         |
| <b>MINERALS &amp; ELECTROLYTES</b>                   |           |                         | CALCIUM CITRATE GRAN   | F         |                         |
| <b>Calcium</b>                                       |           |                         | <i>calcium citrate TABS 200 MG</i>   | F         |                         |
| CAL-CITRATE PLUS VITAMIND TABS                       | F         |                         | CALCIUM CITRATE TABS 250 MG  | F         |                         |
| <i>calcium &amp; phosphorus w/ vitamin d CHEW</i>    | F         |                         | <i>calcium citrate-vitamin d TABS</i>  | F         |                         |
| CALCIUM 1000 + D TABS                                | F         |                         | CALCIUM LACTATE TABS 100 MG  | F         |                         |
| CALCIUM 600+D HIGH POTENCY TABS                      | F         |                         | CALCIUM PLUS D3 ABSORBABLE CAPS  | F         |                         |
| CALCIUM CARBONATE CHEW                               | F         |                         | CALCIUM/C/D  | F         |                         |
| <i>calcium carbonate-cholecalciferol CAPS</i>        | F         |                         | CALCIUM/VITAMIN D CAPS   | F         |                         |
|  |           |                         | CALCIUM CHEW   | F         |                         |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>calcium TABS</i>   | F         |                     |
| CAL-MINT CHEW   | F         |                     |
| CAL-QUICK LIQD  | F         |                     |
| CALTRATE 600+D PLUS MINERALS CHEW ( <i>Use calcium carbonate-vitamin d w/ minerals</i> )  | NF        |                     |
| CALTRATE 600+D PLUS MINERALS TABS ( <i>Use calcium carbonate-vitamin d w/ minerals</i> )  | NF        |                     |
| CALTRATE 600+D3 PLUS MINERALS TABS ( <i>Use calcium carbonate-vitamin d w/ minerals</i> ) | NF        |                     |
| CALTRATE 600+D3 SOFT CHEWS CHEW   | F         |                     |
| CALTRATE 600+D3 TABS ( <i>Use calcium carbonate-cholecalciferol</i> )                     | NF        |                     |
| CALTRATE BONE HEALTH ADVANCED CHEW ( <i>Use calcium carbonate-vitamin d w/ minerals</i> ) | NF        |                     |
| CALTRATE BONE HEALTH TABS ( <i>Use calcium carbonate-cholecalciferol</i> )                | NF        |                     |
| CALTRATE MINIS PLUS MINERALS TABS   | F         |                     |
| CITRACAL + D3 MAXIMUM TABS ( <i>Use calcium citrate-vitamin d</i> )                       | F         |                     |
| CITRACAL PETITES/VITAMIND TABS ( <i>Use calcium citrate-vitamin d</i> )                   | F         |                     |
| CITRACAL+D3 CHEW  | F         |                     |
| LIQUID CALCIUM WITH D3 MAXIMUM STRENGTH CAPS  | F         |                     |
| <i>oyster shell</i>   | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| OYSTER SHELL CALCIUM/D TABS                                   | F         |                     |
| RISACAL-D TABS  | F         |                     |
| UPCAL D PACK 500 UNIT-500 MG                                  | F         |                     |
| UPCAL D POWD  | F         |                     |
| Electrolyte Mixtures  |           |                     |
| EQUALYTE SOLN ( <i>Use oral electrolytes</i> )                | NF        |                     |
| HYDRALYTE SOLN  | F         |                     |
| KINDERLYTE PREMAX SOLN  | F         |                     |
| KINDERLYTE SOLN <i>oral electrolytes SOLN</i>                 | F         |                     |
| PEDIALYTE ADVANCED CARE SOLN ( <i>Use oral electrolytes</i> ) | NF        |                     |
| PEDIALYTE FREEZER POPS SOLN ( <i>Use oral electrolytes</i> )  | NF        |                     |
| PEDIALYTE FREEZER POPS SOLN ( <i>Use oral electrolytes</i> )  | F         |                     |
| PEDIALYTE SINGLES SOLN ( <i>Use oral electrolytes</i> )       | NF        |                     |
| PEDIALYTE SINGLES SOLN ( <i>Use oral electrolytes</i> )       | F         |                     |
| PEDIALYTE SOLN ( <i>Use oral electrolytes</i> )               | F         |                     |
| PEDIALYTE SOLN ( <i>Use oral electrolytes</i> )               | NF        |                     |
| THERMOTABS TABS   | F         |                     |
| Magnesium   |           |                     |
| CVS TRIPLE MAGNESIUM COMPLEX CAPS                             | F         |                     |
| MAG-200 TABS ( <i>Use magnesium oxide (mg supplement)</i> )   | NF        |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| MAG64 TBEC ( <i>Use magnesium chloride</i> )                               | F         |                     |
| MAG-G TABS   | F         |                     |
| MAGNESIUM CHLORIDE HEXAHYDRATE CRYSTALS                                    | F         |                     |
| <i>magnesium chloride-calcium carbonate</i>                                | F         |                     |
| MAGNESIUM CHLORIDE POWDER  | F         | RX/OTC              |
| <i>magnesium chloride TBEC</i>   | F         |                     |
| MAGNESIUM CITRATE TABS 100 MG  | F         |                     |
| MAGNESIUM EXTRA STRENGTH CAPS  | F         |                     |
| <i>magnesium gluconate TABS 27.5 MG</i>                                    | F         |                     |
| MAGNESIUM GLUCONATE TABS 250 MG, 500 MG                                    | F         |                     |
| <i>magnesium lactate</i>   | F         |                     |
| <i>magnesium oxide (mg supplement) CAPS</i>                                | F         |                     |
| <i>magnesium oxide (mg supplement) TABS 200 MG, 250 MG, 400 MG, 500 MG</i> | F         |                     |
| MAGNESIUM OXIDE CAPS   | F         |                     |
| MAGNESIUM OXIDE TABS   | F         |                     |
| <i>magnesium TABS</i>  | F         |                     |
| MAGNESIUM TABS 64 MG   | F         |                     |
| MAGONATE LIQD  | F         |                     |
| MAGOX 400 TABS ( <i>Use magnesium oxide (mg supplement)</i> )              | NF        |                     |
| MAG-TAB SR ( <i>Use magnesium lactate</i> )                                | F         |                     |
| NU-MAG   | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SLOW MAGNESIUM CHLORIDE/CALCIUM   | F         |                     |
| SLOW-MAG  | F         |                     |
| Mineral Combinations  |           |                     |
| CITRACAL MAXIMUM PLUS TABS  | F         |                     |
| Phosphate   |           |                     |
| PHOS-NAK POWDER CONCENTRATE PACK ( <i>Use potassium &amp; sodium phosphates</i> ) | F         |                     |
| <i>potassium &amp; sodium phosphates PACK</i>                                     | F         |                     |
| Sodium  |           |                     |
| SODIUM CHLORIDE GRAN  | F         | RX/OTC              |
| SODIUM CHLORIDE POWD  | F         |                     |
| Zinc  |           |                     |
| GALZIN  | F         |                     |
| ZINC SULFATE GRANULAR   | F         | RX/OTC              |
| ZINC SULFATE HEPTAHYDRATE   | F         | RX/OTC              |
| ZINC SULFATE HEPTAHYDRATE GRAN  | F         |                     |
| ZINC SULFATE MONOHYDRATE  | F         | RX/OTC              |
| <i>zinc sulfate CAPS</i>  | F         |                     |
| <b>MOUTH/THROAT/DENTAL AGENTS</b>   |           |                     |
| Lozenges  |           |                     |
| ZINC W/A&C  | F         |                     |
| <b>MULTIVITAMINS</b>  |           |                     |
| B-Complex w/ C  |           |                     |
| <i>b complex w/ c CAPS</i>  | F         |                     |
| <i>b complex w/ c TABS</i>  | F         |                     |
| <i>b-complex w/ c &amp; calcium</i>   | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name  | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| <i>b-complex w/ c &amp; e + zn</i>                               | F         |                     | <i>multiple vitamins w/ iron TABS</i>                              | F         |                     |
| RA B-COMPLEX/VITAMIN C TR TBCR                                   | F         |                     | PROTECT IRON LIQD  | F         |                     |
| B-Complex w/ Folic Acid  |           |                     | Multiple Vitamins w/ Minerals                                      |           |                     |
| <i>b-complex w/ c &amp; folic acid CAPS</i>                      | F         | RX/OTC              | ABC COMPLETE SENIOR 50+ TABS                                       | F         | RX/OTC              |
| <i>b-complex w/ c &amp; folic acid TABS</i>                      | F         | RX/OTC              | ADULT ONE DAILY GUMMIES CHEW                                       | F         |                     |
| B-COMPLEX/FOLIC ACID/VITAMIN C TBCR                              | F         |                     | AIRBONE+EVERYDAY STRESS AWAY PACK                                  | F         |                     |
| B-COMPLEX/VITAMIN C/FOLIC ACID/ BIOTIN                           | F         |                     | AIRBORNE KIDS CHEW   | F         |                     |
| DIALYVITE 3000   | F         |                     | AIRBORNE CHEW  | F         |                     |
| DIALYVITE 5000   | F         |                     | AIRBORNE PACK  | F         |                     |
| DIALYVITE 800 WAFR   | F         |                     | CENTRAVITES 50 PLUS TABS   | F         | RX/OTC              |
| DIALYVITE/ZINC   | F         |                     | CENTRUM ADULT LIQD (Use multiple vitamins w/ minerals)             | F         | RX/OTC              |
| NEPHPLEX RX  | F         |                     | CENTRUM ADULTS TABS (Use multiple vitamins w/ minerals)            | NF        | RX/OTC              |
| NEPHRONEX LIQD   | F         |                     | CENTRUM ADULTS TABS (Use multiple vitamins w/ minerals)            | F         | RX/OTC              |
| VITAL-D RX   | F         |                     | CENTRUM MEN TABS (Use multiple vitamins w/ minerals)               | NF        | RX/OTC              |
| B-Complex w/ Minerals  |           |                     | CENTRUM SILVER 50+MEN TABS (Use multiple vitamins w/ minerals)     | NF        | RX/OTC              |
| APETIGEN-PLUS TABS   | F         |                     | CENTRUM SILVER 50+WOMEN TABS (Use multiple vitamins w/ minerals)   | NF        | RX/OTC              |
| <i>b-complex w/ minerals LIQD</i>                                | F         |                     | CENTRUM SILVER ADULT 50+ TABS (Use multiple vitamins w/ minerals)  | NF        | RX/OTC              |
| Bioflavonoid Products  |           |                     | CENTRUM SILVER ADULTS 50+ TABS (Use multiple vitamins w/ minerals) | NF        | RX/OTC              |
| <i>bioflavonoid products TABS</i>                                | F         | RX/OTC              |  |           |                     |
| <i>bioflavonoid products TBCR</i>                                | F         |                     |  |           |                     |
| PERIDIN-C TABS (Use bioflavonoid products)                       | NF        | RX/OTC              |  |           |                     |
| Multiple Vitamins w/ Calcium                                     |           |                     |  |           |                     |
| <i>multiple vitamins w/ calcium TABS</i>                         | F         |                     |  |           |                     |
| ONE-A-DAY WOMENS FORMULA TABS (Use multiple vitamins w/ calcium) | NF        |                     |  |           |                     |
| Multiple Vitamins w/ Iron  |           |                     |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name                                    | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| CENTRUM SILVER TABS<br><i>(Use multiple vitamins w/ minerals)</i> | NF        | RX/OTC              | EMERGEN-C BLUE PACK                          | F         |                     |
| CENTRUM ULTRA WOMENS TABS   | F         | RX/OTC              | EMERGEN-C IMMUNE PLUS PACK                   | F         |                     |
| CENTRUM WOMEN TABS<br><i>(Use multiple vitamins w/ minerals)</i>  | F         | RX/OTC              | EMERGEN-C KIDZ PACK                          | F         |                     |
| CENTRUM WOMEN TABS<br><i>(Use multiple vitamins w/ minerals)</i>  | NF        | RX/OTC              | EMERGEN-C MSM LITE PACK                      | F         |                     |
| CENTRUM LIQD<br><i>(Use multiple vitamins w/ minerals)</i>        | F         | RX/OTC              | EMERGEN-C PINK PACK                          | F         |                     |
| CENTRUM LIQD<br><i>(Use multiple vitamins w/ minerals)</i>        | NF        | RX/OTC              | EMERGEN-C VITAMIN C PACK                     | F         |                     |
| CERTAVITE SENIOR/ANTIOXIDANT NUTRIENTS TABS                       | F         | RX/OTC              | ENDUR-VM WITH IRON TBCR                      | F         |                     |
| CERTAVITE SENIOR TABS   | F         | RX/OTC              | ENDUR-VM TBCR                                | F         |                     |
| CONCEPTIONXR MOTILITY SUPPORT FORMULA MISC                        | F         |                     | EQ COMPLETE MULTIVITAMINADULTS UNDER 50 TABS | F         | RX/OTC              |
| CVS ADULT 50+ EYE HEALTH CAPS                                     | F         | RX/OTC              | HIGH POTENCY MULTIVITAMIN/BETA-CAROTENE TABS | F         | RX/OTC              |
| CVS EYE HEALTH ADULT 50+ CAPS                                     | F         | RX/OTC              | HIGH POTENCY MULTIVITAMIN/FOLIC ACID TABS    | F         | RX/OTC              |
| CVS IMMUNE SUPPORT VITAMIN C PACK                                 | F         |                     | KP MENS DAILY PACK MISC                      | F         |                     |
| CVS SPECTRAVITE ADULT 50+ TABS                                    | F         | RX/OTC              | KP WOMENS DAILY PACK MISC                    | F         |                     |
| CVS SPECTRAVITE ADULTS TABS                                       | F         | RX/OTC              | LYSIPLEX PLUS LIQD                           | F         | RX/OTC              |
| CVS SPECTRAVITE ULTRA MENS HEALTH TABS                            | F         | RX/OTC              | MAXIMIN PACK PACK                            | F         |                     |
| CVS SPECTRAVITE ULTRA WOMEN TABS                                  | F         | RX/OTC              | MEGA MULTI FOR MEN TABS                      | F         | RX/OTC              |
| DEKAS BARIATRIC CHEW  | F         |                     | MENS DAILY PACK PACK                         | F         |                     |
| DIABETES HEALTH PACK MISC   | F         |                     | MENS MULTIVITAMIN CHEW                       | F         |                     |
|   |           |                     | <i>multiple vitamins w/ minerals CAPS</i>    | F         | RX/OTC              |
|   |           |                     | <i>multiple vitamins w/ minerals CHEW</i>    | F         |                     |
|   |           |                     | <i>multiple vitamins w/ minerals LIQD</i>    | F         | RX/OTC              |
|   |           |                     | <i>multiple vitamins w/ minerals TABS</i>    | F         | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>multiple vitamins w/ minerals TBEF</i>  | F         |                     |
| MULTI-VITE LIQD  | F         | RX/OTC              |
| NO IRON MULTIPLE VITAMIN/MINERALS TABS   | F         | RX/OTC              |
| OCUVITE LUTEIN CAPS  | F         | RX/OTC              |
| ONE A DAY MENS VITACRAVES MULTI GUMMIES CHEW   | F         |                     |
| ONE-A-DAY MENS VITACRAVES GUMMIES CHEW   | F         |                     |
| ONE-A-DAY TEEN ADVANTAGEFOR HIM TABS   | F         | RX/OTC              |
| ONE-A-DAY VITACRAVES ADULT CHEW  | F         |                     |
| ONE-A-DAY VITACRAVES GUMMIES/IMMUNITY SUPPORT CHEW                                     | F         |                     |
| ONE-A-DAY VITACRAVES SOURGUMMIES CHEW  | F         |                     |
| ONE-A-DAY VITACRAVES WOMENS MULTI CHEW   | F         |                     |
| ONE-A-DAY VITACRAVES CHEW  | F         |                     |
| ONE-A-DAY WEIGHT SMART ADVANCED TABS <i>(Use multiple vitamins w/ minerals)</i>        | NF        | RX/OTC              |
| ONE-A-DAY WOMENS 50+ ADVANTAGE TABS <i>(Use multiple vitamins w/ minerals)</i>         | NF        | RX/OTC              |
| ONE-A-DAY WOMENS 50+ HEALTHY ADVANTAGE TABS <i>(Use multiple vitamins w/ minerals)</i> | NF        | RX/OTC              |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ONE-A-DAY WOMENS ACTIVE MIND & BODY TABS <i>(Use multiple vitamins w/ minerals)</i>        | NF        | RX/OTC              |
| ONE-A-DAY WOMENS PETITES TABS <i>(Use multiple vitamins w/ minerals)</i>                   | NF        | RX/OTC              |
| ONE-A-DAY WOMENS PLUS HEALTHY SKIN SUPPORT TABS <i>(Use multiple vitamins w/ minerals)</i> | NF        | RX/OTC              |
| ONE-A-DAY WOMENS VITACRAVES GUMMIES CHEW   | F         |                     |
| OPTIVITE P.M.T. TABS <i>(Use multiple vitamins w/ minerals)</i>                            | NF        | RX/OTC              |
| PHLEXY-VITS POWD   | F         |                     |
| PROCEED PLUS PACK  | F         |                     |
| QUINTABS-M TABS  | F         | RX/OTC              |
| RA ESSENCE-C PACK  | F         |                     |
| SENTRY TABS  | F         | RX/OTC              |
| SPECTRAVITE TABS   | F         | RX/OTC              |
| STROVITE FORTE TABS <i>(Use multiple vitamins w/ minerals)</i>                             | NF        | RX/OTC              |
| SUPER ANTIOXIDANT CAPS   | F         | RX/OTC              |
| THERA M PLUS TABS  | F         | RX/OTC              |
| THERA-M TABS   | F         | RX/OTC              |
| THEREMS-M TABS   | F         | RX/OTC              |
| VITACHEW ADULT MULTI VITAMIN CHEW  | F         |                     |
| VITAROCA PLUS TABS <i>(Use multiple vitamins w/ minerals)</i>                              | NF        | RX/OTC              |
| VITATRUM TABS  | F         | RX/OTC              |
| YELETS TEENAGE FORMULA TABS  | F         | RX/OTC              |
| YOUR LIFE MULTI ADULT GUMMIES CHEW   | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| ZINC LOZG   | F         |                     |
| Multiple Vitamins w/ Minerals & Fluoride-Iron-Folic Acid                        |           |                     |
| QUFLORA FE  | F         |                     |
| Multivitamins   |           |                     |
| DEKAS ESSENTIAL LIQD  | F         |                     |
| HIGH POTENCY MULTIVITAMIN TABS  | F         | RX/OTC              |
| MULTI VITAMIN TABS  | F         | RX/OTC              |
| <i>multiple vitamin CAPS</i>  | F         | RX/OTC              |
| <i>multiple vitamin TABS</i>  | F         | RX/OTC              |
| MULTIVITAMIN ADULT TABS   | F         | RX/OTC              |
| MULTIVITAMIN+ LIQD  | F         |                     |
| MULTIVITAMIN TABS 37.5 MG-0.1 MG-10 MCG-2 MG-20 MG-1500 MCG-1 MG-1.5 MG-28.5 MG | F         | RX/OTC              |
| OMNICAP TABS  | F         | RX/OTC              |
| ONE VITE DAILY MULTIVITAMIN TABS  | F         | RX/OTC              |
| ONE-A-DAY ADULT VITACRAVES MULTI+OMEGA-3 DHA GUMMIES CHEW                       | F         | RX/OTC              |
| ONE-A-DAY ESSENTIAL TABS ( <i>Use multiple vitamin</i> )                        | F         | RX/OTC              |
| ONE-A-DAY MENS TABS ( <i>Use multiple vitamin</i> )                             | NF        | RX/OTC              |
| QUINTABS TABS   | F         | RX/OTC              |
| THERA TABS  | F         | RX/OTC              |
| THEREMS MULTIVITAMIN TABS   | F         | RX/OTC              |
| TM-DAILY VITE TABS  | F         | RX/OTC              |
| ZE-PLUS CAPS ( <i>Use multiple vitamin</i> )                                    | NF        | RX/OTC              |
| Ped Multiple Vitamins w/ Minerals   |           |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| CHILDRENS GUMMIES CHEW                             | F         |                     |
| CVS GUMMY DINOS CHILDRENS CHEW                     | F         |                     |
| CVS GUMMY DINOS CHEW                               | F         |                     |
| CVS GUMMY MULTIVITAMIN KIDS CHEW                   | F         |                     |
| DEKAS PLUS LIQD                                    | F         | RX/OTC              |
| EQ MULTIVITAMIN GUMMIES CHILDRENS CHEW             | F         |                     |
| FLINTSTONES COMPLETE/CALCIUM & VITAMIN D CHEW      | F         |                     |
| FLINTSTONES COMPLETE CHEW                          | F         |                     |
| FLINTSTONES GUMMIES COMPLETE CHEW                  | F         |                     |
| FLINTSTONES GUMMIES PLUSBONE BUILDING SUPPORT CHEW | F         |                     |
| FLINTSTONES GUMMIES CHEW                           | F         |                     |
| FLINTSTONES SOUR GUMMIES CHEW                      | F         |                     |
| GENADEK LIQD                                       | F         | RX/OTC              |
| GUMMI BEAR MULTIVITAMIN/MINERAL CHEW               | F         |                     |
| MULTIVITAMIN GUMMIES CHILDRENS CHEW                | F         |                     |
| MVW COMPLETE FORMULATION CHEW                      | F         |                     |
| MVW COMPLETE FORMULATIOND3000 CHEW                 | F         |                     |
| MVW COMPLETE FORMULATIOND5000 CHEW                 | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| MVW COMPLETE FORMULATION PEDIATRIC SOLN   | F         |                     | BPROTECTED PEDIA POLY-VITE SOLN OR   | F         |                     |
| NANOVM 1-3 YEARS POWD   | F         |                     | INFUVITE PEDIATRIC SOLN IV   | F         |                     |
| NANOVM 4-8 YEARS POWD   | F         |                     | NOVAFERRUM PEDIATRIC MULTIVITAMIN LIQD   | F         |                     |
| NANOVM 9-18 YEARS POWD  | F         |                     | ONE-A-DAY VITACRAVES GUMMIES+OMEGA-3 DHA CHEW ( <i>Use pediatric multiple vitamins</i> ) | F         |                     |
| NANOVM T/F POWD   | F         |                     | PC PEDIATRIC POLY-VITAMIN DROPS SOLN OR  | F         |                     |
| ONE-A-DAY SCOOBY-DOO GUMMIES CHEW ( <i>Use pediatric multiple vitamin w/ minerals</i> ) | NF        |                     | <i>pediatric multiple vitamins CHEW</i>  | F         |                     |
| UPSPRINGBABY MULTIVITAMIN/IRON LIQD   | F         | RX/OTC              | POLY-VI-SOL SOLN OR  | F         |                     |
| VITACHEW MULTIPLE VITAMIN CHILDRENS CHEW  | F         |                     | POLY-VITA SOLN OR  | F         |                     |
| VITALETS CHILDRENS CHEW   | F         |                     | Pediatric Multiple Vitamins & Minerals w/ Fluoride                                       |           |                     |
| Ped MV w/ Fluoride  |           |                     | FLORIVA  | F         |                     |
| FLORIVA PLUS SOLN   | F         | RX/OTC              | Pediatric Vitamins   |           |                     |
| Ped MV w/ Iron  |           |                     | BPROTECTED PEDIA TRI-VITE  | F         |                     |
| BPROTECTED PEDIA POLY-VITE/IRON SOLN  | F         |                     | HONEY BEARS  | F         |                     |
| MULTIVITAMIN PLUS IRON CHILDRENS CHEW   | F         |                     | <i>pediatric vitamins adc 400 UNIT/ML-750 UNIT/ML-35 MG/ML</i>                           | F         |                     |
| PC PEDIATRIC POLY-VITAMIN DROPS/IRON SOLN   | F         |                     | TRI-VI-SOL A/C/D   | F         |                     |
| <i>pediatric multiple vitamins w/ iron CHEW</i>   | F         |                     | Specialty Vitamins Products  |           |                     |
| POLY-VI-SOL/IRON SOLN   | F         |                     | CVS HAIR/SKIN/NAILS TABS   | F         | RX/OTC              |
| POLY-VITA/IRON SOLN   | F         |                     | RA EFFERVESCENT FORMULA TBEF   | F         |                     |
| SCOOBY-DOO ONE A DAY CHEW   | F         |                     | Vitamin Mixtures   |           |                     |
| Pediatric Multiple Vitamins   |           |                     | DECARA K CAPS  | F         |                     |
|   |           |                     | <i>niacinamide w/ zinc-copper-methylfolate-se-cr</i>                                     | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name  | Drug Tier | Requirements/ Limits |
|--|-----------|----------------------|
| NICOMIDE 750 MG-2 MG-0.5 MG-27 MG-100 MCG-50 MCG (Use niacinamide w/ zinc-copper-methylfolate-se-cr) | NF        |                      |
| Vitamins w/ Lipotropics  |           |                      |
| LIPOTRIAD TABS (Use vitamins w/ lipotropics)   | NF        |                      |
| vitamins w/ lipotropics TABS   | F         |                      |
| <b>NASAL AGENTS - SYSTEMIC AND TOPICAL -<br/>Drugs to treat the Nose or Sinus</b>                    |           |                      |
| Nasal Agents - Misc.   |           |                      |
| AYR NASAL DROPS SOLN   | F         |                      |
| AYR NASAL MIST ALLERGY & SINUS HYPERTONIC SALINE SOLN  | F         |                      |
| LITTLE REMEDIES BABY STERILE SALINE MIST FOR NOSES AERS  | F         |                      |
| LITTLE REMEDIES SALINE SPRAY/DROPS SOLN  | F         |                      |
| NASADROPS SALINE ON THE GO SOLN  | F         |                      |
| OCEAN NASAL SPRAY SOLN (Use saline)  | NF        |                      |
| OCEAN NASAL SPRAY SOLN (Use saline)  | F         |                      |
| RA STERILE SALINE NASAL MIST SOLN  | F         |                      |
| saline GEL   | F         |                      |
| saline SOLN 0.65 %   | F         |                      |
| SIMPLY SALINE AERS   | F         |                      |
| ZARBEES SOOTHING SALINE NASAL MIST/ALOE AERS   | F         |                      |
| Nasal Antiallergy  |           |                      |

| Drug Name  | Drug Tier | Requirements/ Limits |
|--|-----------|----------------------|
| cromolyn sodium (nasal) 5.2 MG/ACT   | F         |                      |
| NASALCROM (Use cromolyn sodium (nasal))                                    | NF        |                      |
| Nasal Steroids   |           |                      |
| FLONASE ALLERGY RELIEF CHILDRENS SUSP (Use fluticasone propionate (nasal)) | NF        | RX/OTC               |
| FLONASE ALLERGY RELIEF SUSP (Use fluticasone propionate (nasal))           | NF        | RX/OTC               |
| fluticasone propionate (nasal) SUSP  | F         | RX/OTC               |
| Sympathomimetic Decongestants  |           |                      |
| AFRIN 12 HOUR SOLN (Use oxymetazoline hcl)                                 | NF        |                      |
| AFRIN ALL NIGHT NODRIP SOLN (Use oxymetazoline hcl)                        | NF        |                      |
| AFRIN ALLERGY SINUS SOLN (Use oxymetazoline hcl)                           | NF        |                      |
| AFRIN NASAL SPRAY SOLN (Use oxymetazoline hcl)                             | NF        |                      |
| AFRIN NODRIP CHILDRENS EXTRA MOISTURIZING SOLN (Use oxymetazoline hcl)     | NF        |                      |
| AFRIN NODRIP EXTRA MOISTURIZING SOLN (Use oxymetazoline hcl)               | F         |                      |
| AFRIN NODRIP EXTRA MOISTURIZING SOLN (Use oxymetazoline hcl)               | NF        |                      |
| AFRIN NODRIP NIGHT SOLN (Use oxymetazoline hcl)                            | NF        |                      |
| AFRIN NODRIP ORIGINAL SOLN (Use oxymetazoline hcl)                         | NF        |                      |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| AFRIN NODRIP SEVERE CONGESTION SOLN<br>(Use oxymetazoline hcl)          | NF        |                     |
| AFRIN NODRIP SEVERE CONGESTION SOLN<br>(Use oxymetazoline hcl)          | F         |                     |
| AFRIN NODRIP SINUS SOLN (Use oxymetazoline hcl)                         | F         |                     |
| AFRIN ORIGINAL SOLN<br>(Use oxymetazoline hcl)                          | NF        |                     |
| AFRIN PUMP MIST SOLN<br>(Use oxymetazoline hcl)                         | F         |                     |
| AFRIN SEVERE CONGESTION SOLN<br>(Use oxymetazoline hcl)                 | NF        |                     |
| BENZEDREX INHALER   | F         |                     |
| NEO-SYNEPHRINE COLD+ALLERGY EXTRA STRENGTH SOLN (Use phenylephrine hcl) | F         |                     |
| NEO-SYNEPHRINE COLD+ALLERGY REGULAR STRENGTH SOLN                       | F         |                     |
| oxymetazoline hcl SOLN 0.05 %   | F         |                     |
| phenylephrine hcl (oral) TABS   | F         |                     |
| phenylephrine hcl SOLN 1 %  | F         |                     |
| pseudoephedrine hcl TABS  | F         |                     |
| pseudoephedrine hcl TB12  | F         |                     |
| SUDAFED CONGESTION TABS (Use pseudoephedrine hcl)                       | NF        |                     |
| SUDAFED PE SINUS CONGESTION TABS (Use phenylephrine hcl (oral))         | NF        |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SUDAFED SINUS CONGESTION TABS<br>(Use pseudoephedrine hcl)        | NF        |                     |
| VICKS SINEX 12 HOUR DECONGESTANT SOLN<br>(Use oxymetazoline hcl)  | F         |                     |
| VICKS SINEX MOISTURIZING SOLN<br>(Use oxymetazoline hcl)          | NF        |                     |
| VICKS SINEX SEVERE NASALDECONGESTANT SOLN (Use oxymetazoline hcl) | F         |                     |
| VICKS SINEX SEVERE SOLN (Use oxymetazoline hcl)                   | NF        |                     |
| <b>NUTRIENTS</b>  |           |                     |
| Carbohydrates   |           |                     |
| FRUCTOSE GRAN   | F         | RX/OTC              |
| FRUCTOSE POWD   | F         |                     |
| Misc. Nutritional Substances                                      |           |                     |
| COROMEGA OMEGA 3 KIDS EMUL  | F         | RX/OTC              |
| COROMEGA OMEGA 3 SQUEEZE EMUL                                     | F         | RX/OTC              |
| FISH OIL PEARLS CAPS  | F         |                     |
| FISH OIL TRIPLE STRENGTH CAPS                                     | F         |                     |
| FISH OIL ULTRA CAPS   | F         |                     |
| FISH OIL CHEW   | F         |                     |
| GNP FISH OIL CPDR   | F         |                     |
| MEGARED KIDS CHEW   | F         |                     |
| OMEGA MONOPURE 1300 EC CPDR                                       | F         |                     |
| omega-3 fatty acids CAPS  | F         |                     |
| omega-3 fatty acids CHEW  | F         |                     |
| omega-3 fatty acids CPDR  | F         |                     |
| omega-3 fatty acids LIQD  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| OMEGA-3 FISH OIL EXTRA STRENGTH CAPS              | F         |                     |
| OMEGA-3 CAPS 308 MG-1400 MG-448 MG-910 MG         | F         |                     |
| OMEGA-3 CPDR                                      | F         |                     |
| OMEGAPURE 780 EC CPDR                             | F         |                     |
| OMEGAPURE 900 EC CPDR                             | F         |                     |
| OMERA CAPS  | F         |                     |
| ULTRA OMEGA-3 FISH OIL BURP-LESS CAPS             | F         |                     |
| <b>Proteins</b>                                   |           |                     |
| ARGININE2000 PACK                                 | F         |                     |
| <i>arginine CAPS</i>                              | F         |                     |
| ARGININE PACK                                     | F         |                     |
| <i>arginine POWD OR</i>                           | F         |                     |
| <i>arginine TABS</i>                              | F         |                     |
| ARGININE TABS                                     | F         |                     |
| GLUTATHIONE-L REDUCED POWD                        | F         | RX/OTC              |
| GLUTATHIONE-L POWD                                | F         | RX/OTC              |
| GLUTATHIONE POWD                                  | F         | RX/OTC              |
| L-ARGININE BASE POWD XX                           | F         | RX/OTC              |
| L-ARGININE POWD OR (Use <i>arginine</i> )         | NF        |                     |
| L-ARGININE POWD XX                                | F         | RX/OTC              |
| L-GLUTAMINE POWD XX                               | F         | RX/OTC              |
| L-ISOLEUCINE POWD XX                              | F         | RX/OTC              |
| L-VALINE POWD XX                                  | F         | RX/OTC              |
| PURE L-CITRULLINE CAPS                            | F         |                     |
| VALINE POWD XX                                    | F         | RX/OTC              |
| <b>OPHTHALMIC AGENTS - Drugs to Treat the Eye</b> |           |                     |
| <b>Artificial Tears and Lubricants</b>            |           |                     |
| <i>artificial tear solution</i>                   | F         |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| BION TEARS   | F         |                     |
| <i>carboxymethylcellulose sodium (ophth) GEL</i>                         | F         |                     |
| <i>carboxymethylcellulose sodium (ophth) SOLN 0.5 %</i>                  | F         |                     |
| <i>carboxymethylcellulose-glycerin SOLN</i>                              | F         |                     |
| <i>dextran 70-hypromellose 0.3 %-0.1 %</i>                               | F         |                     |
| FRESHKOTE PF   | F         |                     |
| GENTEAL SEVERE TEARS GEL   | F         |                     |
| GENTEAL TEARS MODERATE PF (Use <i>dextran 70-hypromellose</i> )          | F         |                     |
| GENTEAL TEARS MODERATEPF (Use <i>dextran 70-hypromellose</i> )           | F         |                     |
| GENTEAL TEARS SEVERE DAY/NIGHT GEL                                       | F         |                     |
| <i>glycerin-hypromellose-polyethylene glycol 400</i>                     | F         |                     |
| <i>polyethylene glycol-propylene glycol (ophth) SOLN 0.3 %-0.4 %</i>     | F         |                     |
| <i>polyvinyl alcohol 1.4 %</i>   | F         |                     |
| <i>polyvinyl alcohol-povidone (ophth) 0.5 %-0.6 %, 5 MG/ML-6 MG/ML</i>   | F         |                     |
| <i>propylene glycol (ophth)</i>  | F         |                     |
| REFRESH  | F         |                     |
| REFRESH DIGITAL  | F         |                     |
| REFRESH DIGITAL PF   | F         |                     |
| REFRESH LIQUIGEL GEL (Use <i>carboxymethylcellulose sodium (ophth)</i> ) | F         |                     |
| REFRESH OPTIVE ADVANCED  | F         |                     |
| REFRESH OPTIVE ADVANCED SENSITIVE  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| REFRESH OPTIVE MEGA-3   | F         |                     |
| REFRESH OPTIVE PRESERVATIVE FREE SOLN   | F         |                     |
| REFRESH OPTIVE GEL  | F         |                     |
| REFRESH OPTIVE SOLN (Use carboxymethylcellulose-glycerin)                                     | F         |                     |
| REFRESH PLUS SOLN (Use carboxymethylcellulose sodium (ophth))                                 | NF        |                     |
| REFRESH RELIEVA PF SOLN   | F         |                     |
| REFRESH RELIEVA SOLN (Use carboxymethylcellulose-glycerin)                                    | F         |                     |
| REFRESH TEARS SOLN (Use carboxymethylcellulose sodium (ophth))                                | F         |                     |
| SYSTANE BALANCE RESTORATIVE FORMULA (Use propylene glycol (ophth))                            | F         |                     |
| SYSTANE COMPLETE (Use propylene glycol (ophth))   | F         |                     |
| SYSTANE GEL GEL   | F         |                     |
| SYSTANE HYDRATION PF SOLN (Use polyethylene glycol-propylene glycol (ophth))                  | F         |                     |
| SYSTANE HYDRATION PF SOLN (Use polyethylene glycol-propylene glycol (ophth))                  | NF        |                     |
| SYSTANE PRESERVATIVE FREE SOLN 0.3 %-0.4 % (Use polyethylene glycol-propylene glycol (ophth)) | F         |                     |

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SYSTANE ULTRA PF SOLN (Use polyethylene glycol-propylene glycol (ophth))                | NF        |                     |
| SYSTANE ULTRA PRESERVATIVE FREE SOLN (Use polyethylene glycol-propylene glycol (ophth)) | F         |                     |
| SYSTANE ULTRA SOLN (Use polyethylene glycol-propylene glycol (ophth))                   | NF        |                     |
| SYSTANE SOLN (Use polyethylene glycol-propylene glycol (ophth))                         | NF        |                     |
| THERATEARS GEL (Use carboxymethylcellulose sodium (ophth))                              | F         |                     |
| white petrolatum-mineral oil  | F         |                     |
| <b>Ophthalmics - Misc.</b>  |           |                     |
| ketotifen fumarate (ophth) 0.035 %  | F         |                     |
| MURO 128 OINT (Use sodium chloride hypertonic)  | NF        |                     |
| MURO 128 SOLN (Use sodium chloride hypertonic)  | NF        |                     |
| MURO 128 SOLN   | F         |                     |
| sodium chloride hypertonic OINT   | F         |                     |
| sodium chloride hypertonic SOLN   | F         |                     |
| ZADITOR 0.035 % (Use ketotifen fumarate (ophth))  | NF        |                     |
| <b>OTIC AGENTS - Drugs to Treat the Ear</b>   |           |                     |
| <b>Otic Agents - Miscellaneous</b>  |           |                     |
| carbamide peroxide (otic) 6.5 %   | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                    | Drug Tier | Requirements/Limits | Drug Name                                 | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|---|-----------|---------------------|
| DEBROX 6.5 % (Use carbamide peroxide (otic)) | NF        |                     | CAPSULE CONI-SNAP #1 CLEAR/CLEAR          | F         | RX/OTC              |
| <b>PHARMACEUTICAL ADJUVANTS</b>              |           |                     | CAPSULE CONI-SNAP #1 DARKGREEN/DARK GREEN | F         | RX/OTC              |
| <b>Antimicrobial Agents</b>                  |           |                     | CAPSULE CONI-SNAP #1 DARKGREEN/ORANGE     | F         | RX/OTC              |
| BENZYL ALCOHOL                               | F         | RX/OTC              | CAPSULE CONI-SNAP #1 GREEN/YELLOW         | F         | RX/OTC              |
| <b>Gelatin Capsules (Empty)</b>              |           |                     | CAPSULE CONI-SNAP #1 LIGHT BLUE/WHITE     | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 CLEAR/CLEAR             | F         | RX/OTC              | CAPSULE CONI-SNAP #1 LIGHT GREY/PINK      | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 DARK BLUE/DARK BLUE     | F         | RX/OTC              | CAPSULE CONI-SNAP #1 ORANGE               | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 GREEN/CLEAR             | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PINK/AQUA BLUE       | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 LIGHT BLUE/WHITE        | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PINK/CLEAR           | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 PINK/PINK               | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PINK/PINK            | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 RED/WHITE               | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PINK/WHITE           | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0 WHITE/WHITE             | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PINK/YELLOW          | F         | RX/OTC              |
| CAPSULE CONI-SNAP #0/PURPLE/OPAQUE/CLEAR     | F         | RX/OTC              | CAPSULE CONI-SNAP #1 PURPLE/PURPLE        | F         | RX/OTC              |
| CAPSULE CONI-SNAP #00 CLEAR/CLEAR            | F         | RX/OTC              | CAPSULE CONI-SNAP #1 RED/BLUE             | F         | RX/OTC              |
| CAPSULE CONI-SNAP #00 WHITE/WHITE            | F         | RX/OTC              | CAPSULE CONI-SNAP #1 RED/WHITE            | F         | RX/OTC              |
| CAPSULE CONI-SNAP #000 CLEAR/CLEAR           | F         | RX/OTC              | CAPSULE CONI-SNAP #1 WHITE                | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 AQUABLUE/AQUA BLUE      | F         | RX/OTC              | CAPSULE CONI-SNAP #1 WHITE/CLEAR          | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 BLUE/BLEU               | F         | RX/OTC              | CAPSULE CONI-SNAP #1 WHITE/GREEN          | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 BLUE/PINK               | F         | RX/OTC              | CAPSULE CONI-SNAP #1 YELLOW/GREEN         | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 BLUE/POWDER BLUE        | F         | RX/OTC              | CAPSULE CONI-SNAP #1 YELLOW/YELLOW        | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 BROWN/IVORY             | F         | RX/OTC              | CAPSULE CONI-SNAP #2 CLEAR/CLEAR          | F         | RX/OTC              |
| CAPSULE CONI-SNAP #1 BROWN/LIGHT BROWN       | F         | RX/OTC              |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                 | Drug Tier | Requirements/Limits | Drug Name                                  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| CAPSULE CONI-SNAP #2 WHITE                | F         | RX/OTC              | CAPSULE SIZE 1 LACTOSE                     | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 BLUE/CLEAR           | F         | RX/OTC              | EMPTY CAPSULE #0 RED TRANSLUCENT/WHITE     | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 BROWN/LIGHT BLUE     | F         | RX/OTC              | EMPTY CAPSULE #00 BLACK/RED                | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 CLEAR/CLEAR          | F         | RX/OTC              | EMPTY CAPSULE #00 BLUE/WHITE               | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 DARKGREY/PINK        | F         | RX/OTC              | EMPTY CAPSULE #00 PINK/PINK                | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 GRAY/YELLOW          | F         | RX/OTC              | EMPTY CAPSULE #00 PURPLE//PURPLE           | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 GREEN/BLUE           | F         | RX/OTC              | EMPTY CAPSULE #00 PURPLE//WHITE            | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 MAROON/BLUE          | F         | RX/OTC              | EMPTY CAPSULE #00 RED/WHITE                | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 MINTGREEN/MINT GREEN | F         | RX/OTC              | EMPTY CAPSULE #00 YELLOW/YELLOW            | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 OLIVE/CLEAR          | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 BLUE                  | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 ORANGE/ORANGE        | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 BLUE/WHITE            | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 PINK/CLEAR           | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 CLEAR                 | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 PINK/PINK            | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 CLEAR LOCKING         | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 RED/CLEAR            | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 FUNCAPS LOCKING       | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 RED/RED              | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 GREEN LOCKING         | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 WHITE/CLEAR          | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 GREEN/CLEAR           | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 WHITE/WHITE          | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 GREEN/CLEAR LOCKING   | F         | RX/OTC              |
| CAPSULE CONI-SNAP #3 YELLOW/YELLOW        | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 MAROON/OPAQUE LOCKING | F         | RX/OTC              |
| CAPSULE CONI-SNAP #4 BLACK/GREEN          | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 ORANGE                | F         | RX/OTC              |
| CAPSULE CONI-SNAP #4 CLEAR/CLEAR          | F         | RX/OTC              | EMPTY CAPSULE SIZE 0 ORANGE/OPAQUE LOCKING | F         | RX/OTC              |
| CAPSULE CONI-SNAP #4 WHITE                | F         | RX/OTC              |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                  | Drug Tier | Requirements/Limits | Drug Name                                    | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|--|-----------|---------------------|
| EMPTY CAPSULE SIZE 0 PINK                  | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 LIGGHT BLUE OPAQUE     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 PINK LOCKING          | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 ORANGE                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 PURPLE                | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 ORANGE/OPAQUE LOCKING  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 PURPLE/OPAQUE LOCKING | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 RED                    | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 PURPLE/WHITE          | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 WHITE                  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 RED                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 00 WHITE OPAQUE LOCKING   | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 RED/WHITE             | F         | RX/OTC              | EMPTY CAPSULE SIZE 000 CLEAR                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 RED/WHITE LOCKING     | F         | RX/OTC              | EMPTY CAPSULE SIZE 000 CLEAR LOCKING         | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 WHITE                 | F         | RX/OTC              | EMPTY CAPSULE SIZE 000 WHITE/OPAQUE LOCKING  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 WHITE/CLEAR           | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 AQUABLU TRANSLUCENT     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 WHITE/OPAQUE          | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE                    | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 WHITE/OPAQUE LOCKING  | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/CLEAR              | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 YELLOW                | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/OPAQUE LOCKING     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 0 YELLOW/OPAQUE LOCKING | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/PINK               | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 00 BLUE/OPAQUE LOCKING  | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/PINK LOCKING       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 00 CLEAR                | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/PINK TRANSLUCENT   | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 00 CLEAR LOCKING        | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/POWDER BLUE        | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 00 DARK GREEN           | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 BLUE/RED OPAQUE LOCKING | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 00 GREEN/OPAQUE LOCKING | F         | RX/OTC              |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits | Drug Name                                       | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| EMPTY CAPSULE SIZE 1 BLUE/WHITE                       | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 MINTGREEN                  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 BLUETRANSLUCENT/PINK TRANSLUCENT | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 ORANGE                     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 BROWN/IVORY                      | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 ORANGE OPAQUE LOCKING      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 BROWN/IVORY OPAQUE LOCKING       | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 ORANGE/CLEAR               | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 CLEAR                            | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 ORANGE/WHITE               | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 CLEAR LOCKING                    | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 ORANGE/YELLOW              | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 DARKGREEN                        | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK                       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN                            | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/CLEAR                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN CLEAR/YELLOW LOCKING       | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/OPAQUE LOCKING        | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN TRANSLUCENT/YELLOW OPAQUE  | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/POWDER BLUE           | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN/ORANGE                     | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/WHITE                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN/WHITE                      | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/YELLOW                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN/WHITE OPAQUE LOCKING       | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PINK/YELLOW OPAQUE LOCKING | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREEN/YELLOW                     | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 POWDER BLUE                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 GREY/PINK                        | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 POWDER BLUE/OPAQUE LOCKING | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 IVORY                            | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PURPLE                     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 LIGHT BLUE OPAQUE                | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 PURPLE/OPAQUE LOCKING      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 MAROON TRANS/CLEAR               | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 RED                        | F         | RX/OTC              |
|   |           |                     | EMPTY CAPSULE SIZE 1 RED/BLUE                   | F         | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                     | Drug Tier | Requirements/Limits | Drug Name                                       | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| EMPTY CAPSULE SIZE 1 RED/OPAQUE LOCKING       | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 CLEAR                      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 RED/WHITE                | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 CLEAR LOCKING              | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 WHITE                    | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 DARKGREEN                  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 WHITE OPAQUE LOCKING     | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GRAY/PINK OPAQUE LOCKING   | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 WHITE/CLEAR              | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GRAY/YELLOW OPAQUE LOCKING | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 WHITE/OPAQUE             | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREEN                      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 1 YELLOW                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREEN/BLUE                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 10 CLEAR                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREEN/BLUE LOCKING         | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 11 CLEAR                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREEN/BLUE TRANSLUCENT     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 13 CLEAR                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREY/PINK                  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 2 BLUE                     | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 GREY/YELLOW                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 2 CLEAR                    | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 LIGHT BLUE OPAQUE          | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 2 CLEAR LOCKING            | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 MAROON/BLUE                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 2 GREEN                    | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 MAROON/BLUE OPAQUE         | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 2 WHITE OPAQUE LOCKING     | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 MAROON/CLEAR               | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 BLACK/GREEN              | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 MINT GREEN                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 BLUE                     | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 OLIVE/CLEAR                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 BLUE/CLEAR               | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 OLIVE/OPAQUE LOCKING       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 BLUE/WHITE               | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 ORANGE                     | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 BLUEOPAQUE/CLEAR LOCKING | F         | RX/OTC              |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                     | Drug Tier | Requirements/Limits | Drug Name  | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| EMPTY CAPSULE SIZE 3 ORANGE/OPAQUE LOCKING    | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 WHITE OPAQUE/CLEAR LOCKING  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 ORANGE/WHITE             | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 WHITE/CLEAR                 | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK                     | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 WHITE/OPAQUE                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK/CLEAR               | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 YELLOW                      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK/OPAQUE LOCKING      | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 YELLOW OPAQUE/CLEAR LOCKING | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK/POWDER BLUE         | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 YELLOW/CLEAR                | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK/WHITE               | F         | RX/OTC              | EMPTY CAPSULE SIZE 3 YELLOW/OPAQUE LOCKING       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINK/YELLOW              | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 BLACK/GREEN OPAQUE LOCKING  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINKOPAQUE/CLEAR         | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 BLUE/WHITE                  | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PINKOPAQUE/CLEAR LOCKING | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 CLEAR                       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 POWDER BLUE              | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 CLEAR LOCKING               | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PURPLE                   | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 DARK BLUE/OPAQUE LOCKING    | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 PURPLE/CLEAR             | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 PURPLE/OPAQUE LOCKING       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 RED                      | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 RED/WHITE                   | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 RED/CLEAR                | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 WHITE                       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 RED/OPAQUE LOCKING       | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 WHITE/OPAQUE LOCKING        | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 REDOPAQUE/CLEAR LOCKING  | F         | RX/OTC              | EMPTY CAPSULE SIZE 4 YELLOW                      | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 WHITE                    | F         | RX/OTC              | EMPTY CAPSULE SIZE 5 CLEAR                       | F         | RX/OTC              |
| EMPTY CAPSULE SIZE 3 WHITE OPAQUE LOCKING     | F         | RX/OTC              |  |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name                                 | Drug Tier | Requirements/Limits | Drug Name                               | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| EMPTY CAPSULE SIZE 7 CLEAR                | F         | RX/OTC              | UNISPEND ANHYDROUS SWEETENED SUSP       | F         | RX/OTC              |
| EMPTY GELATIN CAPSULE/SNAP CLOSURE #0     | F         | RX/OTC              | Non Gelatin Capsules (Empty)            |           |                     |
| EMPTY GELATIN CAPSULE/SNAP CLOSURE #00    | F         | RX/OTC              | AR CAPS #1 CLEAR/ACID RESISTANT         | F         | RX/OTC              |
| EMPTY GELATIN CAPSULE/SNAP CLOSURE #1     | F         | RX/OTC              | CAPSULE #3 CLEAR/CLEAR VEGETABLE        | F         | RX/OTC              |
| Liquid Vehicles                           |           |                     | CAPSULE 0 CLEAR VEGGIE                  | F         | RX/OTC              |
| CVS DISTILLED WATER                       | F         | RX/OTC              | CAPSULE 1 CLEAR VEGGIE                  | F         | RX/OTC              |
| DISTILLED WATER                           | F         | RX/OTC              | CAPSULE 3 CLEAR VEGGIE                  | F         | RX/OTC              |
| MX-SOL BLEND SF SUSP                      | F         | RX/OTC              | CAPSULE CONI-SNAP #0 CLEAR/CLEAR VEGGIE | F         | RX/OTC              |
| MX-SOL BLEND SUSP                         | F         | RX/OTC              | CAPSULE CONI-SNAP #1 CLEAR/CLEAR VEGGIE | F         | RX/OTC              |
| MX-SOL SUSPEND SUSP                       | F         | RX/OTC              | CAPSULE CONI-SNAP #3 CLEAR/CLEAR VEGGIE | F         | RX/OTC              |
| NICE DISTILLED WATER                      | F         | RX/OTC              | EMPTY CAPSULE SIZE 1 VEGETABLE CLEAR    | F         | RX/OTC              |
| ORA-BLEND SF SUSP                         | F         | RX/OTC              | Pharmaceutical Excipients               |           |                     |
| ORA-BLEND SUSP                            | F         | RX/OTC              | LACTOSE                                 | F         | RX/OTC              |
| ORAL MIX FLAVORED SUSPENDING VEHICLE SUSP | F         | RX/OTC              | LACTOSE ANHYDROUS                       | F         | RX/OTC              |
| ORAL MIX SF SUSP                          | F         | RX/OTC              | LACTOSE HYDROUS                         | F         | RX/OTC              |
| ORAL SUSPEND LIQD                         | F         | RX/OTC              | LACTOSE MONOHYDRATE                     | F         | RX/OTC              |
| ORA-PLUS LIQD                             | F         | RX/OTC              | LACTOSE MONOHYDRATE SPRAYDRIED          | F         | RX/OTC              |
| ORA-SWEET SYRP 4 %-5 %-54 %               | F         | RX/OTC              | LOLLIBASE                               | F         | RX/OTC              |
| PURIFIED WATER                            | F         | RX/OTC              | METHYLCELLULOSE POWD                    | F         | RX/OTC              |
| SUSPENDRX WITH BITTER-BLOC/SWEETENED SUSP | F         | RX/OTC              | SODIUM BENZOATE                         | F         | RX/OTC              |
| SYRSPEND SF ALKA SUSR                     | F         | RX/OTC              | Semi Solid Vehicles                     |           |                     |
| SYRSPEND SF PH4 SUSR                      | F         | RX/OTC              | BABY SKIN PROTECTANT                    | F         | RX/OTC              |
| SYRSPEND SF LIQD                          | F         | RX/OTC              | EMOLLIENT CREAM BASE                    | F         | RX/OTC              |
| SYRSPEND SF SUSR                          | F         | RX/OTC              |   |           |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary



| Drug Name                     | Drug Tier | Requirements/Limits |
|-------------------------------|-----------|---------------------|
| HYDROPHILIC PETROLATUM        | F         |                     |
| PEG                           | F         | RX/OTC              |
| POLYETHYLENE GLYCOL 1000 LIQD | F         |                     |
| POLYETHYLENE GLYCOL 3350 POWD | F         | RX/OTC              |
| POLYETHYLENE GLYCOL 8000 POWD | F         | RX/OTC              |
| WHITE PETROLATUM OINT         | F         | RX/OTC              |

**PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. - Drugs to Treat Mental and Emotional Conditions**

| Smoking Deterrents                                  |    |  |
|---|----|--|
| NICODERM CQ PT24 TD (Use nicotine)                  | NF |  |
| NICORETTE MINI LOZG (Use nicotine polacrilex)       | NF |  |
| NICORETTE MINI LOZG 2 MG (Use nicotine polacrilex)  | F  |  |
| NICORETTE STARTER KIT GUM (Use nicotine polacrilex) | NF |  |
| NICORETTE GUM (Use nicotine polacrilex)             | NF |  |
| NICORETTE LOZG 2 MG (Use nicotine polacrilex)       | NF |  |
| NICORETTE LOZG 4 MG (Use nicotine polacrilex)       | F  |  |
| nicotine polacrilex GUM                             | F  |  |
| nicotine polacrilex LOZG                            | F  |  |
| NICOTINE TRANSDERMAL SYSTEM KIT                     | F  |  |
| nicotine MISC XX                                    | F  |  |
| nicotine PT24 TD 7 MG/24HR, 14 MG/24HR, 21 MG/24HR  | F  |  |

**ULCER DRUGS - Drugs to Treat Bowel, Intestine**

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <b>and Stomach Conditions</b>                                     |           |                     |
| <b>H-2 Antagonists</b>  |           |                     |
| <i>famotidine TABS 10 MG, 20 MG</i>                               | F         | RX/OTC              |
| PEPCID AC MAXIMUM STRENGTH TABS (Use <i>famotidine</i> )          | F         | RX/OTC              |
| PEPCID AC MAXIMUM STRENGTH TABS (Use <i>famotidine</i> )          | NF        | RX/OTC              |
| PEPCID AC TABS (Use <i>famotidine</i> )                           | NF        |                     |
| PEPCID TABS 20 MG (Use <i>famotidine</i> )                        | NF        | RX/OTC              |
| <b>Proton Pump Inhibitors</b>                                     |           |                     |
| <i>esomeprazole magnesium CPDR 20 MG</i>                          | F         | RX/OTC              |
| <i>esomeprazole magnesium TBEC</i>                                | F         |                     |
| <i>lansoprazole CPDR 15 MG</i>                                    | F         | RX/OTC              |
| NEXIUM 24HR CLEAR MINIS CPDR (Use <i>esomeprazole magnesium</i> ) | NF        | RX/OTC              |
| NEXIUM 24HR CPDR (Use <i>esomeprazole magnesium</i> )             | NF        | RX/OTC              |
| NEXIUM 24HR TBEC (Use <i>esomeprazole magnesium</i> )             | NF        |                     |
| NEXIUM CPDR 20 MG (Use <i>esomeprazole magnesium</i> )            | NF        | RX/OTC              |
| <i>omeprazole magnesium CPDR</i>                                  | F         |                     |
| <i>omeprazole magnesium TBEC</i>                                  | F         |                     |
| <i>omeprazole TBDD</i>  | F         |                     |
| <i>omeprazole TBEC</i>  | F         |                     |
| PREVACID 24HR CPDR (Use <i>lansoprazole</i> )                     | NF        | RX/OTC              |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| PRILOSEC OTC TBEC<br>(Use <i>omeprazole magnesium</i> )                               | NF        |                     |
| <b>URINARY ANTISPASMODICS - Drugs to Treat Miscellaneous Bladder Spasms</b>           |           |                     |
| Urinary Antispasmodic - Antimuscarinics<br>(Anticholinergic)                          |           |                     |
| OXYTROL FOR WOMEN<br>PTTW   | F         | RX/OTC              |
| <b>VAGINAL AND RELATED PRODUCTS</b>   |           |                     |
| Vaginal Anti-infectives   |           |                     |
| <i>clotrimazole vaginal CREA</i>  | F         |                     |
| <i>miconazole nitrate vaginal CREA 2 %</i>  | F         |                     |
| <i>miconazole nitrate vaginal KIT</i>   | F         |                     |
| <i>miconazole nitrate vaginal SUPP 100 MG</i>   | F         |                     |
| MONISTAT 1 COMBO<br>PACK KIT (Use<br><i>miconazole nitrate vaginal</i> )              | NF        |                     |
| MONISTAT 1 DAY OR<br>NIGHT COMBO PACK<br>KIT (Use <i>miconazole nitrate vaginal</i> ) | F         |                     |
| MONISTAT 3<br>COMBINATION PACK KIT<br>(Use <i>miconazole nitrate vaginal</i> )        | NF        |                     |
| MONISTAT 7 SIMPLY<br>CURE CREA (Use<br><i>miconazole nitrate vaginal</i> )            | NF        |                     |
| Vaginal Anti-inflammatory Agents  |           |                     |
| <i>hydrocortisone vaginal</i>   | F         |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| MONISTAT CARE<br>INSTANT ITCH RELIEF<br>MAXIMUM STRENGTH<br>(Use <i>hydrocortisone vaginal</i> )                       | F         |                     |
| <b>VITAMINS</b>  |           |                     |
| Oil Soluble Vitamins   |           |                     |
| AQUA-E LIQD  | F         |                     |
| BABY DDROPS LIQD OR<br>(Use <i>cholecalciferol</i> )   | F         |                     |
| <i>beta carotene CAPS 25000 UNIT</i>   | F         |                     |
| BIO-D-MULSION FORTE<br>LIQD OR   | F         |                     |
| BIO-D-MULSION LIQD<br>OR   | F         |                     |
| <i>cholecalciferol CAPS</i>  | F         |                     |
| <i>cholecalciferol CHEW 25 MCG, 50 MCG, 400 UNIT, 1000 UNIT, 2000 UNIT</i>   | F         |                     |
| <i>cholecalciferol LIQD OR 10 MCG/ML, 400 UNIT/ML, 400 UT/0.028ML</i>  | F         |                     |
| <i>cholecalciferol TABS 25 MCG, 50 MCG, 125 MCG, 400 UNIT, 1000 UNIT, 2000 UNIT, 5000 UNIT, 10000 UNIT, 50000 UNIT</i> | F         |                     |
| CVS BETA CAROTENE<br>CAPS  | F         |                     |
| D3 BABY DROPS LIQD<br>OR   | F         |                     |
| D3 LIQUID LIQD OR  | F         |                     |
| DDROPS LIQD OR   | F         |                     |
| DECARA CAPS  | F         |                     |
| DRISDOL CAPS (Use<br><i>ergocalciferol</i> )   | NF        |                     |
| D-VI-SOL LIQD OR (Use<br><i>cholecalciferol</i> )  | NF        |                     |
| D-VI-SOL LIQD OR (Use<br><i>cholecalciferol</i> )  | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>ergocalciferol CAPS</i>  | F         |                     |
| <i>ergocalciferol SOLN OR</i>   | F         |                     |
| MAXIMUM D3 CAPS   | F         |                     |
| MEPHYTON TABS ( <i>Use phytonadione</i> )   | NF        |                     |
| OPTIMAL D3 M CAPS   | F         |                     |
| OSTEO-VIT3 LIQD OR  | F         |                     |
| <i>phytonadione SOLN 10 MG/ML</i>   | F         |                     |
| <i>phytonadione TABS 5 MG</i>   | F         |                     |
| REPLESTA NX WAFR  | F         |                     |
| REPLESTA WAFR   | F         |                     |
| SUPER DAILY D3 LIQD OR  | F         |                     |
| THERA-D 4000 TABS   | F         |                     |
| UPSPRING BABY VITAMIN D LIQD OR   | F         |                     |
| VITAMIN A PALMITATE TABS  | F         |                     |
| <i>vitamin a CAPS</i>   | F         |                     |
| <i>vitamin a TABS</i>   | F         |                     |
| VITAMIN D2 CAPS   | F         |                     |
| VITAMIN D2 TABS   | F         |                     |
| VITAMIN D3 IMMUNE HEALTH LIQD OR  | F         |                     |
| VITAMIN D3 LIQD OR 1000 UNIT/SPRAY, 1200 UNIT/15ML, 5000 UNIT/0.5ML, 5000 UNIT/ML                   | F         |                     |
| VITAMIN D3 TABS ( <i>Use cholecalciferol</i> )  | F         |                     |
| VITAMIN D3 TABS   | F         |                     |
| VITAMIN D3 TBDP   | F         |                     |
| <i>vitamin e CAPS 45 MG, 90 MG, 100 UNIT, 180 MG, 200 UNIT, 268 MG, 400 UNIT, 450 MG, 1000 UNIT</i> | F         |                     |
| <i>vitamin e OIL</i>  | F         |                     |
| <i>vitamin e SOLN</i>   | F         |                     |

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| VITAMIN E TABS 100 UNIT                              | F         |                     |
| XCELLENT E CAPS                                      | F         |                     |
| Water Soluble Vitamins                               |           |                     |
| <i>ascorbic acid TABS</i>                            | F         |                     |
| <i>ascorbic acid TBCR 1000 MG</i>                    | F         |                     |
| ASCOR SOLN IV  | F         |                     |
| <i>biotin CAPS 5 MG, 10 MG, 2500 MCG, 5000 MCG</i>   | F         |                     |
| BIOTIN CAPS 1 MG                                     | F         |                     |
| HARD NAILS CAPS ( <i>Use biotin</i> )                | NF        |                     |
| MEGA BIOTIN CAPS ( <i>Use biotin</i> )               | F         |                     |
| NIACIN TR TBCR                                       | F         |                     |
| <i>niacin CPCR 250 MG</i>                            | F         |                     |
| <i>niacin TABS</i>                                   | F         |                     |
| <i>niacin TBCR</i>                                   | F         |                     |
| PYRIDOXINE HCL POWD                                  | F         | RX/OTC              |
| <i>pyridoxine hcl SOLN</i>                           | F         |                     |
| <i>pyridoxine hcl TABS 50 MG, 100 MG</i>             | F         |                     |
| PYRIDOXINE HYDROCHLORIDE POWD                        | F         | RX/OTC              |
| SLO-NIACIN TBCR 500 MG ( <i>Use niacin</i> )         | F         |                     |
| SLO-NIACIN TBCR 250 MG, 750 MG ( <i>Use niacin</i> ) | NF        |                     |
| <i>thiamine hcl SOLN</i>                             | F         |                     |
| VITAMIN C TABS                                       | F         |                     |

OH Buckeye MMP Opt-Out Formulary

Updated May 1, 2024

F = Formulary, NF = Non Formulary

# INDEX

|   |    |   |    |  |    |
|---|----|---|----|--|----|
| ABC COMPLETE SENIOR 50+ TABS .....                              | 34 | adapalene GEL 0.1 % .....   | 17 | PLUS/SMALL MASK MISC .....   | 29 |
| ACCRUFER .....  | 25 | ADULT MASK LARGE MISC .....   | 28 | AEROCHAMBER/FLOWSIGNAL MISC .....  | 29 |
| ACE AEROSOL CLOUD ENHANCER MISC .....                           | 28 | ADULT ONE DAILY GUMMIES CHEW .....                                  | 34 | AEROTRACH PLUS MISC .....  | 29 |
| acetaminophen CAPS 500 MG .....                                 | 1  | ADVIL CAPS (Use ibuprofen) .....                                    | 1  | AEROVENT PLUS HOLDING CHAMBER/COLLAPSIBLE DEVI .                             | 29 |
| acetaminophen CHEW .....  | 1  | ADVIL COLD & SINUS TABS (Use pseudoephedrine-ibuprofen) .....       | 9  | AFRIN 12 HOUR SOLN (Use oxymetazoline hcl) .....                             | 39 |
| ACETAMINOPHEN GRAN .....  | 7  | ADVIL MIGRAINE CAPS (Use ibuprofen) .....                           | 1  | AFRIN ALL NIGHT NODRIP SOLN (Use oxymetazoline hcl) .....                    | 39 |
| acetaminophen LIQD 160 MG/5ML .                                 | 2  | ADVIL TABS (Use ibuprofen) .....                                    | 1  | AFRIN ALLERGY SINUS SOLN (Use oxymetazoline hcl) .....                       | 39 |
| ACETAMINOPHEN POWD .....  | 7  | AEROCHAMBER MINI AEROSOLCHAMBER DEVI .....                          | 28 | AFRIN NASAL SPRAY SOLN (Use oxymetazoline hcl) .....                         | 39 |
| acetaminophen SOLN OR 160 MG/5ML .....                          | 2  | AEROCHAMBER MV MISC .....   | 28 | AFRIN NODRIP CHILDRENS EXTRA MOISTURIZING SOLN (Use oxymetazoline hcl) ..... | 39 |
| acetaminophen SUPP 120 MG, 650 MG .....                         | 2  | AEROCHAMBER PLUS FLOW VU MISC .....                                 | 28 | AFRIN NODRIP EXTRA MOISTURIZING SOLN (Use oxymetazoline hcl) .....           | 39 |
| acetaminophen SUSP 80 MG/2.5ML, 160 MG/5ML, 650 MG/20.3ML ..... | 2  | AEROCHAMBER PLUS FLOW-VU MISC .....                                 | 28 | AFRIN NODRIP NIGHT SOLN (Use oxymetazoline hcl) .....                        | 39 |
| acetaminophen TABS 325 MG, 500 MG .....                         | 2  | AEROCHAMBER PLUS FLOW-VU/LARGE MASK MISC .....                      | 28 | AFRIN NODRIP ORIGINAL SOLN (Use oxymetazoline hcl) .....                     | 39 |
| acetaminophen TBCR .....  | 2  | AEROCHAMBER PLUS FLOW-VU/MASK MISC .....                            | 28 | AFRIN NODRIP SEVERE CONGESTION SOLN (Use oxymetazoline hcl) .....            | 40 |
| ACIDOPHILUS WAFR .....  | 4  | AEROCHAMBER PLUS FLOW-VU/MEDIUM MASK MISC .....                     | 28 | AFRIN NODRIP SINUS SOLN (Use oxymetazoline hcl) .....                        | 40 |
| ACIDOPHILUS/CITRUS PECTIN TABS .....                            | 5  | AEROCHAMBER PLUS FLOW-VU/SMALL MASK MISC .....                      | 28 | AFRIN ORIGINAL SOLN (Use oxymetazoline hcl) .....                            | 40 |
| ACNE MEDICATION 10 LOTN ....                                    | 17 | AEROCHAMBER Z-STAT PLUS VALVED HOLDING CHAMBER W/FLOW VU MISC ..... | 28 | AFRIN PUMP MIST SOLN (Use oxymetazoline hcl) .....                           | 40 |
| ACNE MEDICATION 5 LOTN ....                                     | 17 | AEROCHAMBER Z-STAT PLUS/FLOWSIGNAL MISC .....                       | 29 | AFRIN SEVERE CONGESTION SOLN (Use oxymetazoline hcl) ....                    | 40 |
| ACTICON SOLN .....  | 9  | AEROCHAMBER Z-STAT PLUS/LARGE MASK MISC .....                       | 29 | AFRIN SEVERE CONGESTION SOLN (Use oxymetazoline hcl) ....                    | 40 |
| ACTICON TABS .....  | 9  | AEROCHAMBER Z-STAT PLUS/MEDIUM MASK MISC .....                      | 29 | AIMSCO LUBRICATED MISC .....   | 27 |
| ACTIDOGESIC TABS .....  | 9  | AEROCHAMBER Z-STAT  |    |  |    |
| ACTIDOGESIC-DF TABS .....                                       | 9  |   |    |  |    |
| ACTINEL DM LIQD .....   | 9  |   |    |  |    |
| ACTINEL LIQD .....  | 9  |   |    |  |    |
| ACTINEL PEDIATRIC LIQD .....                                    | 9  |   |    |  |    |
| ACTIVE FE .....   | 24 |   |    |  |    |

|   |    |  |    |   |    |
|---|----|--|----|---|----|
| AIRBONE+EVERYDAY STRESS AWAY PACK .....   | 34 | phenylephrine-asa) .....   | 9  | CREA .....  | 19 |
| AIRBORNE CHEW .....   | 34 | ALLEGRA ALLERGY CHILDRENS SUSP (Use fexofenadine hcl) .....                            | 6  | AQUA-E LIQD .....   | 51 |
| AIRBORNE KIDS CHEW .....  | 34 | ALLEGRA ALLERGY TABS (Use fexofenadine hcl) .....                                      | 6  | AQUAGARD HYDRATING OINT .....                               | 20 |
| AIRBORNE PACK .....   | 34 | ALLEGRA-D 12 HOUR ALLERGY & CONGESTION TB12 (Use fexofenadine-pseudoephedrine) .....   | 9  | AQUANAZ TABS .....  | 9  |
| AIRZONE PEAK FLOW METER .....   | 29 | ALLEGRA-D 24 HOUR ALLERGY & CONGESTION TB24 (Use fexofenadine-pseudoephedrine) .....   | 9  | AQUAPHILIC OINT .....                                       | 19 |
| ALAHIST CF TABS .....   | 9  | ALOE VESTA PROTECTIVE OINT 20  |    | AR CAPS #1 CLEAR/ACID RESISTANT .....                       | 49 |
| ALAHIST D .....   | 9  | ALPHA LIPOIC ACID CAPS 50 MG, 300 MG .....   | 1  | arginine CAPS .....   | 41 |
| ALAHIST DM LIQD 7.5 MG/5ML-15 MG/5ML-2 MG/5ML (Use phenylephrine-dexbrompheniramine-dextromethorphan) ..... | 9  | alpha-lipoic acid (thioctic acid) CAPS 1   |    | ARGININE PACK .....   | 41 |
| ALA-HIST IR TABS .....  | 5  | alum & mag hydrox-simethicone CHEW 200 MG-25 MG-200 MG .....                           | 2  | arginine POWD OR .....                                      | 41 |
| ALAHIST PE TABS .....   | 9  | alum & mag hydrox-simethicone LIQD .....   | 2  | arginine TABS .....   | 41 |
| ALEVAZOL OINT .....   | 18 | alum & mag hydrox-simethicone SUSP .....   | 2  | ARGININE2000 PACK .....                                     | 41 |
| ALEVE ARTHRITIS TABS (Use naproxen sodium) .....  | 1  | ALUMINUM HYDROXIDE SUSP 320 MG/5ML .....   | 3  | artificial tear solution .....                              | 41 |
| ALEVE CAPS (Use naproxen sodium) .....  | 1  | aluminum hydroxide-mag carb CHEW .....   | 3  | ASCOR SOLN IV .....   | 52 |
| ALEVE TABS (Use naproxen sodium) .....  | 1  | aluminum hydroxide-mag carb SUSP 237.5 MG/5ML-254 MG/5ML, 358 MG/15ML-95 MG/15ML ..... | 3  | ascorbic acid TABS .....                                    | 52 |
| ALEVE-D SINUS & COLD (Use pseudoephedrine-naproxen sodium) .....  | 9  | ANTACID CHEW .....   | 3  | ascorbic acid TBCR 1000 MG .....                            | 52 |
| ALEVE-D SINUS & HEADACHE (Use pseudoephedrine-naproxen sodium) .....  | 9  | ANTACID SOFT CHEWS CHEW .....  | 3  | aspirin CHEW .....  | 2  |
| ALKA-SELTZER PLUS COLD (Use chlorpheniramine-phenylephrine-asa) .....                                       | 9  | ANTIVERT CHEW (Use meclizine hcl) .....  | 5  | ASPIRIN SUPP 300 MG .....                                   | 2  |
| ALKA-SELTZER PLUS SEVERECOLD (Use chlorpheniramine-phenylephrine-asa) .....                                 | 9  | APETIGEN-PLUS TABS .....   | 34 | aspirin TABS 325 MG .....                                   | 2  |
| ALKA-SELTZER SEVERE COLD (Use chlorpheniramine-   |    | AQUA GLYCOLIC FACE CREAM   |    | aspirin TBEC 81 MG, 325 MG .....                            | 2  |
|   |    |  |    | ATRIX SYSTEM 1 KIT .....                                    | 20 |
|   |    |  |    | AVICEL PH 101 MICROCRYSTALLINE CELLULOSE POWD .....         | 7  |
|   |    |  |    | AVICEL PH 105 MICROCRYSTALLINE CELLULOSE POWD .....         | 7  |
|   |    |  |    | AYR NASAL DROPS SOLN .....                                  | 39 |
|   |    |  |    | AYR NASAL MIST ALLERGY & SINUS HYPERTONIC SALINE SOLN ..... | 39 |

|   |    |   |    |  |    |
|---|----|---|----|--|----|
| AZO URINARY PAIN RELIEF<br>MAXIMUM STRENGTH TABS (Use<br>phenazopyridine hcl) ..... | 24 | diphenhydramine hcl) .....  | 6  | BETADINE SWABSTICKS SWAB<br>(Use povidone-iodine) .....                      | 7  |
| AZOLEN TINCTURE SOLN .....  | 18 | BENADRYL ALLERGY ULTRATABS<br>TABs (Use diphenhydramine hcl) ..             | 6  | BINAXNOW COVID-19 AG CARD<br>HOME TEST KIT .....                             | 22 |
| b complex w/ c CAPS .....   | 33 | BENADRYL EXTRA STRENGTH<br>CREA (Use diphenhydramine-zinc<br>acetate) ..... | 18 | BIO-D-MULSION FORTE LIQD OR<br>51  |    |
| b complex w/ c TABS .....   | 33 | BENZAC AC WASH LIQD 5 % (Use<br>benzoyl peroxide) .....                     | 17 | BIO-D-MULSION LIQD OR .....  | 51 |
| BABY DDROPS LIQD OR (Use<br>cholecalciferol) .....                                  | 51 | BENZEDREX INHALER .....   | 40 | bioflavonoid products TABS .....   | 34 |
| BABY SKIN PROTECTANT .....  | 49 | benzocaine-docusate sodium ENEM .<br>27                                     |    | bioflavonoid products TBCR .....   | 34 |
| bacitracin (topical) OINT .....   | 17 | benzoin compound TINC .....   | 20 | BIO-K PLUS STRONG CPDR .....   | 4  |
| bacitracin zinc OINT .....  | 17 | BENZOIN TINCTURE PLAIN TINC<br>20   |    | BIOMEPRO CAPS .....  | 4  |
| bacitracin-polymyxin b OINT .....   | 17 | BENZOIN TINCTURE TINC .....   | 20 | BIOMEPRO CPDR .....  | 4  |
| BALANCED NUTRITIONAL DRINK<br>LIQD OR .....   | 23 | benzonatate .....   | 8  | BIOMEPRO LIQD .....  | 4  |
| BALANCED NUTRITIONAL DRINK<br>PLUS LIQD OR .....                                    | 23 | benzoyl peroxide CREA 10 % .....  | 17 | BION TEARS .....   | 41 |
| b-complex w/ c & calcium .....  | 33 | benzoyl peroxide FOAM 5.3 %, 10 %<br>17                                     |    | BIOTIN .....   | 7  |
| b-complex w/ c & e + zn .....   | 34 | benzoyl peroxide GEL 2.5 %, 5 %, 10<br>% .....                              | 17 | BIOTIN CAPS 1 MG .....   | 52 |
| b-complex w/ c & folic acid CAPS .  | 34 | benzoyl peroxide LIQD 5 %, 10 % .   | 17 | biotin CAPS 5 MG, 10 MG, 2500<br>MCG, 5000 MCG .....                         | 52 |
| b-complex w/ c & folic acid TABS .  | 34 | benzoyl peroxide MISC 6 % .....   | 17 | BIOTIN-D .....   | 7  |
| b-complex w/ minerals LIQD .....  | 34 | BENZYL ALCOHOL .....  | 43 | bisacodyl SUPP .....   | 27 |
| B-COMPLEX/FOLIC ACID/VITAMIN<br>C TBCR .....  | 34 | BENZYL BENZOATE .....   | 8  | bisacodyl TBEC .....   | 27 |
| B-COMPLEX/VITAMIN C/FOLIC<br>ACID/ BIOTIN .....                                     | 34 | BETA CARE CREA .....  | 19 | bismuth subsalicylate CHEW 262 MG<br>.....                                   | 5  |
| BD VERITOR AT-HOME COVID-19<br>TEST KIT .....                                       | 22 | beta carotene CAPS 25000 UNIT .   | 51 | bismuth subsalicylate SUSP 262<br>MG/15ML, 525 MG/15ML, 525<br>MG/30ML ..... | 5  |
| BENADRYL ALLERGY CAPS (Use<br>diphenhydramine hcl) .....                            | 6  | BETADINE ANTISEPTIC CREA ....   | 7  | bismuth subsalicylate TABS .....   | 5  |
| BENADRYL ALLERGY CHILDRENS<br>CHEW (Use diphenhydramine hcl) .                      | 6  | BETADINE SOLN (Use povidone-<br>iodine) .....                               | 7  | BOOST HIGH PROTEIN LIQD OR<br>23   |    |
| BENADRYL ALLERGY CHILDRENS<br>LIQD (Use diphenhydramine hcl) ...                    | 6  | BETADINE SOLN .....   | 7  | BORIC ACID GRAN .....  | 20 |
| BENADRYL ALLERGY TABS (Use  |    | BETADINE SURGICAL SCRUB<br>SOLN .....                                       | 7  | BORIC ACID POWD .....  | 8  |
|   |    |   |    | BP VIT 3 .....   | 24 |
|   |    |   |    | BPROTECTED PEDIA POLY-VITE   |    |

|  |    |   |    |   |    |
|--|----|---|----|---|----|
| SOLN OR .....  | 38 | 600 MG .....  | 31 | CALTRATE 600+D PLUS<br>MINERALS CHEW (Use calcium<br>carbonate-vitamin d w/ minerals) ..  | 32 |
| BPROTECTED PEDIA POLY-<br>VITE/IRON SOLN .....                       | 38 | calcium carbonate-cholecalciferol<br>TABS .....                               | 31 | CALTRATE 600+D PLUS<br>MINERALS TABS (Use calcium<br>carbonate-vitamin d w/ minerals) ..  | 32 |
| BPROTECTED PEDIA TRI-VITE ..   | 38 | calcium carbonate-simethicone<br>CHEW 1000 MG-60 MG .....                     | 3  | CALTRATE 600+D3 PLUS<br>MINERALS TABS (Use calcium<br>carbonate-vitamin d w/ minerals) .. | 32 |
| BREATHERITE VALVED MDI<br>CHAMBER/COLLAPSIBLE DEVI ..                | 29 | calcium carbonate-vitamin d CAPS<br>31  |    | CALTRATE 600+D3 PLUS<br>MINERALS TABS (Use calcium<br>carbonate-vitamin d w/ minerals) .. | 32 |
| BREATHERITE VALVED MDI<br>CHAMBER/RIGID DEVI .....                   | 29 | calcium carbonate-vitamin d TABS<br>250 MG-125 UNIT, 600 MG-200<br>UNIT ..... | 31 | CALTRATE 600+D3 SOFT CHEWS<br>CHEW .....  | 32 |
| brompheniramine & phenyleph ELIX .<br>9                              |    | calcium carbonate-vitamin d w/<br>minerals CHEW .....                         | 31 | CALTRATE 600+D3 TABS (Use<br>calcium carbonate-cholecalciferol)                           | 32 |
| brompheniramine & pseudoeph LIQD<br>15 MG/5ML-1 MG/5ML .....         | 9  | calcium carbonate-vitamin d w/<br>minerals TABS .....                         | 31 | CALTRATE BONE HEALTH<br>ADVANCED CHEW (Use calcium<br>carbonate-vitamin d w/ minerals) .. | 32 |
| butenafine hcl .....   | 18 | CALCIUM CHEW .....  | 31 | CALTRATE BONE HEALTH TABS<br>(Use calcium carbonate-<br>cholecalciferol) .....            | 32 |
| CAFFEINE ANHYDROUS POWD ..   | 1  | CALCIUM CITRATE GRAN .....  | 31 | CALTRATE MINIS PLUS MINERALS<br>TABS .....  | 32 |
| CAL-CITRATE PLUS VITAMIND<br>TABS .....                              | 31 | calcium citrate TABS 200 MG .....   | 31 | CAPCOF SYRP .....   | 9  |
| calcium & phosphorus w/ vitamin d<br>CHEW .....                      | 31 | CALCIUM CITRATE TABS 250 MG<br>31   |    | CAPMIST DM TABS 400 MG-15 MG-<br>60 MG .....  | 9  |
| CALCIUM 1000 + D TABS .....  | 31 | CALCIUM CITRATE W/D TABS ..   | 31 | CAPRON DM LIQD .....  | 9  |
| CALCIUM 600+D HIGH POTENCY<br>TABS .....                             | 31 | CALCIUM CITRATE/VITAMIN D3<br>LIQD .....                                      | 31 | CAPRON DMT TABS .....   | 9  |
| calcium carbonate (antacid) CHEW<br>500 MG, 750 MG, 1000 MG .....    | 3  | CALCIUM CITRATE+ D TABS ....  | 31 | capsaicin CREA 0.025 %, 0.075 %,<br>0.1 % .....   | 20 |
| calcium carbonate (antacid) SUSP .                                   | 3  | calcium citrate-vitamin d TABS ....   | 31 | capsaicin PTCH .....  | 20 |
| CALCIUM CARBONATE CHEW ..  | 31 | CALCIUM LACTATE TABS 100 MG .<br>31   |    | CAPSULE #3 CLEAR/CLEAR<br>VEGETABLE .....   | 49 |
| CALCIUM CARBONATE POWD OR .<br>31                                    |    | CALCIUM PLUS D3 ABSORBABLE<br>CAPS .....                                      | 31 | CAPSULE 0 CLEAR VEGGIE ....   | 49 |
| calcium carbonate TABS 600 MG,<br>1250 MG, 1500 MG .....             | 31 | calcium polycarbophil TABS .....  | 26 | CAPSULE 1 CLEAR VEGGIE ....   | 49 |
| CALCIUM CARBONATE TABS 648<br>MG .....                               | 3  | calcium TABS .....  | 32 | CAPSULE 3 CLEAR VEGGIE ....   | 49 |
| calcium carbonate-cholecalciferol<br>CAPS .....                      | 31 | CALCIUM/C/D .....   | 31 | CAPSULE CONI-SNAP #0<br>CLEAR/CLEAR .....   | 43 |
| calcium carbonate-cholecalciferol<br>CHEW 400 UNIT-500 MG, 400 UNIT- |    | CALCIUM/VITAMIN D CAPS .....  | 31 |   |    |
|  |    | CAL-MINT CHEW .....   | 32 |   |    |
|  |    | CAL-QUICK LIQD .....  | 32 |   |    |

|   |   |  |
|---|---|--|
| CAPSULE CONI-SNAP #0<br>CLEAR/CLEAR VEGGIE .....49  | CAPSULE CONI-SNAP #1<br>CLEAR/CLEAR VEGGIE .....49  | CAPSULE CONI-SNAP #1<br>YELLOW/GREEN .....43         |
| CAPSULE CONI-SNAP #0 DARK<br>BLUE/DARK BLUE .....43 | CAPSULE CONI-SNAP #1<br>DARKGREEN/DARK GREEN ....43 | CAPSULE CONI-SNAP #1<br>YELLOW/YELLOW .....43        |
| CAPSULE CONI-SNAP #0<br>GREEN/CLEAR .....43         | CAPSULE CONI-SNAP #1<br>DARKGREEN/ORANGE .....43    | CAPSULE CONI-SNAP #2<br>CLEAR/CLEAR .....43          |
| CAPSULE CONI-SNAP #0 LIGHT<br>BLUE/WHITE .....43    | CAPSULE CONI-SNAP #1<br>GREEN/YELLOW .....43        | CAPSULE CONI-SNAP #2 WHITE<br>44                     |
| CAPSULE CONI-SNAP #0<br>PINK/PINK .....43           | CAPSULE CONI-SNAP #1 LIGHT<br>BLUE/WHITE .....43    | CAPSULE CONI-SNAP #3<br>BLUE/CLEAR .....44           |
| CAPSULE CONI-SNAP #0<br>RED/WHITE .....43           | CAPSULE CONI-SNAP #1 LIGHT<br>GREY/PINK .....43     | CAPSULE CONI-SNAP #3<br>BROWN/LIGHT BLUE .....44     |
| CAPSULE CONI-SNAP #0<br>WHITE/WHITE .....43         | CAPSULE CONI-SNAP #1 ORANGE<br>.....43              | CAPSULE CONI-SNAP #3<br>CLEAR/CLEAR .....44          |
| CAPSULE CONI-SNAP<br>#0/PURPLE/OPAQUE/CLEAR ....43  | CAPSULE CONI-SNAP #1<br>PINK/AQUA BLUE .....43      | CAPSULE CONI-SNAP #3<br>CLEAR/CLEAR VEGGIE .....49   |
| CAPSULE CONI-SNAP #00<br>CLEAR/CLEAR .....43        | CAPSULE CONI-SNAP #1<br>PINK/CLEAR .....43          | CAPSULE CONI-SNAP #3<br>DARKGREY/PINK .....44        |
| CAPSULE CONI-SNAP #00<br>WHITE/WHITE .....43        | CAPSULE CONI-SNAP #1<br>PINK/PINK .....43           | CAPSULE CONI-SNAP #3<br>GRAY/YELLOW .....44          |
| CAPSULE CONI-SNAP #000<br>CLEAR/CLEAR .....43       | CAPSULE CONI-SNAP #1<br>PINK/WHITE .....43          | CAPSULE CONI-SNAP #3<br>GREEN/BLUE .....44           |
| CAPSULE CONI-SNAP #1<br>AQUABLU/AQUA BLUE .....43   | CAPSULE CONI-SNAP #1<br>PINK/YELLOW .....43         | CAPSULE CONI-SNAP #3<br>MAROON/BLUE .....44          |
| CAPSULE CONI-SNAP #1<br>BLUE/BLUE .....43           | CAPSULE CONI-SNAP #1<br>PURPLE/PURPLE .....43       | CAPSULE CONI-SNAP #3<br>MINTGREEN/MINT GREEN .....44 |
| CAPSULE CONI-SNAP #1<br>BLUE/PINK .....43           | CAPSULE CONI-SNAP #1<br>RED/BLUE .....43            | CAPSULE CONI-SNAP #3<br>OLIVE/CLEAR .....44          |
| CAPSULE CONI-SNAP #1<br>BLUE/POWDER BLUE .....43    | CAPSULE CONI-SNAP #1<br>RED/WHITE .....43           | CAPSULE CONI-SNAP #3<br>ORANGE/ORANGE .....44        |
| CAPSULE CONI-SNAP #1<br>BROWN/IVORY .....43         | CAPSULE CONI-SNAP #1 WHITE<br>43                    | CAPSULE CONI-SNAP #3<br>PINK/CLEAR .....44           |
| CAPSULE CONI-SNAP #1<br>BROWN/LIGHT BROWN .....43   | CAPSULE CONI-SNAP #1<br>WHITE/CLEAR .....43         | CAPSULE CONI-SNAP #3<br>PINK/PINK .....44            |
| CAPSULE CONI-SNAP #1<br>CLEAR/CLEAR .....43         | CAPSULE CONI-SNAP #1<br>WHITE/GREEN .....43         | CAPSULE CONI-SNAP #3<br>RED/CLEAR .....44            |



|   |  |   |
|---|--|---|
| CAPSULE CONI-SNAP #3 RED/RED<br>.....44                     | CELLULOSE MICROCRYSTALLINE<br>POWD .....7  | (Use emollient) .....19   |
| CAPSULE CONI-SNAP #3<br>WHITE/CLEAR .....44                 | CELLULOSE PARTIALLY<br>DEPOLYMERIZED POWD .....7                                 | cetirizine hcl CAPS .....6  |
| CAPSULE CONI-SNAP #3<br>WHITE/WHITE .....44                 | CENTRATEX CAPS .....24   | cetirizine hcl CHEW .....6  |
| CAPSULE CONI-SNAP #3<br>YELLOW/YELLOW .....44               | CENTRAVITES 50 PLUS TABS ...34   | cetirizine hcl SOLN OR .....6                                       |
| CAPSULE CONI-SNAP #4<br>BLACK/GREEN .....44                 | CENTRUM ADULT LIQD (Use<br>multiple vitamins w/ minerals) .....34                | cetirizine hcl TABS .....6  |
| CAPSULE CONI-SNAP #4<br>CLEAR/CLEAR .....44                 | CENTRUM ADULTS TABS (Use<br>multiple vitamins w/ minerals) .....34               | cetirizine-pseudoephedrine .....9                                   |
| CAPSULE CONI-SNAP #4 WHITE<br>44                            | CENTRUM LIQD (Use multiple<br>vitamins w/ minerals) .....35                      | CHEMSTRIP 10 MD .....22   |
| CAPSULE SIZE 1 LACTOSE .....44                              | CENTRUM MEN TABS (Use multiple<br>vitamins w/ minerals) .....34                  | CHEMSTRIP -10 WITH SG .....22                                       |
| CAPZASIN-HP CREA (Use<br>capsaicin) .....20                 | CENTRUM SILVER 50+MEN TABS<br>(Use multiple vitamins w/ minerals)<br>34          | CHEMSTRIP 2 GP STRIPS .....22                                       |
| carbamide peroxide (otic) 6.5 % ...42                       | CENTRUM SILVER 50+WOMEN<br>TABS (Use multiple vitamins w/<br>minerals) .....34   | CHEMSTRIP 5 OB .....22  |
| carbonyl iron SUSP .....25                                  | CENTRUM SILVER ADULT 50+<br>TABS (Use multiple vitamins w/<br>minerals) .....34  | CHEMSTRIP 7 .....22   |
| carbonyl iron TABS .....25                                  | CENTRUM SILVER ADULTS 50+<br>TABS (Use multiple vitamins w/<br>minerals) .....34 | CHEMSTRIP 9 STRIPS .....22  |
| carboxymethylcellulose sodium<br>(ophth) GEL .....41        | CENTRUM SILVER ADULTS 50+<br>TABS (Use multiple vitamins w/<br>minerals) .....34 | CHILDRENS ADVIL SUSP 100<br>MG/5ML (Use ibuprofen) .....1           |
| carboxymethylcellulose sodium<br>(ophth) SOLN 0.5 % .....41 | CENTRUM SILVER ADULTS 50+<br>TABS (Use multiple vitamins w/<br>minerals) .....34 | CHILDRENS GUMMIES CHEW ...37  |
| carboxymethylcellulose-glycerin<br>SOLN .....41             | CENTRUM SILVER TABS (Use<br>multiple vitamins w/ minerals) .....35               | CHILDRENS MOTRIN SUSP 100<br>MG/5ML (Use ibuprofen) .....1          |
| CARESTART COVID-19 ANTIGEN<br>HOME TEST KIT .....22         | CENTRUM ULTRA WOMENS TABS<br>35  | CHLO HIST .....9  |
| CARNITINE (L) .....8  | CENTRUM WOMEN TABS (Use<br>multiple vitamins w/ minerals) .....35                | CHLO TUSS 30 MG/5ML-12.5<br>MG/5ML-1 MG/5ML .....9                  |
| CASTOR OIL .....8   | CERTAVITE SENIOR TABS .....35  | CHLOPHEDIANOL/DEXCHLOPHEN<br>IRAMINE./PSEUDOEPHEDRINE .10           |
| castor oil OIL 100 % .....27                                | CERTAVITE<br>SENIOR/ANTIOXIDANT<br>NUTRIENTS TABS .....35                        | chlorpheniramine & phenylephrine<br>LIQD 10 MG/5ML-4 MG/5ML .....10 |
| CELLTRION DIATRUST COVID-19<br>AG HOME TEST KIT .....22     | CETAPHIL MOISTURIZING CREA   | chlorpheniramine & phenylephrine<br>TABS 10 MG-4 MG .....10         |
| CELLULOSE MICROCRYSTALLINE<br>CRYS .....7                   |  | chlorpheniramine & pseudoeph<br>TABS .....10                        |
|   |  | chlorpheniramine maleate SYRP ...5                                  |
|   |  | chlorpheniramine maleate TABS ...5                                  |
|   |  | chlorpheniramine-dm TABS 4 MG-30<br>MG .....10                      |
|   |  | chlorpheniramine-phenylephrine-                                     |

|   |    |  |    |   |    |
|---|----|--|----|---|----|
| acetaminophen TABS 5 MG-325 MG-2 MG .....   | 10 | CLARITIN REDITABS JUNIORS TBDP (Use loratadine) .....                | 6  | coenzyme q10 (ubidecarenone) CAPS 10 MG, 30 MG, 50 MG, 60 MG, 100 MG, 200 MG, 300 MG, 400 MG .....  | 1  |
| chlorpheniramine-phenylephrine-asa .....  | 10 | CLARITIN REDITABS TBDP 10 MG (Use loratadine) .....                  | 6  | COENZYME Q10 .....  | 8  |
| cholecalciferol CAPS .....  | 51 | CLARITIN SOLN (Use loratadine) ..                                    | 6  | COLACE CAPS 100 MG (Use docusate sodium) .....  | 27 |
| cholecalciferol CHEW 25 MCG, 50 MCG, 400 UNIT, 1000 UNIT, 2000 UNIT .....   | 51 | CLARITIN TABS (Use loratadine) ..                                    | 6  | COLACE CLEAR CAPS (Use docusate sodium) .....   | 27 |
| cholecalciferol LIQD OR 10 MCG/ML, 400 UNIT/ML, 400 UT/0.028ML ...  | 51 | CLARITIN-D 12 HOUR TB12 (Use loratadine & pseudoephedrine) ....      | 10 | COLD & ALLERGY CHILDRENS LIQD .....   | 10 |
| cholecalciferol TABS 25 MCG, 50 MCG, 125 MCG, 400 UNIT, 1000 UNIT, 2000 UNIT, 5000 UNIT, 10000 UNIT, 50000 UNIT ..... | 51 | CLARITIN-D 24 HOUR TB24 (Use loratadine & pseudoephedrine) ....      | 10 | COMPACT SPACE CHAMBER/ANTI-STATIC DEVI ...  | 29 |
| CHOLESTEROL ACETATE POWD  | 7  | CLEAR AWAY ONE STEP WARTREMOVER PADS (Use salicylic acid) .....      | 20 | COMPACT SPACE CHAMBER/ANTI-STATIC/LARGE MASK DEVI .....   | 29 |
| CHOLESTEROL POWD .....  | 7  | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/ADULT LARGE DEVI ..  | 29 | COMPACT SPACE CHAMBER/ANTI-STATIC/MEDIUM MASK DEVI .....  | 29 |
| CIRCATA CREA .....  | 20 | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/MEDIUM DEVI .....    | 29 | COMPACT SPACE CHAMBER/ANTI-STATIC/SMALL MASK DEVI .....   | 29 |
| CITRACAL + D3 MAXIMUM TABS (Use calcium citrate-vitamin d) ....   | 32 | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/SMALL DEVI .....     | 29 | COMPOUND W LIQD (Use salicylic acid) .....  | 20 |
| CITRACAL MAXIMUM PLUS TABS 33   |    | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/SMALL INFANT DEVI .. | 29 | COMTREX COLD & COUGH MAXIMUM STRENGTH TABS (Use dextromethorphan-phenylephrine-acetaminophen) ..... | 10 |
| CITRACAL PETITES/VITAMIND TABS (Use calcium citrate-vitamin d) 32   |    | CLEVER CHOICE ANTI-STATICVALVED HOLDING CHAMBER/SMALL INFANT DEVI .. | 29 | CONCEPTIONXR MOTILITY SUPPORT FORMULA MISC .....  | 35 |
| CITRACAL+D3 CHEW .....  | 32 | CLEVER CHOICE PEAK FLOW METER .....                                  | 29 | CONEX COLD/ALLERGY SOLN ..  | 10 |
| CITRUCEL FIBER LAXATIVE POWD (Use methylcellulose (laxative)) ...   | 26 | CLINITEST RAPID COVID-19ANTIGEN SELF-TEST KIT .....                  | 22 | CONEX COLD/ALLERGY TABS ..  | 10 |
| CITRUCEL TABS (Use methylcellulose (laxative)) .....  | 26 | clotrimazole (topical) CREA .....                                    | 18 | COQ-10 TR CPCR .....  | 1  |
| CITRULLINE(L) .....   | 7  | clotrimazole (topical) SOLN .....                                    | 18 | CORICIDIN HBP COUGH & COLD TABS (Use chlorpheniramine-dm) .   | 10 |
| CLARITIN ALLERGY CHILDRENS SOLN (Use loratadine) .....  | 6  | clotrimazole vaginal CREA .....                                      | 51 | CORICIDIN HBP MAXIMUM STRENGTH FLU TABS (Use  |    |
| CLARITIN CHEW (Use loratadine) ..   | 6  | CO-ENZYME Q 10 .....   | 8  |   |    |
| CLARITIN CHILDRENS CHEW (Use loratadine) .....  | 6  |  |    |   |    |

|  |  |  |
|--|--|--|
| dextromethorphan-acetaminophen-chlorpheniramine) .....10                         | CUTTER BACKWOODS DRY AERO .....20                  | SHAMPOO PLUS CONDITIONER SHAM ..... 20                 |
| CORICIDIN HBP TABS (Use dextromethorphan-acetaminophen-chlorpheniramine) .....10 | CUTTER BACKWOODS LIQD .... 20                      | CVS SOFT GLUCOSE CHEW .....4                           |
| COROMEGA OMEGA 3 KIDS EMUL .....40   | CUTTER DRY AERO .....20                            | CVS SPECTRAVITE ADULT 50+ TABS .....35                 |
| COROMEGA OMEGA 3 SQUEEZE EMUL .....40  | CUTTER LEMON EUCALYPTUS LIQD .....20               | CVS SPECTRAVITE ADULTS TABS 35                         |
| CORVITE 150 (Use iron-folic acid-vitamin c-vitamin b6-vitamin b12-zinc) .....24  | CUTTER NATURAL AERO .....21                        | CVS SPECTRAVITE ULTRA MENS HEALTH TABS .....35         |
| CORVITE 150 TABS .....24   | CUTTER NATURAL LIQD .....21                        | CVS SPECTRAVITE ULTRA WOMEN TABS .....35               |
| CORVITE FE TABS .....24  | CUTTER SKINSATIONS AERO ...21                      | CVS THERAPEUTIC DANDRUFFMAXIMUM STRENGTH SHAM ..... 20 |
| COUGH AND CHEST CONGESTION DM COUGH SYRUP SYRUP .....10                          | CUTTER SKINSATIONS LIQD ....21                     | CVS TOTAL HOME INSECT REPELLENT AERO ..... 21          |
| COVID-19 AG TEST KIT ..... 22  | CUTTER SPORT AERO .....21                          | CVS TRIPLE MAGNESIUM COMPLEX CAPS .....32              |
| COVID-19 AT-HOME TEST KIT KIT . 22   | CVS ADULT 50+ EYE HEALTH CAPS .....35              | CYANOCOBALAMIN CRYSTALS ..... 7                        |
| COVID-19 TEST SPECIMEN COLLECTION .....22  | CVS ANTACID SOFT CHEWS ULTRA STRENGTH CHEW ..... 3 | CYANOCOBALAMIN POWD ..... 7                            |
| cromolyn sodium (nasal) 5.2 MG/ACT .....39                                       | CVS BETA CAROTENE CAPS ...51                       | cyanocobalamin SOLN IJ 1000 MCG/ML ..... 24            |
| CUE COVID-19 TEST CARTRIDGE CART .....22   | CVS COVID-19 AT HOME TESTKIT KIT ..... 22          | CYTO-Q LIQD .....1                                     |
| CULTURELLE ADVANCED REGULARITY PROBIOTIC & PREBIOTIC CAPS .....5                 | CVS DISTILLED WATER .....49                        | CYTO-Q MAX LIQD .....1                                 |
| CUTTER AERO .....21  | CVS EYE HEALTH ADULT 50+ CAPS .....35              | CYTO-Q T/F LIQD .....1                                 |
| CUTTER ALL FAMILY AERO ..... 20  | CVS GLUCOSE CHEW .....4                            | D3 BABY DROPS LIQD OR .....51                          |
| CUTTER ALL FAMILY LIQD ..... 20  | CVS GUMMY DINOS CHEW .....37                       | D3 LIQUID LIQD OR .....51                              |
| CUTTER ALL FAMILY MOSQUITO WIPES SHEET .....20                                   | CVS GUMMY DINOS CHILDRENS CHEW .....37             | DDROPS LIQD OR .....51                                 |
| CUTTER BACKWOODS AERO ...20  | CVS GUMMY MULTIVITAMIN KIDS CHEW .....37           | DEBROX 6.5 % (Use carbamide peroxide (otic)) .....43   |
|  | CVS HAIR/SKIN/NAILS TABS ....38                    | DECARA CAPS .....51                                    |
|  | CVS IMMUNE SUPPORT VITAMIN C PACK .....35          | DECARA K CAPS .....38                                  |
|  | CVS INSECT REPELLENT AERO 21                       | DECONEX DMX TABS 10 MG-400 MG-17.5 MG ..... 10         |
|  | CVS KETONE CARE ..... 22                           |  |
|  | CVS PSORIASIS MEDICATED                            |  |

|   |    |  |    |   |    |
|---|----|--|----|---|----|
| DECONEX IR TABS .....   | 10 | dexbrompheniramine-phenylephrine<br>TABS .....   | 10 | dextromethorphan-phenylephrine-<br>acetaminophen PACK .....                                       | 11 |
| DEKAS BARIATRIC CHEW .....  | 35 | dextran 70-hypromellose 0.3 %-0.1<br>% .....   | 41 | dextromethorphan-phenylephrine-<br>acetaminophen TABS 5 MG-325 MG-<br>10 MG .....                 | 11 |
| DEKAS ESSENTIAL LIQD .....  | 37 | dextromethorphan hbr CAPS .....  | 8  | dextrose (diabetic use) GEL .....   | 4  |
| DEKAS PLUS LIQD .....   | 37 | dextromethorphan hbr LIQD 15<br>MG/5ML .....   | 8  | DIABETES HEALTH PACK MISC .   | 35 |
| DELSYM CHILDRENS COUGH<br>PLUS SORE THROAT LIQD .....                     | 10 | dextromethorphan hbr SYRP 15<br>MG/5ML .....   | 8  | DIALYVITE 3000 .....  | 34 |
| DELSYM CHILDRENS DAY NIGHT<br>MISC .....                                  | 10 | dextromethorphan polistirex LQCR .   | 8  | DIALYVITE 5000 .....  | 34 |
| DELSYM COUGH CHILDRENS<br>SUER (Use dextromethorphan<br>polistirex) ..... | 8  | dextromethorphan polistirex SUER .   | 8  | DIALYVITE 800 WAFR .....  | 34 |
| DELSYM COUGH/SORE THROAT<br>LIQD .....                                    | 10 | dextromethorphan-acetaminophen-<br>chlorpheniramine TABS 325 MG-2<br>MG-10 MG .....  | 10 | DIALYVITE/ZINC .....  | 34 |
| DELSYM DAY NIGHT MISC .....   | 10 | dextromethorphan-doxylamine-<br>acetaminophen CAPS .....   | 10 | diaper rash products OINT .....   | 19 |
| DELSYM NIGHTTIME COUGH<br>MAXIMUM STRENGTH SOLN ....                      | 10 | dextromethorphan-doxylamine-<br>acetaminophen LIQD .....   | 10 | DIFFERIN DAILY DEEP CLEANSER<br>LIQD (Use benzoyl peroxide) .....                                 | 17 |
| DELSYM SUER (Use<br>dextromethorphan polistirex) .....                    | 8  | dextromethorphan-guaifenesin CAPS<br>.....   | 10 | DIFFERIN GEL 0.1 % (Use<br>adapalene) .....   | 17 |
| DELSYM TABS .....   | 8  | dextromethorphan-guaifenesin LIQD<br>100 MG/5ML-10 MG/5ML, 100<br>MG/5ML-5 MG/5ML, 150 MG/7.5ML-<br>15 MG/7.5ML, 200 MG/10ML-20<br>MG/10ML, 200 MG/20ML-20<br>MG/20ML, 200 MG/5ML-10 MG/5ML,<br>400 MG/20ML-20 MG/20ML ..... | 11 | dimenhydrinate TABS .....   | 5  |
| DERMABASEOIL IN WATER CREA .<br>19  |    | dextromethorphan-guaifenesin SYRP<br>100 MG/5ML-10 MG/5ML .....  | 11 | dimethicone (topical) CREA 5 % ..   | 21 |
| DERMACINRX CIRCATRIX CREA<br>20   |    | dextromethorphan-guaifenesin TABS<br>400 MG-20 MG .....  | 11 | diphenhydramine hcl (sleep) CAPS<br>50 MG .....   | 26 |
| DERMACINRX DOTREMIN TABS 24   |    | dextromethorphan-guaifenesin TB12<br>1200 MG-60 MG, 600 MG-30 MG .   | 11 | diphenhydramine hcl (sleep) TABS<br>25 MG .....   | 26 |
| DERMACINRX FOLTAMIN TABS .24  |    | dextromethorphan-phenylephrine-<br>acetaminophen CAPS .....  | 11 | diphenhydramine hcl CAPS .....  | 6  |
| DERMAREST PSORIASIS<br>MEDICATED SHAMPOO PLUS<br>CONDITIONER SHAM .....   | 20 | dextromethorphan-phenylephrine-<br>acetaminophen LIQD 5 MG/10ML-<br>325 MG/10ML-12.5 MG/10ML .....   | 11 | diphenhydramine hcl CHEW .....  | 6  |
| DEX4 .....  | 4  | dextromethorphan-phenylephrine-<br>acetaminophen LIQD .....  | 11 | diphenhydramine hcl LIQD 12.5<br>MG/5ML, 25 MG/10ML, 50 MG/20ML<br>.....                          | 6  |
| DEX4 FAST ACTING GLUCOSE ..   | 4  |  |    | diphenhydramine hcl TABS 25 MG .  | 6  |
| DEX4 NATURALS .....   | 4  |  |    | diphenhydramine hcl TBDP .....  | 6  |
| DEX4 POUCH PACK .....   | 4  |  |    | diphenhydramine-phenylephrine-<br>acetaminophen LIQD 5 MG/10ML-<br>325 MG/10ML-12.5 MG/10ML ..... | 11 |
| DEX4 QUICK DISSOLVE GLUCOSE<br>CHEW .....                                 | 4  |  |    | diphenhydramine-phenylephrine-<br>acetaminophen PACK .....  | 11 |

|  |    |  |    |
|--|----|--|----|
| diphenhydramine-phenylephrine-<br>acetaminophen TABS 5 MG-325 MG-<br>12.5 MG ..... | 11 | DUREX REALFEEL NON-LATEX 27<br>BLUE/WHITE .....                | 44 |
| diphenhydramine-zinc acetate CREA<br>2 %-0.1 % .....                               | 18 | D-VI-SOL LIQD OR (Use<br>cholecalciferol) .....                | 51 |
| diphenhydramine-zinc acetate LIQD .<br>18  |    | EASIVENT MISC .....  | 29 |
| DISTILLED WATER .....  | 49 | EASIVENT/MASK-LARGE MISC ..                                    | 29 |
| docusate calcium .....   | 27 | EASIVENT/MASK-MEDIUM MISC                                      | 29 |
| docusate sodium CAPS .....   | 27 | EASIVENT/MASK-SMALL MISC ..                                    | 29 |
| docusate sodium ENEM 283<br>MG/5ML .....   | 27 | ECOTRIN ARTHRITIS PAIN TBEC<br>(Use aspirin) .....             | 2  |
| docusate sodium LIQD .....   | 27 | ECOTRIN REGULAR STRENGTH<br>TBEC (Use aspirin) .....           | 2  |
| docusate sodium TABS .....   | 27 | ECOTRIN TBEC (Use aspirin) .....                               | 2  |
| DOCUSOL KIDS ENEM (Use<br>docusate sodium) .....                                   | 27 | ED A-HIST DM TABS .....  | 11 |
| DOLOGESIC TABS 500 MG-1 MG<br>11   |    | ED A-HIST LIQD (Use<br>chlorpheniramine & phenylephrine)<br>11 |    |
| DOLOGESIC-DF TABS .....  | 11 | ED BRON GP LIQD .....  | 11 |
| doxylamine-dm LIQD 15 MG/15ML-<br>6.25 MG/15ML, 30 MG/30ML-12.5<br>MG/30ML .....   | 11 | ELLUME COVID-19 HOME TEST<br>KIT .....                         | 22 |
| doxylamine-phenylephrine .....   | 11 | EMERGEN-C BLUE PACK .....                                      | 35 |
| DRAMAMINE TABS (Use<br>dimenhydrinate) .....                                       | 5  | EMERGEN-C IMMUNE PLUS PACK<br>35                               |    |
| DRISDOL CAPS (Use ergocalciferol)<br>51  |    | EMERGEN-C KIDZ PACK .....                                      | 35 |
| DULCOLAX PINK LAXATIVE TBEC<br>(Use bisacodyl) .....                               | 27 | EMERGEN-C MSM LITE PACK ...                                    | 35 |
| DULCOLAX SUPP (Use bisacodyl)<br>27  |    | EMERGEN-C PINK PACK .....                                      | 35 |
| DULCOLAX TBEC (Use bisacodyl)<br>27  |    | EMERGEN-C VITAMIN C PACK ..                                    | 35 |
| DURAFLU TABS 200 MG-325 MG-<br>20 MG-60 MG .....                                   | 11 | EMOLLIENT CREAM BASE .....                                     | 49 |
|  |    | emollient OINT 41 % .....                                      | 19 |
|  |    | EMPTY CAPSULE #0 RED<br>TRANSLUCENT/WHITE .....                | 44 |
|  |    | EMPTY CAPSULE #00 BLACK/RED<br>.....                           | 44 |
|  |    | EMPTY CAPSULE #00 PINK/PINK<br>44                              |    |
|  |    | EMPTY CAPSULE #00<br>PURPLE//PURPLE .....                      | 44 |
|  |    | EMPTY CAPSULE #00<br>PURPLE//WHITE .....                       | 44 |
|  |    | EMPTY CAPSULE #00 RED/WHITE<br>.....                           | 44 |
|  |    | EMPTY CAPSULE #00<br>YELLOW/YELLOW .....                       | 44 |
|  |    | EMPTY CAPSULE SIZE 0 BLUE .                                    | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>BLUE/WHITE .....                       | 44 |
|  |    | EMPTY CAPSULE SIZE 0 CLEAR<br>44                               |    |
|  |    | EMPTY CAPSULE SIZE 0 CLEAR<br>LOCKING .....                    | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>FUNCAPS LOCKING .....                  | 44 |
|  |    | EMPTY CAPSULE SIZE 0 GREEN<br>LOCKING .....                    | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>GREEN/CLEAR .....                      | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>GREEN/CLEAR LOCKING .....              | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>MAROON/OPAQUE LOCKING ...              | 44 |
|  |    | EMPTY CAPSULE SIZE 0 ORANGE<br>.....                           | 44 |
|  |    | EMPTY CAPSULE SIZE 0<br>ORANGE/OPAQUE LOCKING ...              | 44 |
|  |    | EMPTY CAPSULE SIZE 0 PINK ..                                   | 45 |
|  |    | EMPTY CAPSULE SIZE 0 PINK<br>LOCKING .....                     | 45 |
|  |    | EMPTY CAPSULE #00  |    |

|  |   |  |
|--|---|--|
| EMPTY CAPSULE SIZE 0 PURPLE<br>45                    | ORANGE .....45  | EMPTY CAPSULE SIZE 1<br>BROWN/IVORY .....46                        |
| EMPTY CAPSULE SIZE 0<br>PURPLE/OPAQUE LOCKING ....45 | EMPTY CAPSULE SIZE 00<br>ORANGE/OPAQUE LOCKING ... 45               | EMPTY CAPSULE SIZE 1<br>BROWN/IVORY OPAQUE LOCKING<br>.....46      |
| EMPTY CAPSULE SIZE 0<br>PURPLE/WHITE .....45         | EMPTY CAPSULE SIZE 00 RED .45                                       | EMPTY CAPSULE SIZE 1 CLEAR<br>46                                   |
| EMPTY CAPSULE SIZE 0 RED ..45                        | EMPTY CAPSULE SIZE 00 WHITE .<br>45                                 | EMPTY CAPSULE SIZE 1 CLEAR<br>LOCKING .....46                      |
| EMPTY CAPSULE SIZE 0<br>RED/WHITE .....45            | EMPTY CAPSULE SIZE 000 CLEAR<br>.....45                             | EMPTY CAPSULE SIZE 1<br>DARKGREEN .....46                          |
| EMPTY CAPSULE SIZE 0<br>RED/WHITE LOCKING .....45    | EMPTY CAPSULE SIZE 000 CLEAR<br>LOCKING .....45                     | EMPTY CAPSULE SIZE 1 GREEN<br>46                                   |
| EMPTY CAPSULE SIZE 0 WHITE<br>45                     | EMPTY CAPSULE SIZE 000<br>WHITE/OPAQUE LOCKING .....45              | EMPTY CAPSULE SIZE 1 GREEN<br>CLEAR/YELLOW LOCKING .....46         |
| EMPTY CAPSULE SIZE 0<br>WHITE/CLEAR .....45          | EMPTY CAPSULE SIZE 1<br>AQUABLU TRANSLUCENT ....45                  | EMPTY CAPSULE SIZE 1 GREEN<br>TRANSLUCENT/YELLOW OPAQUE<br>.....46 |
| EMPTY CAPSULE SIZE 0<br>WHITE/OPAQUE .....45         | EMPTY CAPSULE SIZE 1 BLUE .45                                       | EMPTY CAPSULE SIZE 1<br>GREEN/ORANGE .....46                       |
| EMPTY CAPSULE SIZE 0<br>WHITE/OPAQUE LOCKING .....45 | EMPTY CAPSULE SIZE 1<br>BLUE/CLEAR ..... 45                         | EMPTY CAPSULE SIZE 1<br>GREEN/WHITE ..... 46                       |
| EMPTY CAPSULE SIZE 0 YELLOW<br>.....45               | EMPTY CAPSULE SIZE 1<br>BLUE/OPAQUE LOCKING .....45                 | EMPTY CAPSULE SIZE 1<br>GREEN/WHITE OPAQUE LOCKING<br>.....46      |
| EMPTY CAPSULE SIZE 0<br>YELLOW/OPAQUE LOCKING ....45 | EMPTY CAPSULE SIZE 1<br>BLUE/PINK .....45                           | EMPTY CAPSULE SIZE 1<br>GREEN/YELLOW .....46                       |
| EMPTY CAPSULE SIZE 00<br>BLUE/OPAQUE LOCKING .....45 | EMPTY CAPSULE SIZE 1<br>BLUE/PINK LOCKING .....45                   | EMPTY CAPSULE SIZE 1<br>GREY/PINK ..... 46                         |
| EMPTY CAPSULE SIZE 00 CLEAR .<br>45                  | EMPTY CAPSULE SIZE 1<br>BLUE/PINK TRANSLUCENT .....45               | EMPTY CAPSULE SIZE 1 IVORY<br>46                                   |
| EMPTY CAPSULE SIZE 00 CLEAR<br>LOCKING .....45       | EMPTY CAPSULE SIZE 1<br>BLUE/POWDER BLUE .....45                    | EMPTY CAPSULE SIZE 1 LIGHT<br>BLUE OPAQUE .....46                  |
| EMPTY CAPSULE SIZE 00 DARK<br>GREEN .....45          | EMPTY CAPSULE SIZE 1<br>BLUE/RED OPAQUE LOCKING .45                 | EMPTY CAPSULE SIZE 1 MAROON<br>TRANS/CLEAR .....46                 |
| EMPTY CAPSULE SIZE 00<br>GREEN/OPAQUE LOCKING ....45 | EMPTY CAPSULE SIZE 1<br>BLUE/WHITE .....46                          | EMPTY CAPSULE SIZE 1<br>MINTGREEN .....46                          |
| EMPTY CAPSULE SIZE 00 LIGGHT<br>BLUE OPAQUE .....45  | EMPTY CAPSULE SIZE 1<br>BLUETRANSLUCENT/PINK<br>TRANSLUCENT .....46 |  |

|  |  |   |
|--|--|---|
| EMPTY CAPSULE SIZE 1 ORANGE<br>.....46                     | RED/OPAQUE LOCKING .....47                           | EMPTY CAPSULE SIZE 3<br>BLUE/WHITE .....47                    |
| EMPTY CAPSULE SIZE 1 ORANGE<br>OPAQUE LOCKING .....46      | EMPTY CAPSULE SIZE 1<br>RED/WHITE .....47            | EMPTY CAPSULE SIZE 3<br>BLUEOPAQUE/CLEAR LOCKING<br>47        |
| EMPTY CAPSULE SIZE 1<br>ORANGE/CLEAR .....46               | EMPTY CAPSULE SIZE 1<br>VEGETABLE CLEAR .....49      | EMPTY CAPSULE SIZE 3 CLEAR<br>47                              |
| EMPTY CAPSULE SIZE 1<br>ORANGE/WHITE .....46               | EMPTY CAPSULE SIZE 1 WHITE<br>47                     | EMPTY CAPSULE SIZE 3 CLEAR<br>LOCKING .....47                 |
| EMPTY CAPSULE SIZE 1<br>ORANGE/YELLOW .....46              | EMPTY CAPSULE SIZE 1 WHITE<br>OPAQUE LOCKING .....47 | EMPTY CAPSULE SIZE 3<br>DARKGREEN .....47                     |
| EMPTY CAPSULE SIZE 1 PINK ..46                             | EMPTY CAPSULE SIZE 1<br>WHITE/CLEAR .....47          | EMPTY CAPSULE SIZE 3<br>GRAY/PINK OPAQUE LOCKING .47          |
| EMPTY CAPSULE SIZE 1<br>PINK/CLEAR .....46                 | EMPTY CAPSULE SIZE 1<br>WHITE/OPAQUE .....47         | EMPTY CAPSULE SIZE 3<br>GRAY/YELLOW OPAQUE LOCKING<br>.....47 |
| EMPTY CAPSULE SIZE 1<br>PINK/OPAQUE LOCKING .....46        | EMPTY CAPSULE SIZE 1 YELLOW<br>.....47               | EMPTY CAPSULE SIZE 3 GREEN<br>47                              |
| EMPTY CAPSULE SIZE 1<br>PINK/POWDER BLUE .....46           | EMPTY CAPSULE SIZE 10 CLEAR .<br>47                  | EMPTY CAPSULE SIZE 3<br>GREEN/BLUE .....47                    |
| EMPTY CAPSULE SIZE 1<br>PINK/WHITE .....46                 | EMPTY CAPSULE SIZE 11 CLEAR .<br>47                  | EMPTY CAPSULE SIZE 3<br>GREEN/BLUE LOCKING .....47            |
| EMPTY CAPSULE SIZE 1<br>PINK/YELLOW .....46                | EMPTY CAPSULE SIZE 13 CLEAR .<br>47                  | EMPTY CAPSULE SIZE 3<br>GREEN/BLUE TRANSLUCENT ..47           |
| EMPTY CAPSULE SIZE 1<br>PINK/YELLOW OPAQUE LOCKING<br>46   | EMPTY CAPSULE SIZE 2 BLUE .47                        | EMPTY CAPSULE SIZE 3<br>GREY/PINK .....47                     |
| EMPTY CAPSULE SIZE 1 POWDER<br>BLUE .....46                | EMPTY CAPSULE SIZE 2 CLEAR<br>47                     | EMPTY CAPSULE SIZE 3<br>GREY/YELLOW .....47                   |
| EMPTY CAPSULE SIZE 1 POWDER<br>BLUE/OPAQUE LOCKING .....46 | EMPTY CAPSULE SIZE 2 CLEAR<br>LOCKING .....47        | EMPTY CAPSULE SIZE 3 LIGHT<br>BLUE OPAQUE .....47             |
| EMPTY CAPSULE SIZE 1 PURPLE<br>46                          | EMPTY CAPSULE SIZE 2 GREEN<br>47                     | EMPTY CAPSULE SIZE 3<br>MAROON/BLUE .....47                   |
| EMPTY CAPSULE SIZE 1<br>PURPLE/OPAQUE LOCKING ....46       | EMPTY CAPSULE SIZE 2 WHITE<br>OPAQUE LOCKING .....47 | EMPTY CAPSULE SIZE 3<br>MAROON/BLUE OPAQUE .....47            |
| EMPTY CAPSULE SIZE 1 RED ..46                              | EMPTY CAPSULE SIZE 3<br>BLACK/GREEN .....47          | EMPTY CAPSULE SIZE 3<br>MAROON/CLEAR .....47                  |
| EMPTY CAPSULE SIZE 1<br>RED/BLUE .....46                   | EMPTY CAPSULE SIZE 3 BLUE .47                        | EMPTY CAPSULE SIZE 3 MINT                                     |
| EMPTY CAPSULE SIZE 1                                       | EMPTY CAPSULE SIZE 3<br>BLUE/CLEAR .....47           |   |

|  |    |   |    |  |
|--|----|---|----|--|
| GREEN .....  | 47 | EMPTY CAPSULE SIZE 3<br>RED/OPAQUE LOCKING .....            | 48 | EMPTY CAPSULE SIZE 4 WHITE<br>48                           |
| EMPTY CAPSULE SIZE 3<br>OLIVE/CLEAR .....          | 47 | EMPTY CAPSULE SIZE 3<br>REDOPAQUE/CLEAR LOCKING .....       | 48 | EMPTY CAPSULE SIZE 4<br>WHITE/OPAQUE LOCKING .....         |
| EMPTY CAPSULE SIZE 3<br>OLIVE/OPAQUE LOCKING ..... | 47 | EMPTY CAPSULE SIZE 3 WHITE<br>48                            |    | EMPTY CAPSULE SIZE 4 YELLOW<br>.....                       |
| EMPTY CAPSULE SIZE 3 ORANGE<br>.....               | 47 | EMPTY CAPSULE SIZE 3 WHITE<br>OPAQUE LOCKING .....          | 48 | EMPTY CAPSULE SIZE 5 CLEAR<br>48                           |
| EMPTY CAPSULE SIZE 3<br>ORANGE/OPAQUE LOCKING ...  | 48 | EMPTY CAPSULE SIZE 3 WHITE<br>OPAQUE/CLEAR LOCKING .....    | 48 | EMPTY CAPSULE SIZE 7 CLEAR<br>49                           |
| EMPTY CAPSULE SIZE 3<br>ORANGE/WHITE .....         | 48 | EMPTY CAPSULE SIZE 3<br>WHITE/CLEAR .....                   | 48 | EMPTY GELATIN CAPSULE/SNAP<br>CLOSURE #0 .....             |
| EMPTY CAPSULE SIZE 3 PINK ..                       | 48 | EMPTY CAPSULE SIZE 3<br>WHITE/OPAQUE .....                  | 48 | EMPTY GELATIN CAPSULE/SNAP<br>CLOSURE #00 .....            |
| EMPTY CAPSULE SIZE 3<br>PINK/CLEAR .....           | 48 | EMPTY CAPSULE SIZE 3 YELLOW<br>.....                        | 48 | EMPTY GELATIN CAPSULE/SNAP<br>CLOSURE #1 .....             |
| EMPTY CAPSULE SIZE 3<br>PINK/OPAQUE LOCKING .....  | 48 | EMPTY CAPSULE SIZE 3 YELLOW<br>OPAQUE/CLEAR LOCKING .....   | 48 | ENDUR-VM TBCR .....  |
| EMPTY CAPSULE SIZE 3<br>PINK/POWDER BLUE .....     | 48 | EMPTY CAPSULE SIZE 3<br>YELLOW/CLEAR .....                  | 48 | ENDUR-VM WITH IRON TBCR ...                                |
| EMPTY CAPSULE SIZE 3<br>PINK/WHITE .....           | 48 | EMPTY CAPSULE SIZE 3<br>YELLOW/OPAQUE LOCKING ...           | 48 | ENEMEEZ KIDS MINI ENEMA<br>ENEM (Use docusate sodium) .... |
| EMPTY CAPSULE SIZE 3<br>PINK/YELLOW .....          | 48 | EMPTY CAPSULE SIZE 4<br>BLACK/GREEN OPAQUE LOCKING<br>..... | 48 | ENSURE ACTIVE HEART HEALTH<br>LIQD OR .....                |
| EMPTY CAPSULE SIZE 3<br>PINKOPAQUE/CLEAR .....     | 48 | EMPTY CAPSULE SIZE 4<br>BLUE/WHITE .....                    | 48 | ENSURE ACTIVE HIGH PROTEIN<br>LIQD OR .....                |
| EMPTY CAPSULE SIZE 3<br>PINKOPAQUE/CLEAR LOCKING   | 48 | EMPTY CAPSULE SIZE 4 CLEAR<br>48                            |    | ENSURE ACTIVE LIGHT LIQD OR<br>23                          |
| EMPTY CAPSULE SIZE 3 POWDER<br>BLUE .....          | 48 | EMPTY CAPSULE SIZE 4 CLEAR<br>LOCKING .....                 | 48 | ENSURE CLEAR LIQD OR .....                                 |
| EMPTY CAPSULE SIZE 3 PURPLE<br>48                  |    | EMPTY CAPSULE SIZE 4 DARK<br>BLUE/OPAQUE LOCKING .....      | 48 | ENSURE COMPACT LIQD OR ...                                 |
| EMPTY CAPSULE SIZE 3<br>PURPLE/CLEAR .....         | 48 | EMPTY CAPSULE SIZE 4<br>PURPLE/OPAQUE LOCKING ...           | 48 | ENSURE HIGH PROTEIN LIQD OR .<br>23                        |
| EMPTY CAPSULE SIZE 3 RED ..                        | 48 | EMPTY CAPSULE SIZE 4<br>RED/WHITE .....                     | 48 | ENSURE LIQD OR .....                                       |
| EMPTY CAPSULE SIZE 3<br>RED/CLEAR .....            | 48 |   |    | ENSURE MAX PROTEIN LIQD OR<br>23                           |
|  |    |   |    | ENSURE NUTRITION SHAKE LIQD<br>OR .....                    |



|                                    |    |                                      |    |                                    |    |
|------------------------------------|----|--------------------------------------|----|------------------------------------|----|
| ENSURE ORIGINAL LIQD OR            | 23 | famotidine TABS 10 MG, 20 MG         | 50 | FERROUS SULFATE POWD               | 25 |
| EQ COMPLETE                        |    | FANTASY LUBRICATED MISC              | 27 | ferrous sulfate SOLN               | 25 |
| MULTIVITAMINADULTS UNDER 50        |    | FANTASY                              |    | ferrous sulfate TABS 27 MG, 65 MG, |    |
| TABS                               | 35 | LUBRICATED/SPERMICIDE MISC           |    | 325 MG                             | 25 |
| EQ MULTIVITAMIN GUMMIES            |    | 27                                   |    | ferrous sulfate TBCR 45 MG, 50 MG  | 25 |
| CHILDRENS CHEW                     | 37 | FASTEP COVID-19 ANTIGEN              |    |                                    |    |
| EQ SPACE CHAMBER ANTI-             |    | HOME TEST KIT                        | 22 | FERROUS SULFATE TBEC (Use          |    |
| STATIC DEVI                        | 29 | FC2 FEMALE CONDOM                    | 27 | ferrous sulfate)                   | 25 |
| EQ SPACE CHAMBER ANTI-             |    | fe fumarate-vitamin c-vitamin b12-   |    | ferrous sulfate TBEC               | 25 |
| STATIC/LARGE MASK DEVI             | 29 | folic acid                           | 24 | FEVERALL INFANTS SUPP              | 2  |
| EQ SPACE CHAMBER ANTI-             |    | fe fum-iron polysacch complex-fa-b   |    | FEVERALL JUNIOR STRENGTH           |    |
| STATIC/MEDIUM MASK DEVI            | 29 | complex-c-zn-mn-cu                   | 24 | SUPP                               | 2  |
| EQ SPACE CHAMBER ANTI-             |    | FEOSOL NATURAL RELEASE               |    | fexofenadine hcl SUSP              | 6  |
| STATIC/SMALL MASK DEVI             | 29 | TABS (Use carbonyl iron)             | 25 | fexofenadine hcl TABS 60 MG, 180   |    |
| EQL EPSOM SALT GRAN XX             | 27 | FEOSOL TABS (Use ferrous sulfate     |    | MG                                 | 6  |
| EQUALYTE SOLN (Use oral            |    | dried)                               | 25 | fexofenadine-pseudoephedrine TB12  |    |
| electrolytes)                      | 32 | FERAHEME (Use ferumoxytol)           | 25 | .....                              | 11 |
| ergocalciferol CAPS                | 52 | FER-IN-SOL SOLN (Use ferrous         |    | fexofenadine-pseudoephedrine TB24  |    |
| ergocalciferol SOLN OR             | 52 | sulfate)                             | 25 | .....                              | 11 |
| esomeprazole magnesium CPDR 20     |    | FERIVA 21/7                          | 25 | FIRST AID ANTISEPTIC OINTMENT      |    |
| MG                                 | 50 | FERIVAFA                             | 25 | OINT                               | 7  |
| esomeprazole magnesium TBEC        | 50 | FERRALET 90                          | 25 | FISH OIL CHEW                      | 40 |
| EUCERIN CALMING DAILY              |    | FERRLECIT (Use sodium ferric         |    | FISH OIL PEARLS CAPS               | 40 |
| MOISTURIZER CREA (Use              |    | gluconate complex in sucrose)        | 25 | FISH OIL TRIPLE STRENGTH           |    |
| emollient)                         | 19 | ferrous fumarate w/ b12-vit c-fa-ifc |    | CAPS                               | 40 |
| EUCERIN ORIGINAL HEALING           |    | 25                                   |    | FISH OIL ULTRA CAPS                | 40 |
| CREA (Use skin protectants, misc.) |    | ferrous gluconate TABS 27 MG, 240    |    | FLEET BISACODYL ENEM               | 27 |
| 21                                 |    | MG, 324 MG                           | 25 | FLEET ENEMA ENEM (Use sodium       |    |
| EUCERIN SKIN CALMING CREA          |    | FERROUS GLUCONATE TABS 324           |    | phosphates)                        | 27 |
| (Use emollient)                    | 19 | MG                                   | 25 | FLEET OIL ENEM (Use mineral oil)   |    |
| EVERLYWELL COVID-19                |    | FERROUS SULFATE ANHYDROUS            |    | 26                                 |    |
| TESTHOME COLLECTION KIT DTC        |    | POWD                                 | 25 | FLEET PEDIATRIC ENEM (Use          |    |
| .....                              | 22 | ferrous sulfate dried TABS 200 MG    |    | sodium phosphates)                 | 27 |
| EX-LAX CHEW (Use sennosides)       | 27 | 25                                   |    | FLEXICHAMBER ADULT                 |    |
| EZFE 200 CAPS                      | 25 | ferrous sulfate dried TBCR           | 25 |                                    |    |

|   |    |   |    |   |    |
|---|----|---|----|---|----|
| MASK/SMALL .....  | 30 | folic acid SOLN .....   | 24 | hydrox-simethicone) .....                                       | 3  |
| FLEXICHAMBER CHILD<br>MASK/LARGE .....  | 30 | folic acid TABS .....   | 24 | GENABIO COVID-19 RAPID SELF<br>TEST KIT 1-PACK KIT .....        | 22 |
| FLEXICHAMBER CHILD<br>MASK/SMALL .....  | 30 | folic acid-vitamin b6-vitamin b12<br>TABs 25 MG-2.2 MG-1 MG, 25 MG-<br>2.5 MG-1 MG .....  | 25 | GENABIO COVID-19 RAPID SELF<br>TEST KIT 2-PACK KIT .....        | 22 |
| FLEXICHAMBER DEVI .....   | 30 | FOLITE .....  | 25 | GENADEK LIQD .....  | 37 |
| FLINTSTONES COMPLETE CHEW .<br>37   |    | FOLIVANE-F .....  | 25 | GENTEAL SEVERE TEARS GEL .41                                    |    |
| FLINTSTONES<br>COMPLETE/CALCIUM & VITAMIN D<br>CHEW .....                               | 37 | FOLIXAPURE TABS .....   | 25 | GENTEAL TEARS MODERATE PF<br>(Use dextran 70-hypromellose) .... | 41 |
| FLINTSTONES GUMMIES CHEW 37   |    | FOLTRATE TABS .....   | 25 | GENTEAL TEARS MODERATEPF<br>(Use dextran 70-hypromellose) ....  | 41 |
| FLINTSTONES GUMMIES<br>COMPLETE CHEW .....  | 37 | FOLTREXYL TABS .....  | 25 | GENTEAL TEARS SEVERE<br>DAY/NIGHT GEL .....                     | 41 |
| FLINTSTONES GUMMIES<br>PLUSBONE BUILDING SUPPORT<br>CHEW .....                          | 37 | FORA GTEL BLOOD KETONE TEST<br>STRIPS .....   | 22 | GERI-TUSSIN SYRP .....  | 17 |
| FLINTSTONES SOUR GUMMIES<br>CHEW .....  | 37 | FORA TEST N' GO<br>ADVANCE/VOICE/6 CONNECT ..22   |    | GLENMAX PEB DM LIQD .....                                       | 11 |
| FLOINASE ALLERGY RELIEF<br>CHILDRENS SUSP (Use fluticasone<br>propionate (nasal)) ..... | 39 | FRESHKOTE PF .....  | 41 | GLUCOSE CHEW .....  | 4  |
| FLOINASE ALLERGY RELIEF SUSP<br>(Use fluticasone propionate (nasal))<br>39              |    | FRUCTOSE GRAN .....   | 40 | GLUCOSE INSTANT ENERGY ....                                     | 4  |
| FLORIVA .....   | 38 | FRUCTOSE POWD .....   | 40 | GLUTATHIONE POWD .....  | 41 |
| FLORIVA PLUS SOLN .....   | 38 | FUNGOID TINCTURE SOLN .....   | 18 | GLUTATHIONE-L POWD .....  | 41 |
| FLOWFLEX COVID-19 ANTIGEN<br>HOME TEST KIT .....  | 22 | FUSION PLUS .....   | 25 | GLUTATHIONE-L REDUCED POWD<br>.....                             | 41 |
| fluticasone propionate (nasal) SUSP .<br>39   |    | GALZIN .....  | 33 | glycerin (topical) .....  | 19 |
| FOLDITAM TABS .....   | 25 | GAS-X EXTRA STRENGTH CHEW<br>(Use simethicone) .....                                      | 24 | GLYCERIN LIQD .....   | 8  |
| folic acid CAPS .....   | 24 | GAVISCON EXTRA STRENGTH<br>CHEW (Use aluminum hydroxide-<br>mag carb) .....               | 3  | GLYCERIN SOLN .....   | 8  |
| FOLIC ACID CAPS .....   | 24 | GAVISCON EXTRA STRENGTH<br>RELIEF FORMULA SUSP (Use<br>aluminum hydroxide-mag carb) ..... | 3  | glycerin-hypromellose-polyethylene<br>glycol 400 .....          | 41 |
| FOLIC ACID POWD .....   | 24 | GAVISCON EXTRA STRENGTH<br>SUSP (Use aluminum hydroxide-mag<br>carb) .....                | 3  | GNP BORIC ACID POWD .....                                       | 8  |
|   |    | GAVISCON SUSP (Use aluminum<br>hydroxide-mag carb) .....                                  | 3  | GNP FISH OIL CPDR .....   | 40 |
|   |    | GELUSIL CHEW (Use alum & mag  |    | GNP GLUCOSE CHEW .....  | 4  |
|   |    |   |    | GNP QUICK DISSOLVE GLUCOSE<br>CHEW .....                        | 4  |
|   |    |   |    | GOJJI BLOOD KETONE TEST<br>STRIPS .....                         | 22 |



|  |   |   |
|--|---|---|
| INDICAID COVID-19 RAPID<br>ANTIGEN AT-HOME TEST KIT ... 23         | SPERMICIDE LUBRICATED MISC<br>28                            | LAMISIL AT JOCK ITCH CREA (Use<br>terbinafine hcl (topical)) ..... 18 |
| INFANTS ADVIL SUSP (Use<br>ibuprofen) ..... 1                      | KINDERLYTE PREMAX SOLN ... 32                               | lanolin (topical) CREA ..... 21                                       |
| INFED ..... 25   | KINDERLYTE SOLN ..... 32                                    | lansoprazole CPDR 15 MG ..... 50                                      |
| INFUVITE PEDIATRIC SOLN IV .. 38                                   | KONSYL DAILY FIBER PACK 100 %<br>..... 26                   | L-ARGININE BASE POWD XX .... 41                                       |
| INJECTAFER 750 MG/15ML ..... 25                                    | KONSYL DAILY PSYLLIUM FIBER<br>PACK ..... 26                | L-ARGININE POWD OR (Use<br>arginine) ..... 41                         |
| INTEGRA PLUS ..... 25  | KONSYL ORIGINAL DAILY FIBER<br>PACK ..... 26                | L-ARGININE POWD XX ..... 41   |
| INTELISWAB COVID-19 RAPID<br>TEST KIT ..... 23                     | KP MENS DAILY PACK MISC .... 35                             | L-CARNITINE ..... 8   |
| IRON CHEWS PEDIATRIC CHEW<br>25                                    | KP WOMENS DAILY PACK MISC 35                                | L-CITRULLINE ..... 7  |
| iron combinations CAPS ..... 25                                    | KROGER GLUCOSE ..... 4                                      | LEADER FINGER CREAM CREA .19  |
| IRON TABS 90 MG ..... 25   | lactic acid (ammonium lactate) CREA<br>..... 19             | LEADER GLUCOSE 6 MG-4 GM ... 4  |
| IRON UP LIQD ..... 25  | lactic acid (ammonium lactate) LOTN<br>12 % ..... 19        | LEADER QUICK DISSOLVE<br>GLUCOSE CHEW ..... 4                         |
| iron-folic acid-vitamin c-vitamin b6-<br>vitamin b12-zinc ..... 25 | LACTINEX PACK (Use lactobacillus)<br>5                      | LEVOCARNITINE ..... 8   |
| IROSPAN 24/6 ..... 25  | lactobacillus acidophilus-pectin<br>CAPS ..... 5            | levonorgestrel (emergency oc) 1.5<br>MG ..... 8                       |
| KALA TABS ..... 5  | lactobacillus CAPS ..... 5                                  | L-GLUTAMINE POWD XX ..... 41  |
| KETO-DIASTIX ..... 23  | lactobacillus CHEW ..... 5                                  | lidocaine (anorectal) CREA ..... 2                                    |
| KETONE STRP ..... 23   | lactobacillus PACK ..... 5                                  | lidocaine CREA 4 % ..... 20   |
| KETONE TEST STRIPS STRP ... 23                                     | lactobacillus TABS ..... 5                                  | LIPOTRIAD TABS (Use vitamins w/<br>lipotropics) ..... 39              |
| KETOSTIX STRP ..... 23   | LACTOSE ..... 49  | LIQ-10 SYRP 15 UNIT/5ML-50<br>MG/5ML ..... 1                          |
| ketotifen fumarate (ophth) 0.035 %<br>42                           | LACTOSE ANHYDROUS ..... 49                                  | LIQUID CALCIUM WITH D3<br>MAXIMUM STRENGTH CAPS .... 32               |
| KIMONO LUBRICATED MISC .... 28                                     | LACTOSE HYDROUS ..... 49                                    | L-ISOLEUCINE POWD XX ..... 41   |
| KIMONO MICRO THIN MISC ..... 28                                    | LACTOSE MONOHYDRATE ..... 49                                | LITETOUCH MASK LARGE MISC 30  |
| KIMONO MICRO THIN PLUS<br>SPERMICIDE LUBRICATED MISC<br>28         | LACTOSE MONOHYDRATE<br>SPRAYDRIED ..... 49                  | LITETOUCH MASK MEDIUM MISC .<br>30                                    |
| KIMONO SENSATION<br>LUBRICATED MISC ..... 28                       | LAMISIL AT CREA (Use terbinafine<br>hcl (topical)) ..... 18 | LITETOUCH MASK SMALL MISC 30  |
| KIMONO SENSATION PLUS  |   | LITTLE REMEDIES BABY STERILE  |

|   |   |  |
|---|---|--|
| SALINE MIST FOR NOSES AERS<br>39                                    | LOTRIMIN ULTRA (Use butenafine<br>hcl) ..... 18   | MG/30ML ..... 27   |
| LITTLE REMEDIES SALINE<br>SPRAY/DROPS SOLN ..... 39                 | LUCIRA CHECK IT COVID-19TEST<br>KIT KIT ..... 23  | magnesium lactate ..... 33   |
| L-LYSINE HCL POWD ..... 8   | L-VALINE POWD XX ..... 41   | magnesium oxide (mg supplement)<br>CAPS ..... 33                                   |
| L-LYSINE MONOHYDROCHLORIDE<br>POWD ..... 8                          | LYSIPLEX PLUS LIQD ..... 35   | magnesium oxide (mg supplement)<br>TABS 200 MG, 250 MG, 400 MG,<br>500 MG ..... 33 |
| LMX 4 CREA (Use lidocaine) ..... 20                                 | MAALOX ADVANCED MAXIMUM<br>STRENGTH CHEW (Use calcium<br>carbonate-simethicone) ..... 3 | MAGNESIUM OXIDE CAPS ..... 33  |
| LMX 5 CREA (Use lidocaine<br>(anorectal)) ..... 2                   | MAALOX MAX CHEW (Use calcium<br>carbonate-simethicone) ..... 3                          | MAGNESIUM OXIDE TABS ..... 33  |
| LOHIST-D LIQD ..... 11  | MAG-200 TABS (Use magnesium<br>oxide (mg supplement)) ..... 32                          | magnesium oxide TABS ..... 4   |
| LOHIST-DM SYRP ..... 11   | MAG64 TBEC (Use magnesium<br>chloride) ..... 33   | magnesium sulfate (laxative) GRAN<br>OR ..... 27                                   |
| LOLLIBASE ..... 49  | MAG-AL LIQD ..... 3   | MAGNESIUM TABS 64 MG ..... 33  |
| LONGS GLUCOSE ..... 4   | MAG-G TABS ..... 33   | magnesium TABS ..... 33  |
| loperamide hcl CAPS ..... 5   | MAGNESIUM CAPS ..... 4  | MAGONATE LIQD ..... 33   |
| loperamide hcl SOLN 1 MG/7.5ML . 5                                  | MAGNESIUM CHLORIDE<br>HEXAHYDRATE CRYST ..... 33  | MAGOX 400 TABS (Use magnesium<br>oxide (mg supplement)) ..... 33                   |
| loperamide hcl SUSP ..... 5   | MAGNESIUM CHLORIDE POWD ..... 33  | MAG-TAB SR (Use magnesium<br>lactate) ..... 33                                     |
| loperamide hcl TABS ..... 5   | magnesium chloride TBEC ..... 33  | MAR-COF CG EXPECTORANT<br>LIQD ..... 11  |
| LOPERAMIDE HYDROCHLORIDE<br>SUSP ..... 5                            | magnesium chloride-calcium<br>carbonate ..... 33  | MAXI DEET LIQD ..... 21  |
| loratadine & pseudoephedrine TB12 .<br>11                           | magnesium citrate ..... 27  | MAXICHLOR PEH DM TABS ..... 12   |
| loratadine & pseudoephedrine TB24 .<br>11                           | MAGNESIUM CITRATE TABS 100<br>MG ..... 33   | MAXIFED TABS ..... 12  |
| loratadine CHEW ..... 6   | MAGNESIUM EXTRA STRENGTH<br>CAPS ..... 33   | MAXIFED TR TABS ..... 12   |
| loratadine SOLN ..... 6   | MAGNESIUM GLUCONATE TABS<br>250 MG, 500 MG ..... 33                                     | MAXIMIN PACK PACK ..... 35   |
| loratadine TABS ..... 6   | MAGNESIUM GLUCONATE TABS 27.5<br>MG ..... 33  | MAXIMUM D3 CAPS ..... 52   |
| loratadine TBP 10 MG ..... 6  | magnesium gluconate TABS 27.5<br>MG ..... 33  | MAXI-TUSS CD LIQD ..... 12   |
| LORTUSS LQ ..... 11   | magnesium hydroxide SUSP 7.75 %,<br>400 MG/5ML, 1200 MG/15ML, 2400                      | MAXI-TUSS JR LIQD ..... 12   |
| LOTRIMIN AF CREA (Use<br>clotrimazole (topical)) ..... 18           |   | MAXI-TUSS PE JR LIQD ..... 12  |
| LOTRIMIN AF JOCK ITCH CREA<br>(Use clotrimazole (topical)) ..... 18 |   | MAXI-TUSS PE LIQD ..... 12   |
|   |   | MAXI-TUSS PE MAX LIQD ..... 12   |



|   |    |  |    |  |    |
|---|----|--|----|--|----|
| MUCINEX CHILDRENS MULTI-SYMPTOM COLD LIQD (Use phenylephrine w/ dm-gg) .....                        | 12 | apap) .....  | 13 | phenylephrine-doxylamine-dm-guaifenesin-apap) .....                              | 13 |
| MUCINEX CHILDRENS MULTI-SYMPTOM COUGH,COLD & FEVER LIQD (Use phenylephrine-dm-gg w/ apap) .....     | 12 | MUCINEX FAST-MAX COLD/FLU MAXIMUM STRENGTH LIQD (Use phenylephrine-dm-gg w/ apap) ....             | 13 | MUCINEX FOR KIDS PACK 100 MG .....   | 17 |
| MUCINEX CHILDRENS STUFFYNOSE AND CHEST CONGESTION LIQD (Use phenylephrine-guaifenesin) .....        | 12 | MUCINEX FAST-MAX COLD/FLU/SORE THROAT MAXIMUM STRENGTH CAPS (Use phenylephrine-dm-gg w/ apap) .... | 13 | MUCINEX FREEFROM COLD & FLU DAYTIME LIQD (Use phenylephrine-dm-gg w/ apap) ..... | 13 |
| MUCINEX COUGH & CONGESTION CHILDRENS LIQD (Use phenylephrine w/ dm-gg) .....                        | 12 | MUCINEX FAST-MAX COLD/FLUMAXIMUM STRENGTH CAPS (Use phenylephrine-dm-gg w/ apap) .....             | 13 | MUCINEX FREEFROM COLD & FLU DAYTIME/NIGHTTIME LQPK .....                         | 13 |
| MUCINEX COUGH FOR KIDS PACK .....   | 12 | MUCINEX FAST-MAX COLD/FLUNIGHTSHIFT SEV CLD/FLU DAY&NIGHT MS TBPK .                                | 13 | MUCINEX FREEFROM COLD & FLU NIGHTTIME SOLN .....                                 | 13 |
| MUCINEX D MAXIMUM STRENGTH TB12 (Use pseudoephedrine-guaifenesin) .....                             | 12 | MUCINEX FAST-MAX DAY/NITE M/S MISC .....   | 13 | MUCINEX MAXIMUM STRENGTH TB12 (Use guaifenesin) .....                            | 17 |
| MUCINEX D TB12 (Use pseudoephedrine-guaifenesin) ....   | 12 | MUCINEX FAST-MAX KICKSTART SEVERE COLD & FLU LIQD (Use phenylephrine-dm-gg w/ apap) ....           | 13 | MUCINEX MULTI-SYMPTOM COLD DAY/NIGHT PACK MISC .....                             | 13 |
| MUCINEX DM MAXIMUM STRENGTH TB12 (Use dextromethorphan-guaifenesin) ...                             | 12 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH ARCTIC BURST LIQD (Use phenylephrine w/ dm-gg) .....    | 13 | MUCINEX NIGHTSHIFT COLD & FLU ARCTIC BURST SOLN .....                            | 13 |
| MUCINEX DM TB12 (Use dextromethorphan-guaifenesin) ...  | 12 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH CLEAR & COOL LIQD (Use phenylephrine w/ dm-gg) .....    | 13 | MUCINEX NIGHTSHIFT COLD & FLU CLEAR&COOL SOLN .....                              | 13 |
| MUCINEX FAST-MAX COLD & FLU DAY/NIGHT CPPK (Use phenylephrine-doxylamine-dm-guaifenesin-apap) ..... | 12 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH LIQD (Use phenylephrine w/ dm-gg) .....                 | 13 | MUCINEX NIGHTSHIFT COLD & FLU SOLN .....   | 13 |
| MUCINEX FAST-MAX COLD FLU& SORE THROAT CLEAR & COOL LIQD (Use phenylephrine-dm-gg w/ apap) .....    | 12 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH LIQD (Use phenylephrine w/ dm-gg) .....                 | 13 | MUCINEX NIGHTSHIFT COLD & FLU MAXIMUM STRENGTH TABS                              | 13 |
| MUCINEX FAST-MAX COLD FLU& SORE THROAT LIQD (Use phenylephrine-dm-gg w/ apap) ....                  | 13 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH CLEAR & COOL LIQD (Use phenylephrine w/ dm-gg) .....    | 13 | MUCINEX NIGHTSHIFT SEVERECOLD & FLU MAXIMUM STRENGTH SOLN .....                  | 14 |
| MUCINEX FAST-MAX COLD FLU& SORE THROAT LIQD (Use phenylephrine-dm-gg w/ apap) ....                  | 13 | MUCINEX FAST-MAX SEVERE CONGESTION & COUGH TABS ..   | 13 | MUCINEX NIGHTSHIFT SEVERECOLD & FLU MAXIMUM STRENGTH TABS .....                  | 14 |
| MUCINEX FAST-MAX COLD/FLU LIQD (Use phenylephrine-dm-gg w/ apap) .....                              | 13 | MUCINEX FAST-MAX SEVERE CONGESTION/COUGH NIGHTSHIFT COLD/FLU TBPK ...                              | 13 | MUCINEX NIGHTSHIFT SINUS SOLN .....  | 14 |
| MUCINEX FAST-MAX COLD/FLU LIQD (Use phenylephrine-dm-gg w/ apap) .....                              | 13 | MUCINEX FAST-MAY DAY/NIGHT COLD & FLU MAXIMUM STRENGTH CPPK (Use                                   |    | MUCINEX NIGHTSHIFT SINUSMAXIMUM STRENGTH TABS .....                              | 14 |

|  |    |   |    |   |    |
|--|----|---|----|---|----|
| MUCINEX SINUS-MAX DAY/NIGHT<br>MAXIMUM STRENGTH CPPK (Use<br>phenylephrine-doxylamine-dm-<br>guaifenesin-apap) ..... | 14 | CHILDRENS CHEW .....  | 38 | NASADROPS SALINE ON THE GO<br>SOLN .....  | 39 |
| MUCINEX SINUS-MAX<br>PRESSURE/PAIN/COUGH<br>MAXIMUM STRENGTH CAPS (Use<br>phenylephrine-dm-gg w/ apap) ....          | 14 | MULTIVITAMIN TABS 37.5 MG-0.1<br>MG-10 MCG-2 MG-20 MG-1500<br>MCG-1 MG-1.5 MG-28.5 MG ..... | 37 | NASALCROM (Use cromolyn<br>sodium (nasal)) .....  | 39 |
| MUCINEX SINUS-<br>MAX/NIGHTSHIFT DAY/NIGHT<br>MAXIMUM STRENGTH TBPK .....  | 14 | MULTIVITAMIN+ LIQD .....  | 37 | NASCOBAL SOLN NA (Use<br>cyanocobalamin) .....  | 24 |
| MUCINEX TB12 (Use guaifenesin)<br>17   |    | MULTI-VITE LIQD .....   | 36 | NASOPEN PE .....  | 14 |
| MULTI VITAMIN TABS .....   | 37 | MURO 128 OINT (Use sodium<br>chloride hypertonic) .....                                     | 42 | NATRAPEL 12-HOUR TICK &<br>INSECT REPELLENT<br>CONTINUOUS SPRAY AERO .....                    | 21 |
| multiple vitamin CAPS .....  | 37 | MURO 128 SOLN (Use sodium<br>chloride hypertonic) .....                                     | 42 | NATRAPEL LIQD .....   | 21 |
| multiple vitamin TABS .....  | 37 | MURO 128 SOLN .....   | 42 | neomycin-bacitracin-polymyxin OINT<br>17  |    |
| multiple vitamins w/ calcium TABS  | 34 | MVW COMPLETE FORMULATION<br>CHEW .....  | 37 | neomycin-bacitracin-polymyxin-<br>pramoxine .....   | 18 |
| multiple vitamins w/ iron TABS .....   | 34 | MVW COMPLETE<br>FORMULATIOND3000 CHEW .....   | 37 | neomycin-polymyxin w/ pramoxine<br>18   |    |
| multiple vitamins w/ minerals CAPS<br>35   |    | MVW COMPLETE<br>FORMULATIOND5000 CHEW .....   | 37 | NEOQ10 CAPS .....   | 1  |
| multiple vitamins w/ minerals CHEW .<br>35   |    | MVW COMPLETE<br>FORMULATIONPEDIATRIC SOLN<br>38   |    | NEOSPORIN ORIGINAL OINT (Use<br>neomycin-bacitracin-polymyxin) ...                            | 18 |
| multiple vitamins w/ minerals LIQD<br>35   |    | MX-SOL BLEND SF SUSP .....  | 49 | NEOSPORIN PLUS PAIN RELIEF<br>MAXIMUM STRENGTH (Use<br>neomycin-polymyxin w/ pramoxine)<br>18 |    |
| multiple vitamins w/ minerals TABS<br>35   |    | MX-SOL BLEND SUSP .....   | 49 | NEO-SYNEPHRINE<br>COLD+ALLERGY EXTRA<br>STRENGTH SOLN (Use<br>phenylephrine hcl) .....        | 40 |
| multiple vitamins w/ minerals TBEF<br>36   |    | MX-SOL SUSPEND SUSP .....   | 49 | NEO-SYNEPHRINE<br>COLD+ALLERGY REGULAR<br>STRENGTH SOLN .....                                 | 40 |
| MULTISTIX 10 SG .....  | 23 | MYLICON INFANTS GAS RELIEF<br>DYE FREE SUSP (Use simethicone)<br>24                         |    | NEPHPLEX RX .....   | 34 |
| MULTI-SYMPTOM COLD<br>DAYTIME/NIGHTTIME CHILDRENS<br>MISC .....  | 14 | MYLICON INFANTS GAS RELIEF<br>SUSP (Use simethicone) .....                                  | 24 | NEPHRON FA .....  | 25 |
| MULTIVITAMIN ADULT TABS .....  | 37 | NANOVM 1-3 YEARS POWD .....   | 38 | NEPHRONEX LIQD .....  | 34 |
| MULTIVITAMIN GUMMIES<br>CHILDRENS CHEW .....   | 37 | NANOVM 4-8 YEARS POWD .....   | 38 | NEWFLORA PROBIOTIC CAPS ...   | 5  |
| MULTIVITAMIN PLUS IRON   |    | NANOVM 9-18 YEARS POWD .....  | 38 | NEXIUM 24HR CLEAR MINIS CPDR  |    |
|  |    | NANOVM T/F POWD .....   | 38 |   |    |
|  |    | naproxen sodium CAPS .....  | 1  |   |    |
|  |    | naproxen sodium TABS 220 MG .....   | 1  |   |    |



|  |  |  |
|--|--|--|
| (Use esomeprazole magnesium) ..50  | nicotine PT24 TD 7 MG/24HR, 14 MG/24HR, 21 MG/24HR .....50 | OFF DEEP WOODS LIQD ..... 21                       |
| NEXIUM 24HR CPDR (Use esomeprazole magnesium) .....50  | NICOTINE TRANSDERMAL SYSTEM KIT .....50                    | OFF DEEP WOODS SPORTSMEN AERO ..... 21             |
| NEXIUM 24HR TBEC (Use esomeprazole magnesium) .....50  | NIFEREX TABS .....25                                       | OFF DEEP WOODS SPORTSMEN LIQD ..... 21             |
| NEXIUM CPDR 20 MG (Use esomeprazole magnesium) .....50   | NINJACOF LIQD .....14                                      | OFF DEEP WOODS TOWELETTES SHEE ..... 21            |
| niacin CPCR 250 MG .....52   | NINJACOF-XG LIQD ..... 14                                  | OFF FAMILYCARE CLEAN FEEL LIQD ..... 21            |
| niacin TABS .....52  | NIX CREME RINSE LIQD EX (Use permethrin) .....22           | OFF FAMILYCARE SMOOTH & DRY AERO ..... 21          |
| niacin TBCR .....52  | NO IRON MULTIPLE VITAMIN/MINERALS TABS ..... 36            | OFF FAMILYCARE TROPICAL FRESH LIQD ..... 21        |
| NIACIN TR TBCR .....52   | NOREL AD TABS .....14                                      | OFF FAMILYCARE UNSCENTED LIQD ..... 21             |
| niacinamide w/ zinc-copper-methylfolate-se-cr ..... 38   | NOVA MAX PLUS KETONE TESTSTRIPS .....23                    | OFF SMOOTH & DRY AERO ..... 21                     |
| NICE DISTILLED WATER ..... 49  | NOVAFERRUM 125 LIQD .....26                                | OMEGA MONOPURE 1300 EC CPDR ..... 40               |
| NICODERM CQ PT24 TD (Use nicotine) .....50   | NOVAFERRUM PEDIATRIC DROPS LIQD .....26                    | OMEGA-3 CAPS 308 MG-1400 MG-448 MG-910 MG ..... 41 |
| NICOMIDE 750 MG-2 MG-0.5 MG-27 MG-100 MCG-50 MCG (Use niacinamide w/ zinc-copper-methylfolate-se-cr) .....39 | NOVAFERRUM PEDIATRIC MULTIVITAMIN LIQD .....38             | OMEGA-3 CPDR ..... 41                              |
| NICORETTE GUM (Use nicotine polacrilex) .....50  | NUFERA TABS ..... 25                                       | omega-3 fatty acids CAPS ..... 40                  |
| NICORETTE LOZG 2 MG (Use nicotine polacrilex) .....50  | NU-MAG .....33   | omega-3 fatty acids CHEW ..... 40                  |
| NICORETTE LOZG 4 MG (Use nicotine polacrilex) .....50  | NUTRITIONAL DRINK LIQD OR .. 23                            | omega-3 fatty acids CPDR ..... 40                  |
| NICORETTE MINI LOZG (Use nicotine polacrilex) .....50  | NUTRITIONAL SHAKE COMPLETE LIQD OR ..... 23                | omega-3 fatty acids LIQD ..... 40                  |
| NICORETTE MINI LOZG 2 MG (Use nicotine polacrilex) .....50   | NUTRITIONAL SHAKE PLUS PROTEIN LIQD OR .....23             | OMEGA-3 FISH OIL EXTRA STRENGTH CAPS ..... 41      |
| NICORETTE STARTER KIT GUM (Use nicotine polacrilex) ..... 50   | OCEAN NASAL SPRAY SOLN (Use saline) .....39                | OMEGAPURE 780 EC CPDR .....41                      |
| nicotine MISC XX .....50   | OCUVITE LUTEIN CAPS .....36                                | OMEGAPURE 900 EC CPDR .....41                      |
| nicotine polacrilex GUM .....50  | OFF ACTIVE AERO ..... 21                                   | omeprazole magnesium CPDR .... 50                  |
| nicotine polacrilex LOZG .....50   | OFF DEEP WOODS AERO ..... 21                               | omeprazole magnesium TBEC .... 50                  |
|  | OFF DEEP WOODS DRY AERO .21                                | omeprazole TBDD ..... 50                           |
|  |  | omeprazole TBEC ..... 50                           |

|  |    |   |    |   |    |
|--|----|---|----|---|----|
| OMERA CAPS .....   | 41 | WOMENS MULTI CHEW .....   | 36 | DIAMOND/SMALLFACE MASK<br>MISC .....                              | 30 |
| OMNICAP TABS .....   | 37 | ONE-A-DAY WEIGHT SMART<br>ADVANCED TABS (Use multiple<br>vitamins w/ minerals) .....            | 36 | OPTIMAL D3 M CAPS .....   | 52 |
| ON/GO COVID-19 ANTIGEN SELF-<br>TEST KIT .....   | 23 | ONE-A-DAY WOMENS 50+<br>ADVANTAGE TABS (Use multiple<br>vitamins w/ minerals) .....             | 36 | OPTIVITE P.M.T. TABS (Use<br>multiple vitamins w/ minerals) ..... | 36 |
| ON/GO ONE COVID-19 ANTIGEN<br>HOME TEST KIT .....  | 23 | ONE-A-DAY WOMENS 50+<br>HEALTHY ADVANTAGE TABS (Use<br>multiple vitamins w/ minerals) .....     | 36 | ORA-BLEND SF SUSP .....   | 49 |
| ONE A DAY MENS VITACRAVES<br>MULTI GUMMIES CHEW .....                                      | 36 | ONE-A-DAY WOMENS 50+<br>HEALTHY ADVANTAGE TABS (Use<br>multiple vitamins w/ minerals) .....     | 36 | ORA-BLEND SUSP .....  | 49 |
| ONE VITE DAILY MULTIVITAMIN<br>TABS .....  | 37 | ONE-A-DAY WOMENS ACTIVE<br>MIND & BODY TABS (Use multiple<br>vitamins w/ minerals) .....        | 36 | ORACIT .....  | 24 |
| ONE-A-DAY ADULT VITACRAVES<br>MULTI+OMEGA-3 DHA GUMMIES<br>CHEW .....                      | 37 | ONE-A-DAY WOMENS FORMULA<br>TABS (Use multiple vitamins w/<br>calcium) .....                    | 34 | oral electrolytes SOLN .....                                      | 32 |
| ONE-A-DAY ESSENTIAL TABS (Use<br>multiple vitamin) .....                                   | 37 | ONE-A-DAY WOMENS PETITES<br>TABS (Use multiple vitamins w/<br>minerals) .....                   | 36 | ORAL MIX FLAVORED<br>SUSPENDING VEHICLE SUSP ...                  | 49 |
| ONE-A-DAY MENS TABS (Use<br>multiple vitamin) .....  | 37 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | ORAL MIX SF SUSP .....  | 49 |
| ONE-A-DAY MENS VITACRAVES<br>GUMMIES CHEW .....  | 36 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | ORAL SUSPEND LIQD .....   | 49 |
| ONE-A-DAY SCOOPY-DOO<br>GUMMIES CHEW (Use pediatric<br>multiple vitamin w/ minerals) ..... | 38 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | ORA-PLUS LIQD .....   | 49 |
| ONE-A-DAY TEEN<br>ADVANTAGEFOR HIM TABS .....  | 36 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | ORA-SWEET SYRP 4 %-5 %-54 %<br>49                                 |    |
| ONE-A-DAY VITACRAVES ADULT<br>CHEW .....   | 36 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | OSTEO-VIT3 LIQD OR .....  | 52 |
| ONE-A-DAY VITACRAVES CHEW<br>36  |    | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | OVIDREL INJ .....   | 24 |
| ONE-A-DAY VITACRAVES<br>GUMMIES/IMMUNITY SUPPORT<br>CHEW .....                             | 36 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | oxymetazoline hcl SOLN 0.05 % ..                                  | 40 |
| ONE-A-DAY VITACRAVES<br>GUMMIES+OMEGA-3 DHA CHEW<br>(Use pediatric multiple vitamins) ...  | 38 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | OXYTROL FOR WOMEN PTTW ..   | 51 |
| ONE-A-DAY VITACRAVES<br>SOURGUMMIES CHEW .....   | 36 | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | oyster shell .....  | 32 |
| ONE-A-DAY VITACRAVES   |    | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | OYSTER SHELL CALCIUM/D TABS .                                     | 32 |
| Index 23   |    | ONE-A-DAY WOMENS PLUS<br>HEALTHY SKIN SUPPORT TABS<br>(Use multiple vitamins w/ minerals)<br>36 |    | PANDA MASK LARGE .....  | 30 |

|   |    |   |    |   |    |
|---|----|---|----|---|----|
| PEDIACLEAR PD CHILDRENS LIQD<br>(Use triprolidine hcl) .....      | 6  | PEPTO-BISMOL CHEW (Use<br>bismuth subsalicylate) .....  | 5  | phenylephrine-acetaminophen-<br>guaifenesin TABS 5 MG-200 MG-325<br>MG .....                                      | 14 |
| PEDIA-LAX CHEW .....  | 27 | PEPTO-BISMOL MAX STRENGTH<br>SUSP (Use bismuth subsalicylate) .   | 5  | phenylephrine-brompheniramine-dm<br>LIQD 2.5 MG/5ML-5 MG/5ML-1<br>MG/5ML, 5 MG/10ML-10 MG/10ML-2<br>MG/10ML ..... | 14 |
| PEDIA-LAX LIQD .....  | 27 | PEPTO-BISMOL SUSP (Use bismuth<br>subsalsicylate) .....   | 5  | phenylephrine-chlorphen-dm LIQD<br>10 MG/5ML-4 MG/5ML-15 MG/5ML<br>14   |    |
| PEDIALYTE ADVANCED CARE<br>SOLN (Use oral electrolytes) .....     | 32 | PEPTO-BISMOL TO-GO CHEW<br>(Use bismuth subsalicylate) .....  | 5  | phenylephrine-chlorpheniramine-dm<br>w/ apap SUSP .....   | 14 |
| PEDIALYTE FREEZER POPS SOLN<br>(Use oral electrolytes) .....      | 32 | PERIDIN-C TABS (Use bioflavonoid<br>products) .....   | 34 | phenylephrine-dexbrompheniramine-<br>dextromethorphan LIQD .....  | 14 |
| PEDIALYTE SINGLES SOLN (Use<br>oral electrolytes) .....           | 32 | permethrin LIQD EX .....  | 22 | phenylephrine-diphenhydramine-dm-<br>guaifenesin-apap TBPK .....  | 14 |
| PEDIALYTE SOLN (Use oral<br>electrolytes) .....                   | 32 | PERSONAL BEST FULL RANGE  | 30 | phenylephrine-dm SOLN .....   | 15 |
| PEDIATRIC MEDIUM MASK .....                                       | 28 | PETROLATUM .....  | 19 | phenylephrine-dm-gg w/ apap LIQD<br>14  |    |
| PEDIATRIC<br>MOUTHPIECE/DISPOSABLE MISC .                         | 30 | PHAZYME ULTRA STRENGTH<br>CAPS (Use simethicone) .....  | 24 | phenylephrine-dm-gg w/ apap TABS<br>5 MG-200 MG-325 MG-10 MG ....   | 15 |
| pediatric multiple vitamins CHEW .                                | 38 | phenazopyridine hcl TABS 95 MG,<br>99.5 MG .....  | 24 | phenylephrine-doxyamine-<br>dextromethorphan-acetaminophen<br>LIQD .....  | 15 |
| pediatric multiple vitamins w/ iron<br>CHEW .....                 | 38 | phenylephrine hcl (oral) TABS ....  | 40 | phenylephrine-doxyamine-dm-<br>guaifenesin-apap CPPK .....  | 15 |
| PEDIATRIC PANDA MASK .....  | 30 | phenylephrine hcl SOLN 1 % .....  | 40 | phenylephrine-guaifenesin LIQD 2.5<br>MG/5ML-100 MG/5ML .....   | 15 |
| PEDIATRIC SMALL MASK .....  | 28 | phenylephrine w/ acetaminophen<br>TABs 5 MG-325 MG .....  | 14 | phenylephrine-guaifenesin TABS 10<br>MG-400 MG .....  | 15 |
| pediatric vitamins adc 400 UNIT/ML-<br>750 UNIT/ML-35 MG/ML ..... | 38 | phenylephrine w/ dm-gg LIQD 10<br>MG/10ML-200 MG/10ML-20<br>MG/10ML, 10 MG/15ML-200<br>MG/15ML-18 MG/15ML, 10<br>MG/20ML-400 MG/20ML-20<br>MG/20ML, 2.5 MG/5ML-100<br>MG/5ML-5 MG/5ML, 2.5 MG/5ML-75<br>MG/5ML-5 MG/5ML, 5 MG/5ML-100<br>MG/5ML-10 MG/5ML ..... | 14 | phenylephrine-mineral oil-petrolatum<br>0.25 %-74.9 %-14 % .....  | 2  |
| PEDIAVENT SYRP .....  | 6  | phenylephrine w/ dm-gg SYRP 5<br>MG/5ML-100 MG/5ML-10 MG/5ML<br>14  |    | PHILLIPS (Use magnesium oxide<br>(laxative)) .....  | 27 |
| PEG .....   | 50 | phenylephrine w/ dm-gg TABS 10<br>MG-385 MG-17.5 MG .....   | 14 | PHLEXY-VITS POWD .....  | 36 |
| PENTRAVAN CREA .....  | 19 | phenylephrine-acetaminophen-<br>guaifenesin LIQD .....  | 14 | PHOS-NAK POWDER<br>CONCENTRATE PACK (Use  |    |

|   |   |  |
|---|---|--|
| potassium & sodium phosphates) . 33   | phenylephrine-dexbrompheniramine-<br>dextromethorphan) .....15          | CHAMBER INFANT DEVI ..... 30   |
| phytonadione SOLN 10 MG/ML ... 52   | POLY-VENT DM TABS ..... 15  | PROBIOTIC CAPS .....5  |
| phytonadione TABS 5 MG .....52  | POLY-VENT IR TABS ..... 15  | PROCARE SPACER CHAMBER<br>W/ADULT MASK DEVI ..... 30                   |
| PIKO 1 ELECTRONIC ..... 30  | polyvinyl alcohol 1.4 % .....41   | PROCARE SPACER CHAMBER<br>W/CHILD MASK DEVI .....30                    |
| PILOT COVID-19 AT-HOME TEST<br>KIT .....23  | polyvinyl alcohol-povidone (ophth)<br>0.5 %-0.6 %, 5 MG/ML-6 MG/ML ..41 | PROFE CAPS ..... 26  |
| PIXEL COVID-19 PCR TEST HOME<br>COLLECTION KIT ..... 23                               | POLY-VI-SOL SOLN OR ..... 38  | promethazine & phenylephrine SYRP<br>.....15                           |
| PLAN B ONE-STEP (Use<br>levonorgestrel (emergency oc)) .....8                         | POLY-VI-SOL/IRON SOLN .....38   | promethazine w/codeine SOLN ... 15                                     |
| POCKET CHAMBER DEVI .....30   | POLY-VITA SOLN OR ..... 38  | promethazine w/codeine SYRP ... 15                                     |
| POCKET PEAK FLOW METER .. 30  | POLY-VITA/IRON SOLN .....38   | promethazine-dm SYRP ..... 15  |
| POLY HIST FORTE 10 MG-10.5 MG<br>15   | potassium & sodium phosphates<br>PACK .....33                           | promethazine-phenylephrine-codeine<br>.....15                          |
| POLYETHYLENE GLYCOL 1000<br>LIQD .....50  | POTASSIUM BROMIDE CRYST .....8  | propylene glycol (ophth) ..... 41                                      |
| polyethylene glycol 3350 PACK ... 26  | POTASSIUM BROMIDE POWD .... 8   | PROPYLENE GLYCOL ..... 8   |
| polyethylene glycol 3350 POWD .. 26   | potassium iodide (expectorant) SOLN<br>.....17                          | PROTECT IRON LIQD ..... 34   |
| POLYETHYLENE GLYCOL 3350<br>POWD .....50  | povidone-iodine SOLN 10 % .....7  | PROXEED PLUS PACK .....36  |
| POLYETHYLENE GLYCOL 8000<br>POWD .....50  | PRECISION XTRA .....23  | pseudoephed-bromphen-dm SYRP<br>10 MG/5ML-30 MG/5ML-2 MG/5ML<br>15     |
| polyethylene glycol-propylene glycol<br>(ophth) SOLN 0.3 %-0.4 % ..... 41             | PREFERRED PLUS GLUCOSE ... 4  | pseudoephedrine hcl TABS ..... 40                                      |
| POLY-HIST DM ..... 15   | PREMIUM CONDOMS<br>LUBRICATED MISC .....28                              | pseudoephedrine hcl TB12 .....40                                       |
| polysaccharide iron complex CAPS<br>150 MG .....26                                    | PREPARATION H (Use<br>phenylephrine-mineral oil-petrolatum)<br>.....2   | pseudoephedrine-guaifenesin TB12<br>1200 MG-120 MG, 600 MG-60 MG<br>15 |
| POLYSPORIN OINT 10000<br>UNIT/GM-500 UNIT/GM (Use<br>bacitracin-polymyxin b) ..... 18 | PREVACID 24HR CPDR (Use<br>lansoprazole) .....50                        | pseudoephedrine-ibuprofen TABS 15                                      |
| POLY-TUSSIN AC LIQD 10<br>MG/5ML-10 MG/5ML-4 MG/5ML .. 15                             | PRILOSEC OTC TBEC (Use<br>omeprazole magnesium) ..... 51                | pseudoephedrine-naproxen sodium .<br>15                                |
| POLYTUSSIN DM .....15   | PRO COMFORT INHALER SPACER<br>CHAMBER ADULT MISC .....30                | PURE COMFORT INHALER<br>SPACER CHAMBER ADULT DEVI<br>30                |
| POLYTUSSIN DM LIQD (Use   | PRO COMFORT INHALER SPACER<br>CHAMBER CHILD MISC ..... 30               | PURE COMFORT PEAK FLOW<br>METER ADULT ..... 31                         |
|   | PRO COMFORT INHALER SPACER  |  |

|  |    |  |    |   |    |
|--|----|--|----|---|----|
| PURE COMFORT PEAK FLOW<br>METER CHILD .....                        | 31 | RA STERILE SALINE NASAL MIST<br>SOLN .....                                   | 39 | RELION KETONE TEST STRIPS<br>STRP .....   | 23 |
| PURE L-CITRULLINE CAPS .....                                       | 41 | RA TRUEPLUS GLUCOSE GEL ...  | 4  | REPEL 100 LIQD .....  | 21 |
| PURIFIED WATER .....   | 49 | RANGER READY REPELLENT<br>LIQD .....   | 21 | REPEL FAMILY AERO .....   | 21 |
| PX GLUCOSE .....   | 4  | RAPID SARS-COV-2<br>ANTIGENTEST CARD KIT .....                               | 23 | REPEL FAMILY DRY AERO .....   | 21 |
| pyrantel pamoate SUSP 144 MG/ML<br>4                               |    | RECTICARE CREA (Use lidocaine<br>(anorectal)) .....                          | 2  | REPEL HUNTERS FORMULA AERO<br>.....   | 21 |
| pyrethrins-piperonyl butoxide SHAM<br>4 %-0.3 %-0.33 %, 4 %-0.33 % | 22 | REFRESH .....  | 41 | REPEL LEMON EUCALYPTUS<br>INSECT REPELLENT AERO .....   | 21 |
| PYRIDOXINE HCL POWD .....  | 52 | REFRESH DIGITAL .....  | 41 | REPEL MOSQUITO WIPES SHEE<br>21   |    |
| pyridoxine hcl SOLN .....  | 52 | REFRESH DIGITAL PF .....   | 41 | REPEL SPORTSMEN AERO .....  | 21 |
| pyridoxine hcl TABS 50 MG, 100 MG<br>52                            |    | REFRESH LIQUIGEL GEL (Use<br>carboxymethylcellulose sodium<br>(ophth)) ..... | 41 | REPEL SPORTSMEN DRY AERO<br>21  |    |
| PYRIDOXINE HYDROCHLORIDE<br>POWD .....                             | 52 | REFRESH OPTIVE ADVANCED .  | 41 | REPEL SPORTSMEN MAX AERO<br>21  |    |
| pyrithione zinc SHAM 1 % .....                                     | 19 | REFRESH OPTIVE ADVANCED<br>SENSITIVE .....                                   | 41 | REPEL SPORTSMEN MAX LIQD .  | 21 |
| QC BORIC ACID POWD .....   | 8  | REFRESH OPTIVE GEL .....   | 42 | REPEL SPORTSMEN MAX LOTN  | 21 |
| QC CASTOR OIL .....  | 8  | REFRESH OPTIVE MEGA-3 .....  | 42 | REPEL TICK DEFENSE AERO ...   | 21 |
| QC MEDIFIN PE TABS (Use<br>phenylephrine-guaifenesin) .....        | 15 | REFRESH OPTIVE PRESERVATIVE<br>FREE SOLN .....                               | 42 | REPLESTA NX WAFR .....  | 52 |
| QUFLORA FE .....   | 37 | REFRESH OPTIVE SOLN (Use<br>carboxymethylcellulose-glycerin) ..              | 42 | REPLESTA WAFR .....   | 52 |
| QUICKVUE AT-HOME COVID-19<br>TEST KIT .....                        | 23 | REFRESH PLUS SOLN (Use<br>carboxymethylcellulose sodium<br>(ophth)) .....    | 42 | RISACAL-D TABS .....  | 32 |
| QUINTABS TABS .....  | 37 | REFRESH RELIEVA PF SOLN ...  | 42 | RITEFLO DEVI .....  | 31 |
| QUINTABS-M TABS .....  | 36 | REFRESH RELIEVA SOLN (Use<br>carboxymethylcellulose-glycerin) ..             | 42 | ROBITUSSIN COUGH+CHEST<br>CONGESTION DM LIQD (Use<br>dextromethorphan-guaifenesin) ...          | 15 |
| RA ADVANCED HEALING OINT ..  | 19 | REFRESH TEARS SOLN (Use<br>carboxymethylcellulose sodium<br>(ophth)) .....   | 42 | ROBITUSSIN HONEY COUGH<br>&CHEST CONGESTION DM LIQD<br>(Use dextromethorphan-guaifenesin)<br>15 |    |
| RA B-COMPLEX/VITAMIN C TR<br>TBCR .....                            | 34 | REJUVAFLOR CAPS .....  | 5  | ROBITUSSIN LINGERING<br>COLDLONG-ACTING COUGHGELS<br>CAPS (Use dextromethorphan hbr)            | .9 |
| RA EFFERVESCENT FORMULA<br>TBEF .....                              | 38 | RELION GLUCOSE .....   | 4  | ROBITUSSIN PEAK COLD MULTI-<br>SYMPTOM COLD LIQD (Use   |    |
| RA EPSOM SALT GRAN XX .....  | 27 |  |    |   |    |
| RA ESSENCE-C PACK .....  | 36 |  |    |   |    |
| RA GLUCOSE .....   | 4  |  |    |   |    |

|  |    |  |    |   |    |
|--|----|--|----|---|----|
| phenylephrine w/ dm-gg) .....  | 15 | SELSUN BLUE MOISTURIZING<br>LOTN (Use selenium sulfide) .....    | 19 | simethicone SUSP 20 MG/0.3ML ..                           | 24 |
| ROBITUSSIN SEVERE<br>COUGH/SORE THROAT LIQD ....                               | 15 | SELSUN BLUE NATURALS<br>DRYSCALP SHAM .....                      | 20 | SIMPLY SALINE AERS .....                                  | 39 |
| RU-HIST D TABS .....   | 15 | SENNAPLUS CAPS .....   | 26 | skin protectants, misc. CREA .....                        | 21 |
| RYMED TABS .....   | 15 | sennosides CAPS .....  | 27 | skin protectants, misc. OINT .....                        | 22 |
| salicylic acid CREA 2 % .....  | 20 | sennosides CHEW .....  | 27 | SLO-NIACIN TBCR 250 MG, 750 MG<br>(Use niacin) .....      | 52 |
| salicylic acid LIQD 2 %, 17 % .....  | 20 | sennosides LIQD .....  | 27 | SLO-NIACIN TBCR 500 MG (Use<br>niacin) .....              | 52 |
| salicylic acid PADS 40 % .....   | 20 | sennosides SYRP 8.8 MG/5ML ...                                   | 27 | SLOW FE TBCR 45 MG (Use ferrous<br>sulfate) .....         | 26 |
| SALICYLIC ACID POWD .....  | 8  | sennosides TABS 8.6 MG, 15 MG,<br>17.2 MG, 25 MG .....           | 27 | SLOW MAGNESIUM<br>CHLORIDE/CALCIUM .....                  | 33 |
| salicylic acid STRP .....  | 20 | sennosides-docusate sodium TABS<br>26                            |    | SLOW RELEASE IRON TBCR ....                               | 26 |
| saline GEL .....   | 39 | SENNAPLUS S TABS (Use<br>sennosides-docusate sodium) ....        | 26 | SLOW-MAG .....  | 33 |
| saline SOLN 0.65 % .....   | 39 | SENNAPLUS TABS (Use sennosides)                                  | 27 | SM BENZOIN TINCTURE NFXI<br>TINC .....                    | 22 |
| SALONPAS-HOT PTCH (Use<br>capsaicin) .....                                     | 20 | SENNAPLUS TABS .....   | 36 | SM BENZOIN TINCTURE TINC ...                              | 22 |
| SAWYER INSECT REPELLENT<br>CONTROLLED RELEASE LOTN ..                          | 21 | SENNAPLUS OIL .....  | 8  | SM BORIC ACID POWD .....                                  | 8  |
| SAWYER PREMIUM INSECT<br>REPELLENT LIQD .....                                  | 21 | SIDESTREAM PEDIATRIC<br>FACEMASK MISC .....                      | 31 | SM COLD & ALLERGY CHILDRENS<br>LIQD .....                 | 15 |
| SCOOBY-DOO ONE A DAY CHEW .<br>38  |    | SIDESTREAM PEDIATRIC<br>FACEMASK/TUCKER THE TURTLE<br>MISC ..... | 31 | SM GLUCOSE .....  | 4  |
| SEBEX .....  | 19 | SILICONE MASK FOR<br>BREATHRITE CHAMBER/INFANT<br>MISC .....     | 31 | SMART SENSE GLUCOSE .....                                 | 4  |
| selenium sulfide LOTN 1 % .....  | 19 | SILICONE MASK FOR<br>BREATHRITE<br>CHAMBER/PEDIATRIC MISC ....   | 31 | SMART SENSE GLUCOSE<br>TABLETS .....                      | 4  |
| selenium sulfide SHAM 1 % .....  | 19 | simethicone CAPS 125 MG, 180 MG<br>24                            |    | SODIUM BENZOATE .....                                     | 49 |
| SELSUN BLUE CARE MENS<br>MAXIMUM STRENGTH LOTN (Use<br>selenium sulfide) ..... | 19 | simethicone CHEW .....   | 24 | sodium bicarbonate (antacid) TABS<br>325 MG, 650 MG ..... | 3  |
| SELSUN BLUE DAILY LOTN (Use<br>selenium sulfide) .....                         | 19 | simethicone LIQD OR 20 MG/0.3ML .<br>24                          |    | SODIUM BICARBONATE POWD ...                               | 3  |
| SELSUN BLUE DEEP CLEANSING<br>SHAM .....                                       | 20 |  |    | SODIUM BROMIDE .....                                      | 8  |
| SELSUN BLUE LOTN (Use selenium<br>sulfide) .....                               | 19 |  |    | sodium chloride (inhalant) AERS ..                        | 17 |
| SELSUN BLUE MEDICATED LOTN<br>(Use selenium sulfide) .....                     | 19 |  |    | SODIUM CHLORIDE GRAN .....                                | 33 |
|  |    |  |    | sodium chloride hypertonic OINT ..                        | 42 |
|  |    |  |    | sodium chloride hypertonic SOLN ..                        | 42 |

|   |    |   |    |   |    |
|---|----|---|----|---|----|
| SODIUM CHLORIDE POWD .....  | 33 | SYSTANE BALANCE RESTORATIVE FORMULA (Use propylene glycol (ophth)) .....                            | 42 | SYMPTOM PACK (Use dextromethorphan-phenylephrine-acetaminophen) ..... | 16 |
| sodium citrate & citric acid .....                                    | 24 | SYSTANE COMPLETE (Use propylene glycol (ophth)) .....   | 42 | THERA-M TABS .....  | 36 |
| sodium ferric gluconate complex in sucrose .....                      | 26 | SYSTANE GEL GEL .....   | 42 | THERAPEUTIC DANDRUFF SHAM .   | 20 |
| sodium phosphates ENEM .....  | 27 | SYSTANE HYDRATION PF SOLN (Use polyethylene glycol-propylene glycol (ophth)) .....                  | 42 | THERAPEUTIC MOISTURIZING CREA .....                                   | 19 |
| SORBIDON HYDRATE CREA .....   | 22 | SYSTANE PRESERVATIVE FREE SOLN 0.3 %-0.4 % (Use polyethylene glycol-propylene glycol (ophth)) ..... | 42 | THERAPEUTIC T+PLUS MAXIMUM STRENGTH SHAM .....                        | 20 |
| SORBITOL RE 70 % .....  | 26 | SYSTANE SOLN (Use polyethylene glycol-propylene glycol (ophth)) .....                               | 42 | THERATEARS GEL (Use carboxymethylcellulose sodium (ophth)) .....      | 42 |
| SPECTRAVITE TABS .....  | 36 | SYSTANE ULTRA PF SOLN (Use polyethylene glycol-propylene glycol (ophth)) .....                      | 42 | THEREMS MULTIVITAMIN TABS   | 37 |
| SPEEDY SWAB RAPID COVID-19 ANTIGEN SELF-TEST KIT .....                | 23 | SYSTANE ULTRA PRESERVATIVE FREE SOLN (Use polyethylene glycol-propylene glycol (ophth)) .....       | 42 | THEREMS-M TABS .....  | 36 |
| SSKI SOLN (Use potassium iodide (expectorant)) .....                  | 17 | SYSTANE ULTRA SOLN (Use polyethylene glycol-propylene glycol (ophth)) .....                         | 42 | THERMOTABS TABS .....   | 32 |
| STAHIST AD TABS .....   | 15 | TARON FORTE .....   | 25 | thiamine hcl SOLN .....   | 52 |
| STAHIST TP TABS .....   | 15 | terbinafine hcl (topical) CREA .....  | 18 | TINACTIN AERP (Use tolnaftate) .                                      | 18 |
| STOOL SOFTENER + STIMULANT LAXATIVE CAPS .....                        | 26 | TGT GLUCOSE .....   | 4  | TINACTIN CREA (Use tolnaftate) .                                      | 18 |
| STROVITE FORTE TABS (Use multiple vitamins w/ minerals) .....         | 36 | THERA M PLUS TABS .....   | 36 | TINACTIN DEODORANT AERP (Use tolnaftate) .....                        | 18 |
| SUDAFED CONGESTION TABS (Use pseudoephedrine hcl) .....               | 40 | THERA TABS .....  | 37 | TINACTIN JOCK ITCH AERP (Use tolnaftate) .....                        | 18 |
| SUDAFED PE SINUS CONGESTION TABS (Use phenylephrine hcl (oral)) ..... | 40 | THERA-D 4000 TABS .....   | 52 | TM-DAILY VITE TABS .....  | 37 |
| SUDAFED SINUS CONGESTION TABS (Use pseudoephedrine hcl) .             | 40 | THERAFLU FLU & SORE THROAT PACK .....   | 15 | tolnaftate AERP .....   | 18 |
| SUPER ANTIOXIDANT CAPS .....  | 36 | THERAFLU SEVERE COLD & COUGH NIGHTTIME PACK (Use diphenhydramine-phenylephrine-acetaminophen) ..... | 16 | tolnaftate CREA .....   | 18 |
| SUPER DAILY D3 LIQD OR .....  | 52 | THERAFLU SEVERE COLD MULTI  |    | tolnaftate LIQD .....   | 18 |
| SUSPENDRX WITH BITTER-BLOC/SWEETENED SUSP .....                       | 49 |   |    | tolnaftate POWD EX .....  | 18 |
| SYRSPEND SF ALKA SUSR .....   | 49 |   |    | tolnaftate SOLN .....   | 18 |
| SYRSPEND SF LIQD .....  | 49 |   |    | TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SYRP .....                  | 16 |
| SYRSPEND SF PH4 SUSR .....  | 49 |   |    | TRIAMINIC NIGHT TIME COLD & COUGH SYRP .....                          | 16 |
| SYRSPEND SF SUSR .....  | 49 |   |    | TRIFERIC PACK .....   | 26 |

|   |    |   |    |  |    |
|---|----|---|----|--|----|
| triprolidine hcl LIQD 0.625 MG/ML,<br>0.938 MG/ML .....       | 6  | TUMS CHEWY BITES CHEW (Use<br>calcium carbonate (antacid)) .....                            | 3  | TYLENOL CHILDRENS PLUS<br>MULTI-SYMPTOM COLD SUSP<br>(Use phenylephrine-<br>chlorpheniramine-dm w/ apap) ....            | 16 |
| TRI-VI-SOL A/C/D .....  | 38 | TUMS CHEWY DELIGHTS CHEW .  | 3  | TYLENOL CHILDRENS SUSP (Use<br>acetaminophen) .....  | 2  |
| TRUEPLUS GLUCOSE GEL GEL .                                    | 4  | TUMS E-X 750 CHEW (Use calcium<br>carbonate (antacid)) .....                                | 3  | TYLENOL COLD & FLU SEVERE<br>TABS (Use phenylephrine-dm-gg w/<br>apap) .....   | 16 |
| TRUSTEX LUBRICATED<br>EXTRALARGE MISC .....                   | 28 | TUMS EXTRA STRENGTH 750<br>CHEW (Use calcium carbonate<br>(antacid)) .....                  | 3  | TYLENOL COLD & HEAD SEVERE<br>CONGESTION TABS (Use<br>phenylephrine-acetaminophen-<br>guaifenesin) .....                 | 16 |
| TRUSTEX LUBRICATED<br>EXTRASTRENGTH MISC .....                | 28 | TUMS LASTING EFFECTS CHEW<br>(Use calcium carbonate (antacid)) .                            | 3  | TYLENOL COLD + FLU + COUGH<br>FOR ADULTS/NIGHT LIQD (Use<br>phenylephrine-doxylamine-<br>dextromethorphan-acetaminophen) | 16 |
| TRUSTEX LUBRICATED MISC ...                                   | 28 | TUMS SMOOTHIES CHEW (Use<br>calcium carbonate (antacid)) .....                              | 4  | TYLENOL EXTRA STRENGTH<br>TABS (Use acetaminophen) .....   | 2  |
| TRUSTEX<br>LUBRICATED/RIBBED/STUDDED<br>MISC .....            | 28 | TUMS ULTRA 1000 CHEW (Use<br>calcium carbonate (antacid)) .....                             | 4  | TYLENOL FOR CHILDREN/ADULTS<br>SUSP (Use acetaminophen) .....  | 2  |
| TRUSTEX<br>LUBRICATED/SPERMICIDE EXTRA<br>LARGE MISC .....    | 28 | TUSICOF LIQD .....  | 16 | TYLENOL INFANTS PAIN+FEVER<br>SUSP (Use acetaminophen) .....   | 2  |
| TRUSTEX<br>LUBRICATED/SPERMICIDE EXTRA<br>STRENGTH MISC ..... | 28 | TUSNEL DM LIQD .....  | 16 | TYLENOL SINUS SEVERE TABS<br>(Use phenylephrine-acetaminophen-<br>guaifenesin) .....                                     | 16 |
| TRUSTEX<br>LUBRICATED/SPERMICIDE MISC<br>28                   |    | TUSNEL LIQD .....   | 16 | TYLENOL TABS (Use<br>acetaminophen) .....  | 2  |
| TRUSTEX NON-LUBRICATED MISC<br>.....                          | 28 | TUSNEL PEDIATRIC LIQD .....   | 16 | TYLENOL WARMING COUGH &<br>SEVER CONGESTION DAYTIME<br>LIQD (Use phenylephrine-dm-gg w/<br>apap) .....                   | 16 |
| TRUSTEX WITH NONOXYNOL-<br>9/RIBBED/STUDDED MISC .....        | 28 | TUSNEL TABS .....   | 16 | ULTRA OMEGA-3 FISH OIL BURP-<br>LESS CAPS .....  | 41 |
| TRUSTEX/RIA LUBRICATED MISC .                                 | 28 | TUSNEL-DM PEDIATRIC LIQD ...  | 16 | ULTRATHON INSECT REPELLENT<br>8 AERO .....   | 22 |
| TRUSTEX/RIA LUBRICATED<br>SPERMICIDE MISC .....               | 28 | TUSSI-PRES PEDIATRIC LIQD (Use<br>phenylephrine w/ dm-gg) .....                             | 16 | ULTRATHON INSECT REPELLENT<br>LOTN .....   | 22 |
| TRUSTEX/RIA<br>LUBRICATED/SPERMICIDE MISC<br>28               |    | TYLENOL 8 HOUR ARTHRITISPAIN<br>TBCR (Use acetaminophen) .....                              | 2  |  |    |
| TRUSTEX/RIA NON-LUBRICATED<br>MISC .....                      | 28 | TYLENOL 8 HOUR TBCR (Use<br>acetaminophen) .....  | 2  |  |    |
| TRUZONE PEAK FLOW METER .                                     | 31 | TYLENOL CHILDRENS<br>CHEWABLES/PAIN + FEVER CHEW<br>(Use acetaminophen) .....               | 2  |  |    |
| TUMS CHEW (Use calcium<br>carbonate (antacid)) .....          | 4  | TYLENOL CHILDRENS COLD/FLU<br>SUSP (Use phenylephrine-<br>chlorpheniramine-dm w/ apap) .... | 16 |  |    |



|  |   |   |
|--|---|---|
| UNISOM SLEEPGELS CAPS (Use<br>diphenhydramine hcl (sleep)) .....26   | VICKS SINEX 12 HOUR<br>DECONGESTANT SOLN (Use<br>oxymetazoline hcl) ..... 40                              | vitamin e SOLN ..... 52   |
| UNISPEND ANHYDROUS<br>SWEETENED SUSP ..... 49  | VICKS SINEX MOISTURIZING<br>SOLN (Use oxymetazoline hcl) ... 40   | VITAMIN E TABS 100 UNIT .....52   |
| UP & UP GLUCOSE ..... 4  | VICKS SINEX SEVERE<br>NASALDECONGESTANT SOLN<br>(Use oxymetazoline hcl) ..... 40                          | vitamins a & d (topical) OINT ..... 20                                  |
| UPCAL D PACK 500 UNIT-500 MG<br>32   | VICKS SINEX SEVERE SOLN (Use<br>oxymetazoline hcl) ..... 40   | vitamins w/ lipotropics TABS ..... 39                                   |
| UPCAL D POWD .....32   | VITACHEW ADULT MULTI VITAMIN<br>CHEW .....36  | VITAROCA PLUS TABS (Use<br>multiple vitamins w/ minerals) ..... 36      |
| UPSPRING BABY VITAMIN D LIQD<br>OR .....52   | VITACHEW MULTIPLE   | VITATRUM TABS .....36   |
| UPSPRINGBABY<br>MULTIVITAMIN/IRON LIQD .....38   | VITAMINCHILDRENS CHEW ..... 38  | VORTEX HOLDING<br>CHAMBER/MASK/CHILDS/FROG<br>DEVI ..... 31             |
| VALINE POWD XX ..... 41  | VITAL-D RX ..... 34   | VORTEX HOLDING<br>CHAMBER/MASK/TODDLER/LADY<br>BUG DEVI ..... 31        |
| VANACOF .....16  | VITALETS CHILDRENS CHEW ... 38  | VORTEX VALVED HOLDING<br>CHAMBER DEVI .....31                           |
| VANACOF DM LIQD (Use<br>phenylephrine w/ dm-gg) ..... 16   | vitamin a CAPS ..... 52   | WAL-FLU SEVERE COLD NIGHT<br>TIME PACK ..... 17                         |
| VANACOF DMX LIQD .....16   | VITAMIN A PALMITATE TABS ... 52   | WALGREENS GLUCOSE ..... 4   |
| VANALICE GEL .....22   | vitamin a TABS ..... 52   | WESTUSSIN DM .....17  |
| VANATAB DM TABS ..... 16   | VITAMIN C TABS .....52  | WHITE PETROLATUM OINT ..... 50  |
| VANICREAM CREA ..... 20  | VITAMIN D2 CAPS ..... 52  | white petrolatum-mineral oil ..... 42                                   |
| VANICREAM HC MAXIMUM<br>STRENGTH CREA ..... 19   | VITAMIN D2 TABS .....52   | XCELLENT E CAPS .....52   |
| VENOFER .....26  | VITAMIN D3 IMMUNE HEALTH<br>LIQD OR ..... 52  | XERAC AC ..... 22   |
| VICKS NYQUIL COLD & FLU LIQD<br>(Use dextromethorphan-doxylamine-<br>acetaminophen) .....17                      | VITAMIN D3 LIQD OR 1000<br>UNIT/SPRAY, 1200 UNIT/15ML,<br>5000 UNIT/0.5ML, 5000 UNIT/ML .52               | XYZAL ALLERGY 24HR TABS (Use<br>levocetirizine dihydrochloride) ..... 6 |
| VICKS NYQUIL COLD & FLU<br>NIGHTTIME RELIEF LIQD (Use<br>dextromethorphan-doxylamine-<br>acetaminophen) ..... 16 | VITAMIN D3 TABS (Use<br>cholecalciferol) ..... 52   | YELETS TEENAGE FORMULA<br>TABS .....36                                  |
| VICKS NYQUIL COUGH LIQD (Use<br>doxylamine-dm) ..... 17  | VITAMIN D3 TABS .....52   | YOUR LIFE MULTI ADULT<br>GUMMIES CHEW ..... 36                          |
| VICKS NYQUIL HBP COLD & FLU<br>LIQD (Use dextromethorphan-<br>doxylamine-acetaminophen) .....17                  | VITAMIN D3 TBDP ..... 52  | ZADITOR 0.035 % (Use ketotifen<br>fumarate (ophth)) ..... 42            |
|  | vitamin e CAPS 45 MG, 90 MG, 100<br>UNIT, 180 MG, 200 UNIT, 268 MG,<br>400 UNIT, 450 MG, 1000 UNIT ... 52 | ZARBEES SOOTHING SALINE<br>NASAL MIST/ALOE AERS ..... 39                |
|  | vitamin e OIL .....52   | ZE-PLUS CAPS (Use multiple  |

|  |    |
|--|----|
| vitamin) .....   | 37 |
| ZIKS ARTHRITIS PAIN RELIEF<br>CREA .....                                 | 20 |
| ZINC LOZG .....  | 37 |
| zinc oxide (topical) OINT 20 % .....                                     | 22 |
| zinc sulfate CAPS .....  | 33 |
| ZINC SULFATE GRANULAR .....  | 33 |
| ZINC SULFATE HEPTAHYDRATE<br>33  |    |
| ZINC SULFATE HEPTAHYDRATE<br>GRAN .....                                  | 33 |
| ZINC SULFATE MONOHYDRATE<br>33   |    |
| ZINC W/A&C .....   | 33 |
| ZYRTEC ALLERGY CAPS (Use<br>cetirizine hcl) .....                        | 6  |
| ZYRTEC ALLERGY TABS (Use<br>cetirizine hcl) .....                        | 7  |
| ZYRTEC CHEW 10 MG (Use<br>cetirizine hcl) .....                          | 7  |
| ZYRTEC CHILDRENS ALLERGY<br>CHEW 10 MG (Use cetirizine hcl) ...          | 7  |
| ZYRTEC CHILDRENS ALLERGY<br>SOLN OR (Use cetirizine hcl) .....           | 7  |
| ZYRTEC-D<br>ALLERGY/CONGESTION (Use<br>cetirizine-pseudoephedrine) ..... | 17 |
| ZYRTEC-D ALLERGY/SINUS (Use<br>cetirizine-pseudoephedrine) .....         | 17 |