

2019

FORMULARY (LIST OF COVERED DRUGS)

Buckeye Health Plan - MyCare Ohio (MMP)

NOTE TO EXISTING MEMBERS:

This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.

For more recent information or other questions, please contact Buckeye Health Plan Member Services at **1-866-549-8289, TTY:711**. Member Service hours are from **8 a.m. to 8 p.m., Monday through Friday**.

After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. Or visit: <http://mmp.BuckeyeHealthPlan.com>.

envolve[™]
Pharmacy Solutions

Buckeye Health Plan – MyCare Ohio | 2019 List of Covered Drugs (Formulary)

This is a list of drugs that members can get in Buckeye Health Plan – MyCare Ohio (Buckeye).

- Buckeye Health Plan – MyCare Ohio is a health plan that contracts with both Medicare and Ohio Medicaid to provide benefits of both programs to enrollees.
- The List of Covered Drugs and/or pharmacy and provider networks may change throughout the year. We will send you a notice before we make a change that affects you.
- Benefits may change on January 1 of each year.
- You can always check Buckeye's up-to-date List of Covered Drugs online at <http://mmp.buckeyehealthplan.com>.
- Limitations and restrictions may apply. For more information, call Buckeye Member Services or read the Buckeye Member Handbook.
- You can get this information for free in other languages. Call 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.
- Puede obtener esta información en otros idiomas gratis. Llame al 1-866-549-8289. El horario de atención es de 8 a. m. a 8 p. m., de lunes a viernes. Luego del horario de atención, los fines de semana y los días feriado, es posible que se le pida que deje un mensaje. Le devolveremos la llamada el próximo día hábil. Los usuarios de TTY deben llamar al 711. La llamada es gratuita.
- You can get this information for free in other formats, such as large print, braille, or audio. Call 1-866-549-8289 from 8 a.m. to 8 p.m., Monday through Friday. TTY users call 711. The call is free.
- If you would like this information in a format other than English or in an alternate format, please call 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free. You can also [email OH_MMP_EmailRequests@centene.com](mailto:OH_MMP_EmailRequests@centene.com).

? **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

Frequently Asked Questions (FAQ)

Find answers here to questions you have about this List of Covered Drugs. You can read all of the FAQ to learn more, or look for a question and answer.

1. What prescription drugs are on the List of Covered Drugs? (We call the List of Covered Drugs the “Drug List” for short.)

The drugs on the List of Covered Drugs that starts on page 10 are the drugs covered by Buckeye. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- Buckeye will cover all medically necessary drugs on the Drug List if:
- your doctor or other prescriber says you need them to get better or stay healthy, **and**
- you fill the prescription at a Buckeye network pharmacy.
- Buckeye may have additional steps to access certain drugs (see question #5 below).

You can also see an up-to-date list of drugs that we cover on our website at <http://mmp.buckeyehealthplan.com> or call Member Services at 1-866-549-8289 (TTY: 711).

2. Does the Drug List ever change?

Yes. Buckeye may add or remove drugs on the Drug List during the year. Generally, the Drug List will only change if:


- a cheaper drug comes along that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval for a drug. (*Prior approval* is permission from Buckeye before you can get a drug.)
- Add or change the amount of a drug you can get (called “quantity limits”).
- Add or change step therapy restrictions on a drug. (*Step therapy* means you must try one drug before we will cover another drug.)

(For more information on these drug rules, see page 3.)

We will tell you when a drug you are taking is removed from the Drug List. We will also tell you when we change our rules for covering a drug. Questions 3, 4, and 7 below have more information on what happens when the Drug List changes.

 **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

You can always check Buckeye's up to date Drug List online at <http://mmp.buckeyehealthplan.com>. You can also call Member Services to check the current Drug List at 1-866-549-8289 (TTY: 711).

3. What happens when a cheaper drug comes along that works as well as a drug on the Drug List now?

If you are taking a drug that is removed because a cheaper drug that works just as well comes along, we will tell you. We will tell you at least 60 days before we remove it from the Drug List **or** when you ask for a refill. Then you can get a 60-day supply of the drug before the change to the Drug List is made.

We will mail you a notice if you are taking a drug, and we change our rules for covering it. You will receive the notice by mail at least 60 days before we remove the drug from our List of Covered Drugs. Or, we have to tell you when you request a refill of the drug. If we tell you when you refill your drug, you will receive a 60-day supply of the drug. For more information on these drug rules, see below. If you have questions about the notice you receive from Buckeye, call Member Services at 1-866-549-8289. TTY Users should call 711. Hours are from 8 a.m. to 8 p.m., Monday through Friday.

4. What happens when we find out a drug is not safe?

If the Food and Drug Administration (FDA) says a drug you are taking is not safe, we will take it off the Drug List right away. We will also send you a letter telling you that. If you have any questions after being notified of the change, you should contact the doctor who prescribed the drug for you.

5. Are there any restrictions or limits on drug coverage? Or are there any required actions to take in order to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior approval (or prior authorization):** For some drugs, you or your doctor or other prescriber must get approval from Buckeye before you fill your prescription. If you don't get approval, Buckeye may not cover the drug.
- **Quantity limits:** Sometimes Buckeye limits the amount of a drug you can get.
- **Step therapy:** Sometimes Buckeye requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

? **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

You can find out if your drug has any additional requirements or limits by looking in the tables on pages 8. You can also get more information by visiting our web site at <http://mmp.buckeyehealthplan.com>. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an “exception” from these limits. Please see question 11 for more information on exceptions.

- If you are in a nursing home or other long-term care facility and need a drug that is not on the Drug List, or if you cannot easily get the drug you need, we can help. We will cover a 31-day emergency supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new Buckeye member. This will give you time to talk to your doctor or other prescriber. He or she can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please see question 11 for more information about exceptions.

6. How will you know if the drug you want has limitations or if there are required actions to take to get the drug?

The List of Covered Drugs on page 10 has a column labeled “Necessary actions, restrictions, or limits on use.”

7. What happens if we change our rules on how we cover some drugs? For example, if we add prior authorization (approval), quantity limits, and/or step therapy restrictions on a drug.


We will tell you if we add prior approval, quantity limits, and/or step therapy restrictions on a drug. We will tell you at least 60 days before the restriction is added or when you next ask for a refill. Then, you can get a 60-day supply of the drug before the change to the Drug List is made. This gives you time to talk to your doctor or other prescriber about what to do next.

8. How can you find a drug on the Drug List?

There are two ways to find a drug:

- You can search alphabetically (if you know how to spell the drug), **or**
- You can search by medical condition.

To search **alphabetically**, go to the Alphabetical Listing section. You can find it by reviewing the index of drugs that begins on page 147.

 **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

To search **by medical condition**, find the section labeled “List of drugs by medical condition” on page 10. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Cardiovascular Agents. That is where you will find drugs that treat heart conditions.

9. What if the drug you want to take is not on the Drug List?

If you don't see your drug on the Drug List, call Member Services at 1-866-549-8289 (TTY: 711) and ask about it. If you learn that Buckeye will not cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. He or she can prescribe a drug on the Drug List that is like the one you want to take. **Or**
 - You can ask the health plan to make an exception to cover your drug. Please see question 11 for more information about exceptions.
-

10. What if you are a new Buckeye member and can't find your drug on the Drug List or have a problem getting your drug?

We can help. We may cover a temporary 30-day supply of your drug during the first 90 days you are a member of Buckeye. This will give you time to talk to your doctor or other prescriber. He or she can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.


We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires prior approval by Buckeye, **or**
- you are taking a drug that is part of a step therapy restriction.

If you live in a nursing home or other long-term care facility, you may refill your prescription for as long as 91 to 98 days. You may refill the drug multiple times during your first 90 days in the plan. This gives your prescriber time to change your drugs to ones on the Drug List or ask for an exception.

Throughout the plan year, you may have a change in your treatment setting (the place where you get and take your medicine) because of the level of care you require. Such transitions may include, but are not limited to:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
 - Members who are admitted to a hospital or skilled-nursing facility from a home setting
-

 **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

- Members who transfer from one skilled-nursing facility to another and are served by a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Buckeye will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a network pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and get approval for continued coverage of your drug. We will review these requests for continuation of therapy on a case-by-case basis when you are on a stabilized drug regimen that, if changed, is known to have risks. To ask for a temporary supply of a drug, call Member Services.

11. Can you ask for an exception to cover your drug?

Yes. You can ask Buckeye to make an exception to cover a drug that is not on the Drug

List. You can also ask us to change the rules on your drug.

- For example, Buckeye may limit the amount of a drug we will cover. If your drug has a limit, you can ask us to change the limit and cover more.
- Other examples: You can ask us to drop step therapy restrictions or prior approval requirements.

12. How long does it take to get an exception?

First, we must get a statement from your prescriber supporting your request for an exception.

After we get the statement, we will give you a decision on your exception request within 72 hours.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we will give you a decision within 24 hours of getting your prescriber's supporting statement.

13. How can you ask for an exception?

To ask for an exception, call Member Services. A Member Services representative will work with you and your provider to help you ask for an exception.

? **If you have questions**, please call Buckeye at 1-866-549-8289. Hours are from 8 a.m. to 8 p.m., Monday through Friday. After hours, on weekends and on holidays, you may be asked to leave a message. Your call will be returned within the next business day. TTY users call 711. The call is free. **For more information**, visit <http://mmp.buckeyehealthplan.com>.

envolve⁷
Pharmacy Solutions



4349 Easton Way, Suite 300
Columbus, OH 43219
1-866-549-8289
TTY: 711

mmp.BuckeyeHealthPlan.com

Drug Name	Drug Tier	Requirements/ Limits
ALTERNATIVE MEDICINES		
Alternative Medicine - A's		
ALPHA LIPOIC ACID CAPS	\$0 (Tier 3)	
<i>alpha-lipoic acid (thioctic acid) caps 100 mg, 200 mg, 600 mg</i>	\$0 (Tier 3)	
ALPHA-LIPOIC ACID CAPS	\$0 (Tier 3)	
LIPOIC ACID CAPS	\$0 (Tier 3)	
Alternative Medicine - C's		
CHEW Q CHEW	\$0 (Tier 3)	
CO Q-10 CAPS 300 MG (Use Coenzyme Q10 (Ubidecarenone))	\$0 (Tier 3)	
CO Q-10 CHEW 100 MG	\$0 (Tier 3)	
<i>coenzyme q10 (ubidecarenone) caps 10 mg, 30 mg, 50 mg, 60 mg, 75 mg, 100 mg, 150 mg, 200 mg, 300 mg, 400 mg, 100mg-5unit</i>	\$0 (Tier 3)	
NEOQ10 CAPS	\$0 (Tier 3)	
Q-GEL CAPS	\$0 (Tier 3)	
Alternative Medicine - U		
CYTO-Q LIQD	\$0 (Tier 3)	
CYTO-Q MAX LIQD	\$0 (Tier 3)	
CYTO-Q T/F LIQD	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
QH LIQD	\$0 (Tier 3)	
Alternative Medicine Combinations		
CO Q-10 PLUS CAPS	\$0 (Tier 3)	
LIQ-10 SYRP	\$0 (Tier 3)	
ANALGESICS - ANTI-INFLAMMATORY - Drugs to Treat Pain, Swelling, Muscle and Joint Conditions		
Nonsteroidal Anti-inflammatory Agents (NSAIDs)		
ADVIL CAPS (Use <i>Ibuprofen</i>)	\$0 (Tier 3)	
ADVIL MIGRAINE CAPS (Use <i>Ibuprofen</i>)	\$0 (Tier 3)	
ADVIL TABS (Use <i>Ibuprofen</i>)	\$0 (Tier 3)	
ALEVE CAPS (Use <i>Naproxen Sodium</i>)	NF	
<i>ibuprofen caps</i>	\$0 (Tier 3)	
<i>ibuprofen chew</i>	\$0 (Tier 3)	
<i>ibuprofen susp</i>	\$0 (Tier 3)	
<i>ibuprofen tabs</i>	\$0 (Tier 3)	
INFANTS ADVIL SUSP (Use <i>Ibuprofen</i>)	NF	
MOTRIN INFANTS DROPS SUSP (Use <i>Ibuprofen</i>)	NF	
<i>naproxen sodium caps</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ANALGESICS - NonNarcotic - Drugs to Treat Pain, Muscle and Joint Conditions		
Analgesic Combinations		
HISTAFLEX TABS	\$0 (Tier 3)	
Analgesics Other		
<i>acetaminophen caps or 500 mg</i>	\$0 (Tier 3)	
<i>acetaminophen chew or 80 mg, 160 mg</i>	\$0 (Tier 3)	
<i>acetaminophen liqd or 160 mg/5ml, 500 mg/15ml, 1000 mg/30ml</i>	\$0 (Tier 3)	
<i>acetaminophen soln or 160 mg/5ml, 650 mg/20.3ml, 325 mg/10.15ml</i>	\$0 (Tier 3)	
<i>acetaminophen supp re 120 mg, 325 mg, 650 mg</i>	\$0 (Tier 3)	
<i>acetaminophen susp or 160 mg/5ml, 80 mg/0.8ml, 80 mg/2.5ml</i>	\$0 (Tier 3)	
<i>acetaminophen tabs or 325 mg, 500 mg</i>	\$0 (Tier 3)	
<i>acetaminophen tbcr or 650 mg</i>	\$0 (Tier 3)	
<i>acetaminophen tbdp or 80 mg, 160 mg</i>	\$0 (Tier 3)	
FEVERALL INFANTS SUPP	\$0 (Tier 3)	
NORTEMP INFANTS SUSP	\$0 (Tier 3)	
TYLENOL 8 HOUR ARTHRITISPAIN TBCR (Use Acetaminophen)	NF	
TYLENOL 8 HOUR TBCR (Use Acetaminophen)	NF	

Drug Name	Drug Tier	Requirements/Limits
TYLENOL CHILDRENS CHEWABLES/PAIN + FEVER CHEW (Use Acetaminophen)	NF	
TYLENOL CHILDRENS SUSP (Use Acetaminophen)	\$0 (Tier 3)	
TYLENOL EXTRA STRENGTH TABS (Use Acetaminophen)	NF	
TYLENOL INFANTS PAIN+FEVER SUSP (Use Acetaminophen)	\$0 (Tier 3)	
TYLENOL INFANTS SUSP (Use Acetaminophen)	\$0 (Tier 3)	
TYLENOL SORE THROAT DAYTIME LIQD (Use Acetaminophen)	NF	
TYLENOL TABS (Use Acetaminophen)	NF	
Salicylates		
<i>aspirin chew or 81 mg</i>	\$0 (Tier 3)	
<i>aspirin supp re 300 mg, 600 mg</i>	\$0 (Tier 3)	
ASPIRIN SUPP RE 300 MG, 600 MG	\$0 (Tier 3)	
<i>aspirin tabs or 325 mg</i>	\$0 (Tier 3)	
<i>aspirin tbec or 81 mg, 324 mg, 325 mg</i>	\$0 (Tier 3)	
ECOTRIN REGULAR STRENGTH TBEC (Use Aspirin)	NF	
ANORECTAL AGENTS - Rectal Drugs to Treat Pain, Swelling and Itching		
Rectal Combinations		
<i>phenylephrine in hard fat supp</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>phenylephrine-cocoa butter supp 88.44%-0.25%</i>	\$0 (Tier 3)	
<i>phenylephrine-mineral oil-petrolatum oint 14%-74.9%-0.25%</i>	\$0 (Tier 3)	
<i>phenylephrine-shark liver oil-mineral oil-petrolatum oint</i>	\$0 (Tier 3)	
PREPARATION H OINT 14%-74.9%-0.25% (Use Phenylephrine-Mineral Oil-Petrolatum)	\$0 (Tier 3)	
ANTACIDS		
Antacid Combinations		
<i>alum & mag hydrox-simethicone chew</i>	\$0 (Tier 3)	
<i>alum & mag hydrox-simethicone liqd</i>	\$0 (Tier 3)	
<i>alum & mag hydrox-simethicone susp</i>	\$0 (Tier 3)	
<i>aluminum hydroxide-mag carb chew</i>	\$0 (Tier 3)	
<i>aluminum hydroxide-mag carb susp</i>	\$0 (Tier 3)	
<i>aluminum hydroxide-mag trisil chew</i>	\$0 (Tier 3)	
<i>calcium carbonate-mag hydrox chew 110mg-550mg</i>	\$0 (Tier 3)	
<i>calcium carbonate-simethicone chew 60mg-1000mg</i>	\$0 (Tier 3)	
GAVISCON CHEW 14.2MG-80MG	\$0 (Tier 3)	
GAVISCON EXTRA STRENGTH CHEW (Use Aluminum Hydroxide-Mag Carb)	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
GAVISCON EXTRA STRENGTH RELIEF FORMULA SUSP (Use Aluminum Hydroxide-Mag Carb)	\$0 (Tier 3)	
GAVISCON EXTRA STRENGTH SUSP (Use Aluminum Hydroxide-Mag Carb)	\$0 (Tier 3)	
GAVISCON SUSP 95MG/15ML-358MG/15ML, 95MG/15ML-95MG/15ML-358MG/15ML-358MG/15ML (Use Aluminum Hydroxide-Mag Carb)	\$0 (Tier 3)	
GELUSIL CHEW (Use Alum & Mag Hydrox-Simethicone)	NF	
HYVEE ADVANCED ANTACID MAXIMUM STRENGTH SUSP (Use Alum & Mag Hydrox-Simethicone)	NF	
MAALOX ADVANCED MAXIMUM STRENGTH CHEW (Use Calcium Carbonate-Simethicone)	NF	
MAALOX MAX CHEW (Use Calcium Carbonate-Simethicone)	NF	
MAG-AL LIQD	\$0 (Tier 3)	
MI-ACID CHEW	\$0 (Tier 3)	
Antacids - Aluminum Salts		
ALUMINUM HYDROXIDE SUSP OR	\$0 (Tier 3)	
Antacids - Bicarbonate		
<i>sodium bicarbonate (antacid) tabs</i>	\$0 (Tier 3)	
Antacids - Calcium Salts		

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
ANTACID CHEW	\$0 (Tier 3)	
ANTACID SOFT CHEWS CHEW	\$0 (Tier 3)	
<i>calcium carbonate (antacid) chew 500 mg, 750 mg, 1000 mg</i>	\$0 (Tier 3)	
<i>calcium carbonate (antacid) susp 1250 mg/5ml</i>	\$0 (Tier 3)	
<i>calcium carbonate (antacid) tabs 648 mg</i>	\$0 (Tier 3)	
CALCIUM CARBONATE TABS 648 MG	\$0 (Tier 3)	
TUMS CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS CHEWY BITES CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS CHEWY DELIGHTS CHEW	\$0 (Tier 3)	
TUMS E-X 750 CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS EXTRA STRENGTH 750 CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS KIDS CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS LASTING EFFECTS CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS SMOOTHIES CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
TUMS ULTRA 1000 CHEW (<i>Use Calcium Carbonate (Antacid)</i>)	\$0 (Tier 3)	
Antacids - Magnesium Salts		

Drug Name	Drug Tier	Requirements/ Limits
<i>magnesium oxide tabs 400 mg, 420 mg</i>	\$0 (Tier 3)	
MAOX TABS	\$0 (Tier 3)	
ANTHELMINTICS - Drugs to Treat Worm Infections		
Anthelmintics		
<i>pyrantel pamoate susp</i>	\$0 (Tier 3)	
REESES PINWORM MEDICINE TABS	\$0 (Tier 3)	
ANTIDIABETICS - Drugs to Regulate Blood Sugar		
Diabetic Other		
BD GLUCOSE CHEW	\$0 (Tier 3)	
CVS GLUCOSE CHEW	\$0 (Tier 3)	
DEX4 CHEW	\$0 (Tier 3)	
DEX4 FAST ACTING GLUCOSE CHEW 4GM-6MG	\$0 (Tier 3)	
DEX4 NATURALS CHEW	\$0 (Tier 3)	
DEX4 POUCH PACK CHEW	\$0 (Tier 3)	
DEX4 QUICK DISSOLVE GLUCOSE CHEW	\$0 (Tier 3)	
<i>dextrose (diabetic use) gel 40 %, 15 gm/38gm</i>	\$0 (Tier 3)	
GLUCOSE CHEW 4 GM	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
GLUCOSE CHEW 4GM-6MG, 4GM-4GM-6MG	\$0 (Tier 3)	
GLUCOSE INSTANT ENERGY CHEW	\$0 (Tier 3)	
GNP GLUCOSE CHEW	\$0 (Tier 3)	
GNP QUICK DISSOLVE GLUCOSE CHEW	\$0 (Tier 3)	
GOODSENSE GLUCOSE CHEW	\$0 (Tier 3)	
HM GLUCOSE CHEW	\$0 (Tier 3)	
HY-VEE GLUCOSE CHEW	\$0 (Tier 3)	
INSTA-GLUCOSE GEL	\$0 (Tier 3)	
KROGER GLUCOSE CHEW	\$0 (Tier 3)	
LEADER GLUCOSE CHEW	\$0 (Tier 3)	
LEADER QUICK DISSOLVE GLUCOSE CHEW	\$0 (Tier 3)	
LONGS GLUCOSE CHEW	\$0 (Tier 3)	
MEIJER GLUCOSE CHEW	\$0 (Tier 3)	
PREFERRED PLUS GLUCOSE CHEW	\$0 (Tier 3)	
PX GLUCOSE CHEW	\$0 (Tier 3)	
RA GLUCOSE CHEW	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
RELION GLUCOSE CHEW	\$0 (Tier 3)	
SM GLUCOSE CHEW	\$0 (Tier 3)	
SMART SENSE GLUCOSE CHEW	\$0 (Tier 3)	
SMART SENSE GLUCOSE TABLETS CHEW	\$0 (Tier 3)	
TGT GLUCOSE CHEW	\$0 (Tier 3)	
UP & UP GLUCOSE CHEW	\$0 (Tier 3)	
VALUE PLUS GLUCOSE CHEW	\$0 (Tier 3)	
WALGREENS GLUCOSE CHEW	\$0 (Tier 3)	
ANTIDIARRHEAL/PROBIOTIC AGENTS - Drugs to Treat Diarrhea		
Antidiarrheal/Probiotic Agents - Misc.		
ACIDOPHILUS WAFR	\$0 (Tier 3)	
ACIDOPHILUS/BIFIDUS WAFR	\$0 (Tier 3)	
<i>bismuth subsalicylate chew</i>	\$0 (Tier 3)	
<i>bismuth subsalicylate susp</i>	\$0 (Tier 3)	
<i>bismuth subsalicylate tabs</i>	\$0 (Tier 3)	
FLORAJEN ACIDOPHILUS CAPS	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
LACTINEX PACK (<i>Use Lactobacillus</i>)	\$0 (Tier 3)	
<i>lactobacillus caps</i>	\$0 (Tier 3)	
<i>lactobacillus chew</i>	\$0 (Tier 3)	
<i>lactobacillus pack</i>	\$0 (Tier 3)	
<i>lactobacillus tabs</i>	\$0 (Tier 3)	
MORE-DOPHILUS ACIDOPHILUS POWD	\$0 (Tier 3)	
PEPTO BISMOL TABS (<i>Use Bismuth Subsalicylate</i>)	NF	
PEPTO-BISMOL CHEW 262 MG (<i>Use Bismuth Subsalicylate</i>)	NF	
PEPTO-BISMOL INSTACOOOL CHEW (<i>Use Bismuth Subsalicylate</i>)	NF	
PEPTO-BISMOL MAX STRENGTH SUSP (<i>Use Bismuth Subsalicylate</i>)	NF	
PEPTO-BISMOL SUSP 262 MG/15ML, 524 MG/30ML (<i>Use Bismuth Subsalicylate</i>)	\$0 (Tier 3)	
PEPTO-BISMOL TO-GO CHEW (<i>Use Bismuth Subsalicylate</i>)	NF	
PROBIOTIC CAPS	\$0 (Tier 3)	
PROBIOTIC GOLD EXTRA STRENGTH CAPS	\$0 (Tier 3)	
REPHRESH PRO-B CAPS	\$0 (Tier 3)	
Antidiarrheal/Probiotic Combinations		

Drug Name	Drug Tier	Requirements/Limits
ACIDOPHILUS/CITRUS PECTIN TABS	\$0 (Tier 3)	
KALA TABS	\$0 (Tier 3)	
<i>lactobacillus acidophilus-pectin caps</i>	\$0 (Tier 3)	
Antiperistaltic Agents		
IMODIUM A-D CAPS 2 MG (<i>Use Loperamide HCl</i>)	\$0 (Tier 3)	RX/OTC
IMODIUM A-D LIQD 1 MG/7.5ML (<i>Use Loperamide HCl</i>)	NF	
IMODIUM A-D TABS 2 MG (<i>Use Loperamide HCl</i>)	NF	
<i>loperamide hcl caps 2 mg</i>	\$0 (Tier 3)	RX/OTC; NT
<i>loperamide hcl caps 2 mg</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>loperamide hcl caps 2 mg</i>	\$0 (Tier 3)	RX/OTC
<i>loperamide hcl liqd 1 mg/5ml, 1 mg/7.5ml</i>	\$0 (Tier 3)	
<i>loperamide hcl susp 1 mg/7.5ml</i>	\$0 (Tier 3)	
<i>loperamide hcl tabs 2 mg</i>	\$0 (Tier 3)	
ANTIEMETICS - Drugs to Treat Nausea and Vomiting		
Antiemetics - Anticholinergic		
<i>dimenhydrinate tabs</i>	\$0 (Tier 3)	
DRAMAMINE TABS (<i>Use Dimenhydrinate</i>)	NF	
<i>meclizine hcl chew 25 mg</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>meclizine hcl tabs 12.5 mg</i>	\$0 (Tier 3)	RX/OTC; NT
<i>meclizine hcl tabs 25 mg, 12.5 mg</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>meclizine hcl tabs 25 mg, 12.5 mg</i>	\$0 (Tier 3)	RX/OTC
Antiemetics - Miscellaneous		
EMETROL SOLN (Use Fructose-Dextrose-Phosphoric Acid)	NF	
<i>fructose-dextrose-phosphoric acid liqd</i>	\$0 (Tier 3)	
<i>fructose-dextrose-phosphoric acid soln</i>	\$0 (Tier 3)	
ANTIHISTAMINES - Drugs to Treat Allergies		
Antihistamines - Alkylamines		
ALA-HIST IR TABS	\$0 (Tier 3)	
CHLOR-TRIMETON ALLERGY TBCR (Use Chlorpheniramine Maleate)	NF	
CHLOR-TRIMETON SYRP 2 MG/5ML (Use Chlorpheniramine Maleate)	NF	
CHLOR-TRIMETON TABS 4 MG (Use Chlorpheniramine Maleate)	\$0 (Tier 3)	
<i>chlorpheniramine maleate syrp</i>	\$0 (Tier 3)	
<i>chlorpheniramine maleate tabs</i>	\$0 (Tier 3)	
<i>chlorpheniramine maleate tbcr</i>	\$0 (Tier 3)	
ED CHLORPED LIQD	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
HISTEX PD LIQD	\$0 (Tier 3)	
HISTEX SYRP 2.5 MG/5ML	\$0 (Tier 3)	
<i>triprolidine hcl liqd</i>	\$0 (Tier 3)	
VANACLEAR PD LIQD (Use Triprolidine HCl)	\$0 (Tier 3)	
VANAHIST PD LIQD (Use Triprolidine HCl)	\$0 (Tier 3)	
Antihistamines - Ethanolamines		
BENADRYL ALLERGY CHILDRENS LIQD 12.5 MG/5ML (Use Diphenhydramine HCl)	NF	
BENADRYL ALLERGY TABS (Use Diphenhydramine HCl)	NF	
<i>clemastine fumarate tabs</i>	\$0 (Tier 3)	
<i>diphenhydramine hcl caps 50 mg</i>	\$0 (Tier 3)	RX/OTC
<i>diphenhydramine hcl liqd 25 mg/10ml, 50 mg/20ml, 6.25 mg/ml, 12.5 mg/5ml</i>	\$0 (Tier 3)	
<i>diphenhydramine hcl tabs 25 mg</i>	\$0 (Tier 3)	
SILPHEN COUGH SYRP	\$0 (Tier 3)	
TAVIST ALLERGY TABS (Use Clemastine Fumarate)	NF	
VANAMINE PD LIQD (Use Diphenhydramine HCl)	\$0 (Tier 3)	
Antihistamines - Non-Sedating		

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
ALLEGRA ALLERGY CHILDRENS SUSP 30 MG/5ML (Use Fexofenadine HCl)	NF	
ALLEGRA ALLERGY TABS (Use Fexofenadine HCl)	NF	
<i>cetirizine hcl chew 5 mg, 10 mg</i>	\$0 (Tier 3)	
<i>cetirizine hcl soln 1 mg/ml, 5 mg/5ml</i>	\$0 (Tier 3)	RX/OTC
<i>cetirizine hcl soln 1 mg/ml, 5 mg/5ml</i>	\$0 (Tier 3)	Over-the-counter;RX/OT C
<i>cetirizine hcl syrup 1 mg/ml, 5 mg/5ml</i>	\$0 (Tier 3)	RX/OTC
<i>cetirizine hcl tabs 5 mg, 10 mg</i>	\$0 (Tier 3)	
CLARITIN ALLERGY CHILDRENS SYRP (Use Loratadine)	NF	
CLARITIN CAPS 10 MG (Use Loratadine)	NF	
CLARITIN CHEW 5 MG	\$0 (Tier 3)	
CLARITIN CHEW 5 MG (Use Loratadine)	NF	
CLARITIN CHILDRENS CHEW (Use Loratadine)	NF	
CLARITIN REDITABS TBDP 10 MG (Use Loratadine)	NF	
CLARITIN REDITABS TBDP 5 MG	\$0 (Tier 3)	
CLARITIN SYRP 5 MG/5ML (Use Loratadine)	NF	
CLARITIN TABS 10 MG (Use Loratadine)	NF	
<i>fexofenadine hcl susp</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
<i>fexofenadine hcl tabs</i>	\$0 (Tier 3)	
<i>loratadine caps</i>	\$0 (Tier 3)	
<i>loratadine chew</i>	\$0 (Tier 3)	
<i>loratadine soln</i>	\$0 (Tier 3)	
<i>loratadine syrup</i>	\$0 (Tier 3)	
<i>loratadine tabs</i>	\$0 (Tier 3)	
<i>loratadine tbdp</i>	\$0 (Tier 3)	
ZYRTEC ALLERGY TABS (Use Cetirizine HCl)	NF	
ZYRTEC CHILDRENS ALLERGY SOLN 1 MG/ML, 5 MG/5ML (Use Cetirizine HCl)	\$0 (Tier 3)	RX/OTC
ZYRTEC CHILDRENS ALLERGY SOLN 5 MG/5ML (Use Cetirizine HCl)	\$0 (Tier 3)	RX/OTC; NT
ANTISEPTICS & DISINFECTANTS		
Iodine Antiseptics		
BETADINE SKIN CLEANSER SOLN (Use Povidone-Iodine)	\$0 (Tier 3)	
BETADINE SOLN 10 % (Use Povidone-Iodine)	\$0 (Tier 3)	
BETADINE SOLN 5 %	\$0 (Tier 3)	
BETADINE SURGICAL SCRUB SOLN (Use Povidone-Iodine)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
BETADINE SWAB AID SWAB (<i>Use Povidone-iodine</i>)	\$0 (Tier 3)	
BETADINE SWABSTICKS SWAB (<i>Use Povidone-iodine</i>)	\$0 (Tier 3)	
NUPREP 5% POVIDONE- IODINE SOLN	\$0 (Tier 3)	
<i>povidone-iodine oint</i>	\$0 (Tier 3)	
<i>povidone-iodine soln</i>	\$0 (Tier 3)	
<i>povidone-iodine swab</i>	\$0 (Tier 3)	
CARDIOVASCULAR AGENTS - MISC. - Drugs to Treat Heart and Circulation Conditions		
Peripheral Vasodilators		
<i>inositol niacinate caps</i>	\$0 (Tier 3)	
CHEMICALS		
Bulk Chemicals - B's		
BIOTIN POWD XX	\$0 (Tier 3)	RX/OTC
BIOTIN-D POWD	\$0 (Tier 3)	RX/OTC
Bulk Chemicals - C's		
CITRULLINE(L) POWD	\$0 (Tier 3)	RX/OTC
L-CITRULLINE POWD XX	\$0 (Tier 3)	RX/OTC
Bulk Chemicals - S's		
SALICYLIC ACID POWD XX	\$0 (Tier 3)	RX/OTC
Liquids		

Drug Name	Drug Tier	Requirements/Limits
CASTOR OIL OIL XX	\$0 (Tier 3)	RX/OTC
CVS CASTOR OIL OIL	\$0 (Tier 3)	RX/OTC
GLYCERIN LIQD	\$0 (Tier 3)	RX/OTC
GLYCERINE LIQD	\$0 (Tier 3)	RX/OTC
GLYCEROL FORMAL LIQD	\$0 (Tier 3)	RX/OTC
HM CASTOR OIL OIL	\$0 (Tier 3)	RX/OTC
QC CASTOR OIL OIL	\$0 (Tier 3)	RX/OTC
SESAME OIL OIL	\$0 (Tier 3)	RX/OTC
CONTRACEPTIVES - Drugs to Prevent Pregnancy		
Emergency Contraceptives		
<i>levonorgestrel (emergency oc) tabs</i>	\$0 (Tier 3)	
PLAN B ONE-STEP TABS (<i>Use Levonorgestrel (Emergency OC)</i>)	\$0 (Tier 3)	
COUGH/COLD/ALLERGY - Drugs to Treat Cough, Cold and Allergy Symptoms		
Antitussives		
<i>benzonatate caps</i>	\$0 (Tier 3)	
DELSYM COUGH CHILDRENS SUER (<i>Use Dextromethorphan Polistirex</i>)	\$0 (Tier 3)	
DELSYM SUER (<i>Use Dextromethorphan Polistirex</i>)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>dextromethorphan hbr caps</i>	\$0 (Tier 3)	
<i>dextromethorphan hbr liqd</i>	\$0 (Tier 3)	
DEXTROMETHORPHAN HBR MONOHYDRATE CRYSTALS	\$0 (Tier 3)	
<i>dextromethorphan hbr syrup</i>	\$0 (Tier 3)	
<i>dextromethorphan polistirex suer</i>	\$0 (Tier 3)	
<i>hydrocodone w/ homatropine syrup</i>	\$0 (Tier 3)	
<i>hydrocodone w/ homatropine tabs</i>	\$0 (Tier 3)	
ROBITUSSIN CHILDRENS COUGH LONG-ACTING SYRUP	\$0 (Tier 3)	
ROBITUSSIN LINGERING COLDLONG-ACTING COUGHGELS CAPS (Use Dextromethorphan HBr)	NF	
TESSALON PERLES CAPS (Use Benzonatate)	\$0 (Tier 3)	
Cough/Cold/Allergy Combinations		
<i>acetaminophen w/ dm liqd</i>	\$0 (Tier 3)	
<i>acetaminophen w/ dm susp</i>	\$0 (Tier 3)	
ACTICON SOLN	\$0 (Tier 3)	
ACTICON TABS	\$0 (Tier 3)	
ACTINEL LIQD	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
ACTINEL PEDIATRIC LIQD	\$0 (Tier 3)	
ADVIL COLD & SINUS TABS (Use Pseudoephedrine-Ibuprofen)	NF	
ALA-HIST PE TABS	\$0 (Tier 3)	
ALAHIST DM LIQD	\$0 (Tier 3)	
ALEVE-D SINUS & COLD TB12 (Use Pseudoephedrine-Naproxen Sodium)	NF	
ALEVE-D SINUS & HEADACHE TB12 (Use Pseudoephedrine-Naproxen Sodium)	NF	
ALKA-SELTZER PLUS COLD TBEF (Use Chlorpheniramine-Phenylephrine-ASA)	NF	
ALLEGRA-D 12 HOUR ALLERGY & CONGESTION TB12 (Use Fexofenadine-Pseudoephedrine)	NF	
AMBI 60PSE/400GFN TABS	\$0 (Tier 3)	
AP-HIST DM LIQD	\$0 (Tier 3)	
AQUANAZ TABS	\$0 (Tier 3)	
ATUSS DA LIQD	\$0 (Tier 3)	
BIONEL LIQD	\$0 (Tier 3)	
BIONEL PEDIATRIC LIQD	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
BROHIST D TABS	\$0 (Tier 3)	
<i>brompheniramine & phenyleph elix 1mg/5ml-2.5mg/5ml, 1mg/5ml-1mg/5ml-2.5mg/5ml-2.5mg/5ml</i>	\$0 (Tier 3)	
<i>brompheniramine & pseudoeph elix</i>	\$0 (Tier 3)	
<i>brompheniramine & pseudoeph liqd</i>	\$0 (Tier 3)	
BROTAPP DM LIQD	\$0 (Tier 3)	
CAPCOF SYRP	\$0 (Tier 3)	
CAPMIST DM TABS	\$0 (Tier 3)	
CAPRON DM LIQD	\$0 (Tier 3)	
<i>cetirizine-pseudoephedrine tb12</i>	\$0 (Tier 3)	
CHERACOL PLUS LIQD (Use Dextromethorphan-Guaifenesin)	NF	
CHERACOL-D COUGH LIQD (Use Dextromethorphan-Guaifenesin)	NF	
CHLO HIST SOLN	\$0 (Tier 3)	
CHLO TUSS LIQD	\$0 (Tier 3)	
<i>chlorpheniramine & phenylephrine liqd</i>	\$0 (Tier 3)	
<i>chlorpheniramine & phenylephrine tabs</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>chlorpheniramine & pseudoeph tabs</i>	\$0 (Tier 3)	
<i>chlorpheniramine-dm tabs</i>	\$0 (Tier 3)	
<i>chlorpheniramine-phenylephrine-acetaminophen misc</i>	\$0 (Tier 3)	
<i>chlorpheniramine-phenylephrine-acetaminophen tabs</i>	\$0 (Tier 3)	
<i>chlorpheniramine-phenylephrine-asa tbef</i>	\$0 (Tier 3)	
CLARITIN-D 12 HOUR TB12 (Use Loratadine & Pseudoephedrine)	NF	
CLARITIN-D 24 HOUR TB24 (Use Loratadine & Pseudoephedrine)	NF	
CLEAR COUGH PM MULTI-SYMPTOM LIQD (Use Dextromethorphan-Doxylamine-Acetaminophen)	NF	
COMTrex COLD & COUGH DAY/NIGHT MAXIMUM STRENGTH MISC (Use Phenylephrine-Chlorpheniramine-DM w/ APAP)	NF	
COMTrex COLD & COUGH MAXIMUM STRENGTH TABS (Use Dextromethorphan-Phenylephrine-Acetaminophen)	NF	
COMTrex COLD & COUGH NIGHTTIME MAXIMUM STRENGTH TABS (Use Phenylephrine-Chlorpheniramine-DM w/ APAP)	NF	
CONEX COLD/ALLERGY SOLN	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CONEX COLD/ALLERGY TABS	\$0 (Tier 3)	
CONGESTAC TABS (Use Pseudoephedrine-Guaifenesin)	\$0 (Tier 3)	
CORICIDIN HBP COUGH & COLD TABS (Use Chlorpheniramine-DM)	NF	
CORICIDIN HBP FLU TABS (Use Dextromethorphan-Acetaminophen-Chlorpheniramine)	NF	
DALLERGY LIQD	\$0 (Tier 3)	
DALLERGY SYRP	\$0 (Tier 3)	
DALLERGY TABS	\$0 (Tier 3)	
DAY TIME MULTI-SYMPTOM COLD/FLU RELIEF CAPS (Use Dextromethorphan-Phenylephrine-Acetaminophen)	NF	
DECONEX DMX TABS	\$0 (Tier 3)	
DECONEX IR TABS	\$0 (Tier 3)	
<i>dextromethorphan-acetaminophen-chlorpheniramine tabs</i>	\$0 (Tier 3)	
<i>dextromethorphan-doxylamine-acetaminophen caps</i>	\$0 (Tier 3)	
<i>dextromethorphan-doxylamine-acetaminophen liqd</i>	\$0 (Tier 3)	
<i>dextromethorphan-guaifenesin liqd</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>dextromethorphan-guaifenesin soln</i>	\$0 (Tier 3)	
<i>dextromethorphan-guaifenesin syrp</i>	\$0 (Tier 3)	
<i>dextromethorphan-guaifenesin tabs</i>	\$0 (Tier 3)	
<i>dextromethorphan-guaifenesin tb12</i>	\$0 (Tier 3)	
<i>dextromethorphan-phenylephrine-acetaminophen caps</i>	\$0 (Tier 3)	
<i>dextromethorphan-phenylephrine-acetaminophen liqd</i>	\$0 (Tier 3)	
<i>dextromethorphan-phenylephrine-acetaminophen pack</i>	\$0 (Tier 3)	
<i>dextromethorphan-phenylephrine-acetaminophen tabs</i>	\$0 (Tier 3)	
DIMETAPP COLD & ALLERGY ELIX 1MG/5ML-2.5MG/5ML (Use Brompheniramine & Phenyleph)	NF	
DIMETAPP DM COLD & COUGH LIQD (Use Phenylephrine-Brompheniramine-DM)	NF	
DIMETAPP LONG ACTING COUGH PLUS COLD SYRP	\$0 (Tier 3)	
DIMETAPP MULTI-SYMPTOM COLD & FLU LIQD (Use Phenylephrine-Chlorpheniramine-DM w/ APAP)	\$0 (Tier 3)	
<i>diphenhydramine-acetaminophen tabs</i>	\$0 (Tier 3)	
<i>diphenhydramine-phenylephrine liqd 6.25mg/5ml-2.5mg/5ml</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>diphenhydramine-phenylephrine-acetaminophen liqd</i>	\$0 (Tier 3)	
<i>diphenhydramine-phenylephrine-acetaminophen pack</i>	\$0 (Tier 3)	
<i>diphenhydramine-phenylephrine-acetaminophen tabs</i>	\$0 (Tier 3)	
DONATUSSIN SYRP	\$0 (Tier 3)	
DOUBLE-TUSSIN DM LIQD (Use <i>Dextromethorphan-Guaifenesin</i>)	NF	
<i>doxylamine-dm liqd 12.5mg/30ml-30mg/30ml, 6.25mg/15ml-15mg/15ml, 6.25mg/15ml-6.25mg/15ml-15mg/15ml-15mg/15ml-10%</i>	\$0 (Tier 3)	
<i>doxylamine-phenylephrine-acetaminophen caps 6.25mg-325mg-5mg, 6.25mg-6.25mg-325mg-325mg-5mg-5mg</i>	\$0 (Tier 3)	
DURAFLU TABS	\$0 (Tier 3)	
DURAVENT DM TABS	\$0 (Tier 3)	
ED A-HIST DM TABS	\$0 (Tier 3)	
ED A-HIST LIQD (Use <i>Chlorpheniramine & Phenylephrine</i>)	\$0 (Tier 3)	
ED BRON GP LIQD	\$0 (Tier 3)	
ED CHLORPED D LIQD	\$0 (Tier 3)	
<i>fexofenadine-pseudoephedrine tb12 60mg-120mg</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
FLOWTUSS SOLN	\$0 (Tier 3)	
FLU & SORE THROAT PACK	\$0 (Tier 3)	
GLENMAX PEB LIQD	\$0 (Tier 3)	
GNP COLD RELIEF PLUS TBEF	\$0 (Tier 3)	
GNP DAY TIME MUCUS RELIEFDM LIQD (Use <i>Dextromethorphan-Guaifenesin</i>)	NF	
GNP FLU & SORE THROAT PACK	\$0 (Tier 3)	
<i>guaifenesin-codeine liqd</i>	\$0 (Tier 3)	
<i>guaifenesin-codeine soln</i>	\$0 (Tier 3)	
<i>guaifenesin-codeine syrp</i>	\$0 (Tier 3)	
HISTEX-AC SYRP	\$0 (Tier 3)	
HISTEX-DM SYRP	\$0 (Tier 3)	
HISTEX-PE SYRP	\$0 (Tier 3)	
HYCOFENIX SOLN	\$0 (Tier 3)	
HYDROCODONE BITARTRATE/CHLORPHE NIRAMINE MALEATE/PSE SOLN	\$0 (Tier 3)	
HYDROCODONE BITARTRATE/GUAIFENES IN SOLN	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>hydrocodone polistirex-chlorpheniramine polistirex suer</i>	\$0 (Tier 3)	
LODRANE D CAPS	\$0 (Tier 3)	
LOHIST-D LIQD	\$0 (Tier 3)	
LOHIST-DM SYRP	\$0 (Tier 3)	
<i>loratadine & pseudoephedrine tb12</i>	\$0 (Tier 3)	
<i>loratadine & pseudoephedrine tb24</i>	\$0 (Tier 3)	
LORTUSS DM LIQD (<i>Use Pseudoephedrine-Doxylamine-Dextromethorphan</i>)	\$0 (Tier 3)	
LORTUSS EX LIQD	\$0 (Tier 3)	
LORTUSS LQ LIQD	\$0 (Tier 3)	
M-CLEAR WC SOLN	\$0 (Tier 3)	
M-END DMX LIQD	\$0 (Tier 3)	
M-END PE LIQD	\$0 (Tier 3)	
MAR-COF BP LIQD	\$0 (Tier 3)	
MAR-COF CG EXPECTORANT LIQD (<i>Use Guaifenesin-Codeine</i>)	\$0 (Tier 3)	
MUCINEX CHILDRENS COLD COUGH & SORE THROAT LIQD (<i>Use Phenylephrine-DM-GG w/ APAP</i>)	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
MUCINEX CHILDRENS MULTI-SYMPTOM COLD & FEVER LIQD (<i>Use Phenylephrine-DM-GG w/ APAP</i>)	\$0 (Tier 3)	
MUCINEX CHILDRENS MULTI-SYMPTOM COLD LIQD (<i>Use Phenylephrine w/ DM-GG</i>)	\$0 (Tier 3)	
MUCINEX CONGESTION & COUGH CHILDRENS LIQD (<i>Use Phenylephrine w/ DM-GG</i>)	\$0 (Tier 3)	
MUCINEX COUGH FOR KIDS PACK	\$0 (Tier 3)	
MUCINEX D MAXIMUM STRENGTH TB12 (<i>Use Pseudoephedrine-Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX D TB12 (<i>Use Pseudoephedrine-Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX DM MAXIMUM STRENGTH TB12 (<i>Use Dextromethorphan-Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX DM TB12 (<i>Use Dextromethorphan-Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX COLD & SINUS LIQD (<i>Use Phenylephrine-Acetaminophen-Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX COLD FLU& SORE THROAT CLEAR & COOL LIQD (<i>Use Phenylephrine-DM-GG w/ APAP</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX COLD FLU& SORE THROAT LIQD (<i>Use Phenylephrine-DM-GG w/ APAP</i>)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
MUCINEX FAST-MAX COLD/FLU/SORE THROAT CAPS (Use <i>Phenylephrine-DM-GG w/ APAP</i>)	NF	
MUCINEX FAST-MAX DAY TIME/NIGHT TIME MISC	\$0 (Tier 3)	
MUCINEX FAST-MAX DAY TIME/NIGHT TIME MISC (Use <i>Phenylephrine-Diphenhydramine-DM-Guaifenesin-APAP</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX DAY/NIGHT CPPK (Use <i>Phenylephrine-Doxylamine-DM-Guaifenesin-APAP</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX DAY/NIGHT MAXIMUM STRENGTH MISC	\$0 (Tier 3)	
MUCINEX FAST-MAX DAY/NITE M/S MISC	\$0 (Tier 3)	
MUCINEX FAST-MAX SEVERE COLD LIQD (Use <i>Phenylephrine-DM-GG w/ APAP</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX SEVERE CONGESTION & COUGH CLEAR & COOL LIQD (Use <i>Phenylephrine w/ DM-GG</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX SEVERE CONGESTION & COUGH LIQD 20MG/20ML-400MG/20ML-10MG/20ML (Use <i>Phenylephrine w/ DM-GG</i>)	\$0 (Tier 3)	
MUCINEX FAST-MAX SEVERE CONGESTION & COUGH TABS 10MG-200MG-5MG	\$0 (Tier 3)	
MUCINEX MULTI-SYMPTOM COLD DAY/NIGHT PACK MISC	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
MUCINEX SINUS-MAX DAY/NIGHT CPPK (Use <i>Phenylephrine-Doxylamine-DM-Guaifenesin-APAP</i>)	\$0 (Tier 3)	
MUCINEX SINUS-MAX SEVERE CONGESTION RELIEF CAPS (Use <i>Phenylephrine-DM-GG w/ APAP</i>)	NF	
MUCINEX STUFFY NOSE & COLD CHILDRENS LIQD (Use <i>Phenylephrine-Guaifenesin</i>)	\$0 (Tier 3)	
MULTI-SYMPTOM COLD DAYTIME/NIGHTTIME CHILDRENS MISC	\$0 (Tier 3)	
NASOPEN PE LIQD	\$0 (Tier 3)	
NINJACOF LIQD	\$0 (Tier 3)	
NINJACOF-A LIQD	\$0 (Tier 3)	
NINJACOF-XG LIQD	\$0 (Tier 3)	
NIVANEX DMX TABS	\$0 (Tier 3)	
NOREL AD TABS	\$0 (Tier 3)	
OBREDON SOLN	\$0 (Tier 3)	
PERCOGESIC TABS (Use <i>Diphenhydramine-Acetaminophen</i>)	NF	
PHENYLEPHRINE HCL/PYRILAMINE MALEATE TABS	\$0 (Tier 3)	
<i>phenylephrine w/ acetaminophen caps 325mg-5mg, 325mg-325mg-5mg-5mg</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>phenylephrine w/ acetaminophen tabs 325mg-5mg, 325mg-325mg-5mg-5mg</i>	\$0 (Tier 3)	
<i>phenylephrine w/ dm-gg liqd 10mg/5ml-100mg/5ml-5mg/5ml, 10mg/5ml-200mg/5ml-5mg/5ml, 5mg/5ml-100mg/5ml-2.5mg/5ml, 18mg/15ml-200mg/15ml-10mg/15ml, 20mg/20ml-400mg/20ml-10mg/20ml, 10mg/5ml-10mg/5ml-100mg/5ml-100mg/5ml-5mg/5ml-5mg/5ml</i>	\$0 (Tier 3)	
<i>phenylephrine w/ dm-gg syrp 10mg/5ml-100mg/5ml-5mg/5ml</i>	\$0 (Tier 3)	
<i>phenylephrine w/ dm-gg tabs 15mg-380mg-10mg</i>	\$0 (Tier 3)	
<i>phenylephrine-acetaminophen-guaifenesin liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-acetaminophen-guaifenesin tabs</i>	\$0 (Tier 3)	
<i>phenylephrine-brompheniramine-dm elix</i>	\$0 (Tier 3)	
<i>phenylephrine-brompheniramine-dm liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-chlorphen-dm liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-chlorpheniramine-dm w/ apap liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-chlorpheniramine-dm w/ apap misc</i>	\$0 (Tier 3)	
<i>phenylephrine-chlorpheniramine-dm w/ apap susp</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
<i>phenylephrine-chlorpheniramine-dm w/ apap tabs</i>	\$0 (Tier 3)	
<i>phenylephrine-diphenhydramine-dm-guaifenesin-apap misc</i>	\$0 (Tier 3)	
<i>phenylephrine-diphenhydramine-gg w/ apap misc</i>	\$0 (Tier 3)	
<i>phenylephrine-dm liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-dm soln</i>	\$0 (Tier 3)	
<i>phenylephrine-dm-gg w/ apap caps</i>	\$0 (Tier 3)	
<i>phenylephrine-dm-gg w/ apap liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-dm-gg w/ apap tabs</i>	\$0 (Tier 3)	
<i>phenylephrine-doxylamine-dextromethorphan-acetaminophen caps</i>	\$0 (Tier 3)	
<i>phenylephrine-doxylamine-dextromethorphan-acetaminophen liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-doxylamine-dm-guaifenesin-apap cppk</i>	\$0 (Tier 3)	
<i>phenylephrine-guaifenesin liqd</i>	\$0 (Tier 3)	
<i>phenylephrine-guaifenesin tabs</i>	\$0 (Tier 3)	
PHENYLHISTINE DH LIQD	\$0 (Tier 3)	
POLY HIST FORTE TABS	\$0 (Tier 3)	
POLY-HIST DM LIQD	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
POLY-HIST PD LIQD	\$0 (Tier 3)	
POLY-TUSSIN AC LIQD	\$0 (Tier 3)	
POLY-VENT DM TABS	\$0 (Tier 3)	
POLY-VENT IR TABS	\$0 (Tier 3)	
PRO-RED AC SYRP	\$0 (Tier 3)	
<i>promethazine w/codeine soln</i>	\$0 (Tier 3)	
<i>promethazine w/codeine syrp</i>	\$0 (Tier 3)	
<i>promethazine-dm syrp</i>	\$0 (Tier 3)	
<i>promethazine-phenylephrine-codeine syrp</i>	\$0 (Tier 3)	
PROMETHAZINE/PHENYL EPHRINE/CODEINE SYRP	\$0 (Tier 3)	
<i>pseudoephed-bromphen-dm syrp</i>	\$0 (Tier 3)	
<i>pseudoephed-cpm w/ hydrocod soln</i>	\$0 (Tier 3)	
<i>pseudoephedrine w/ codeine-gg soln</i>	\$0 (Tier 3)	
<i>pseudoephedrine-brompheniramine-codeine liqd</i>	\$0 (Tier 3)	
<i>pseudoephedrine-chlorphen-dm liqd</i>	\$0 (Tier 3)	
<i>pseudoephedrine-dexchlorpheniramine-chlophedianol liqd</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>pseudoephedrine-doxylamine-dextromethorphan liqd</i>	\$0 (Tier 3)	
<i>pseudoephedrine-guaifenesin tb12</i>	\$0 (Tier 3)	
<i>pseudoephedrine-ibuprofen tabs</i>	\$0 (Tier 3)	
<i>pseudoephedrine-naproxen sodium tb12</i>	\$0 (Tier 3)	
QC MEDIFIN PE TABS (Use Phenylephrine-Guaifenesin)	NF	
RELHIST BP TABS	\$0 (Tier 3)	
RESCON TABS	\$0 (Tier 3)	
RESPAIRE-30 CAPS	\$0 (Tier 3)	
REZIRA SOLN	\$0 (Tier 3)	
ROBITUSSIN CHILDRENS COUGH & COLD CF LIQD	\$0 (Tier 3)	
ROBITUSSIN CHILDRENS COUGH/COLD LONG-ACTING LIQD	\$0 (Tier 3)	
ROBITUSSIN NIGHTTIME COUGH LONG-ACTING DM CHILDRENS LIQD	\$0 (Tier 3)	
ROBITUSSIN PEAK COLD COUGH+ CHEST CONGESTION DM MAX STRENGTH LIQD (Use Dextromethorphan-Guaifenesin)	NF	
ROBITUSSIN PEAK COLD DAY/NIGHT PACK MAXIMUM STRENGTH MISC	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
ROBITUSSIN PEAK COLD DM SYRP (<i>Use Dextromethorphan-Guaifenesin</i>)	NF	
ROBITUSSIN PEAK COLD MULTI-SYMPTOM COLD LIQD (<i>Use Phenylephrine w/ DM-GG</i>)	NF	
ROBITUSSIN TO GO COUGH & COLD CF LIQD (<i>Use Phenylephrine w/ DM-GG</i>)	NF	
RU-HIST D TABS	\$0 (Tier 3)	
RYDEX LIQD	\$0 (Tier 3)	
RYMED TABS	\$0 (Tier 3)	
SM COUGH & SORE THROAT DAYTIME PAIN RELIEVER LIQD	\$0 (Tier 3)	
STAFLEX TABS	\$0 (Tier 3)	
STAHIST AD LIQD	\$0 (Tier 3)	
STAHIST AD TABS	\$0 (Tier 3)	
THERAFLU FLU & SORE THROAT PACK	\$0 (Tier 3)	
THERAFLU SEVERE COLD & COUGH DAYTIME PACK (<i>Use Dextromethorphan-Phenylephrine-Acetaminophen</i>)	NF	
THERAFLU SEVERE COLD & COUGH NIGHTTIME PACK (<i>Use Diphenhydramine-Phenylephrine-Acetaminophen</i>)	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
THERAFLU SEVERE COLD NIGHTTIME TABS (<i>Use Phenylephrine-Chlorpheniramine-DM w/ APAP</i>)	NF	
TRIAMINIC COLD & ALLERGY SYRP	\$0 (Tier 3)	
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SOLN	\$0 (Tier 3)	
TRIAMINIC COLD & COUGH DAY TIME CHILDRENS SYRP	\$0 (Tier 3)	
TRIAMINIC COUGH & CONGESTION CHILDRENS SYRP	\$0 (Tier 3)	
TRIAMINIC COUGH & SORE THROAT SUSP	\$0 (Tier 3)	
TRIAMINIC NIGHT TIME COLD & COUGH SYRP	\$0 (Tier 3)	
<i>triprolidine & pseudoephedrine tabs</i>	\$0 (Tier 3)	
TUSNEL C SYRP	\$0 (Tier 3)	
TUSNEL LIQD	\$0 (Tier 3)	
TUSNEL PEDIATRIC LIQD	\$0 (Tier 3)	
TUSNEL-DM PEDIATRIC LIQD	\$0 (Tier 3)	
TUSSICAPS CP12	\$0 (Tier 3)	
TUSSIONEX PENNKINETIC EXTENDED RELEASE SUER (<i>Use Hydrocodone Polistirex-Chlorpheniramine Polistirex</i>)	NF	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
TYLENOL CHILDRENS PLUS FLU SUSP (Use Phenylephrine-Chlorpheniramine-DM w/ APAP)	NF	
TYLENOL CHILDRENS PLUS MULTI-SYMPTOM COLD SUSP (Use Phenylephrine-Chlorpheniramine-DM w/ APAP)	NF	
TYLENOL COLD & FLU SEVERE TABS (Use Phenylephrine-DM-GG w/ APAP)	NF	
TYLENOL COLD & HEAD SEVERE CONGESTION TABS (Use Phenylephrine-Acetaminophen-Guaifenesin)	NF	
TYLENOL COLD MAX LIQD (Use Dextromethorphan-Phenylephrine-Acetaminophen)	NF	
TYLENOL COLD MULTI-SYMPTOM NIGHTTIME LIQD (Use Phenylephrine-Doxylamine-Dextromethorphan-Acetaminophen)	NF	
TYLENOL COLD MULTI-SYMPTOM SEVERE DAYTIME LIQD (Use Phenylephrine-DM-GG w/ APAP)	NF	
TYLENOL COLD/COUGH/SORE THROAT CHILDRENS SUSP (Use Acetaminophen w/ DM)	NF	
TYLENOL SINUS SEVERE TABS (Use Phenylephrine-Acetaminophen-Guaifenesin)	NF	

Drug Name	Drug Tier	Requirements/ Limits
TYLENOL WARMING COUGH & SEVERE CONGESTION DAYTIME LIQD (Use Phenylephrine-DM-GG w/ APAP)	NF	
VANACOF DM LIQD (Use Phenylephrine w/ DM-GG)	\$0 (Tier 3)	
VANACOF LIQD (Use Pseudoephedrine-Dexchlorpheniramine-Chlophedianol)	\$0 (Tier 3)	
VANACOF-8 LIQD	\$0 (Tier 3)	
VICKS DAYQUIL MUCUS CONTROL DM LIQD	\$0 (Tier 3)	
VICKS NYQUIL COLD & FLU LIQD (Use Dextromethorphan-Doxylamine-Acetaminophen)	NF	
VICKS NYQUIL COLD & FLU NIGHTTIME RELIEF LIQD (Use Dextromethorphan-Doxylamine-Acetaminophen)	NF	
VICKS NYQUIL COUGH LIQD (Use Doxylamine-DM)	NF	
VICKS NYQUIL HBP COLD & FLU LIQD (Use Dextromethorphan-Doxylamine-Acetaminophen)	NF	
WAL-FLU SEVERE COLD NIGHT TIME PACK	\$0 (Tier 3)	
Z-TUSS AC LIQD	\$0 (Tier 3)	
ZUTRIPRO SOLN (Use Pseudoephed-CPM w/ Hydrocod)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
ZYRTEC-D ALLERGY/CONGESTION TB12 (Use Cetirizine- Pseudoephedrine)	NF	
Expectorants		
<i>guaifenesin liqd</i>	\$0 (Tier 3)	
<i>guaifenesin soln</i>	\$0 (Tier 3)	
<i>guaifenesin syrp</i>	\$0 (Tier 3)	
<i>guaifenesin tabs</i>	\$0 (Tier 3)	
<i>guaifenesin tb12</i>	\$0 (Tier 3)	
MUCINEX FOR KIDS PACK	\$0 (Tier 3)	
MUCINEX MAXIMUM STRENGTH TB12 (Use <i>Guaifenesin</i>)	\$0 (Tier 3)	
MUCINEX TB12 (Use <i>Guaifenesin</i>)	\$0 (Tier 3)	
Misc. Respiratory Inhalants		
<i>sodium chloride (inhalant) aers</i>	\$0 (Tier 3)	
DERMATOLOGICALS - Drugs to Treat Skin Conditions		
Acne Products		
ACNE MEDICATION 10 LOTN	\$0 (Tier 3)	
ACNE MEDICATION 5 LOTN	\$0 (Tier 3)	
ACNEFREE 24 HOUR ACNE CLEARING SYSTEM KIT	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
BENZAC AC WASH LIQD (Use <i>Benzoyl Peroxide</i>)	NF	RX/OTC
BENZEFOAM FOAM (Use <i>Benzoyl Peroxide</i>)	NF	RX/OTC
BENZEFOAM ULTRA FOAM (Use <i>Benzoyl Peroxide</i>)	NF	
<i>benzoyl peroxide bar 10 %</i>	\$0 (Tier 3)	
BENZOYL PEROXIDE CLEANSER LOTN	\$0 (Tier 3)	
<i>benzoyl peroxide foam 5.3 %</i>	\$0 (Tier 3)	RX/OTC
<i>benzoyl peroxide foam 9.8 %</i>	\$0 (Tier 3)	
<i>benzoyl peroxide gel 10 %</i>	\$0 (Tier 3)	RX/OTC
BENZOYL PEROXIDE GEL 2.5 %	\$0 (Tier 3)	
<i>benzoyl peroxide gel 5 %</i>	\$0 (Tier 3)	
<i>benzoyl peroxide liqd 4 %</i>	\$0 (Tier 3)	
<i>benzoyl peroxide liqd 5 %, 10 %</i>	\$0 (Tier 3)	RX/OTC
<i>benzoyl peroxide lotn 6 %</i>	\$0 (Tier 3)	
BPO CREAMY WASH COMPLETEPACK KIT	\$0 (Tier 3)	
CLEAN & CLEAR ADVANTAGE 3-IN-1 EXFOLIATING CLEANSER LOTN	\$0 (Tier 3)	
DESQUAM-X WASH LIQD (Use <i>Benzoyl Peroxide</i>)	NF	RX/OTC

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
PANOXYL-4 CREAMY WASH LIQD (Use Benzoyl Peroxide)	\$0 (Tier 3)	
Antibiotics - Topical		
BACIGUENT OINT (Use Bacitracin (Topical))	NF	
<i>bacitracin (topical) oint</i>	\$0 (Tier 3)	
<i>bacitracin zinc oint</i>	\$0 (Tier 3)	
<i>bacitracin-polymyxin b oint</i>	\$0 (Tier 3)	
<i>neomycin-bacitracin-polymyxin oint</i>	\$0 (Tier 3)	
<i>neomycin-bacitracin-polymyxin-pramoxine oint</i>	\$0 (Tier 3)	
<i>neomycin-polymyxin w/ pramoxine crea</i>	\$0 (Tier 3)	
NEOSPORIN ORIGINAL OINT (Use Neomycin-Bacitracin-Polymyxin)	NF	
NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH CREA (Use Neomycin-Polymyxin w/ Pramoxine)	NF	
POLYSPORIN OINT (Use Bacitracin-Polymyxin B)	NF	
Antifungals - Topical		
ALEVAZOL OINT	\$0 (Tier 3)	
ALOE VESTA ANTIFUNGAL OINT (Use Miconazole Nitrate (Topical))	\$0 (Tier 3)	
ALOE VESTA CLEAR ANTIFUNGAL OINT (Use Miconazole Nitrate (Topical))	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
AZOLEN TINCTURE SOLN	\$0 (Tier 3)	
<i>castellani paint liqd</i>	\$0 (Tier 3)	
<i>clotrimazole (topical) crea</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>clotrimazole (topical) crea</i>	\$0 (Tier 3)	RX/OTC; NT
<i>clotrimazole (topical) crea</i>	\$0 (Tier 3)	RX/OTC
<i>clotrimazole (topical) soln</i>	\$0 (Tier 3)	RX/OTC
<i>clotrimazole (topical) soln</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
FUNGOID TINCTURE KIT	\$0 (Tier 3)	
FUNGOID TINCTURE SOLN	\$0 (Tier 3)	
LAMISIL ADVANCED GEL	\$0 (Tier 3)	
LAMISIL AT CREA (Use Terbinafine HCl (Topical))	\$0 (Tier 3)	
LAMISIL AT JOCK ITCH CREA (Use Terbinafine HCl (Topical))	\$0 (Tier 3)	
LAMISIL AT SPRAY SOLN	\$0 (Tier 3)	
LOTRIMIN AF CREA 1 % (Use Clotrimazole (Topical))	\$0 (Tier 3)	RX/OTC
LOTRIMIN AF FOR HER CREA (Use Clotrimazole (Topical))	\$0 (Tier 3)	RX/OTC
LOTRIMIN AF JOCK ITCH CREA (Use Clotrimazole (Topical))	\$0 (Tier 3)	RX/OTC

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
MICATIN CREA (Use Miconazole Nitrate (Topical))	NF	
miconazole nitrate (topical) aerp	\$0 (Tier 3)	
miconazole nitrate (topical) crea	\$0 (Tier 3)	
miconazole nitrate (topical) oint	\$0 (Tier 3)	
miconazole nitrate (topical) powd	\$0 (Tier 3)	
terbinafine hcl (topical) crea	\$0 (Tier 3)	
TINACTIN AERO (Use Tolnaftate)	NF	
TINACTIN AERP (Use Tolnaftate)	NF	
TINACTIN CREA (Use Tolnaftate)	NF	
TINACTIN DEODORANT AERP (Use Tolnaftate)	NF	
TINACTIN JOCK ITCH AERP (Use Tolnaftate)	NF	
TINACTIN JOCK ITCH CREA (Use Tolnaftate)	NF	
TINACTIN POWD (Use Tolnaftate)	NF	
tolnaftate aero	\$0 (Tier 3)	
tolnaftate aerp	\$0 (Tier 3)	
tolnaftate crea	\$0 (Tier 3)	
tolnaftate liqd	\$0 (Tier 3)	
tolnaftate powd	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
tolnaftate soln	\$0 (Tier 3)	
Antihistamines-Topical		
BENADRYL EXTRA STRENGTH CREA (Use Diphenhydramine-Zinc Acetate)	NF	
diphenhydramine hcl (topical) soln	\$0 (Tier 3)	
diphenhydramine-zinc acetate crea 0.1%-0.1%-2%-2%, 0.1%-2%	\$0 (Tier 3)	
diphenhydramine-zinc acetate liqd 0.1%-2%	\$0 (Tier 3)	
Antiseborrheic Products		
DHS ZINC SHAM (Use Pyrithione Zinc)	\$0 (Tier 3)	
pyrithione zinc sham 2 %	\$0 (Tier 3)	
salicylic acid & sulfur sham	\$0 (Tier 3)	
SEBULEX SHAM (Use Salicylic Acid & Sulfur)	NF	
selenium sulfide lotn	\$0 (Tier 3)	
selenium sulfide sham	\$0 (Tier 3)	
SELSUN BLUE DAILY LOTN (Use Selenium Sulfide)	NF	
SELSUN BLUE LOTN (Use Selenium Sulfide)	NF	
SELSUN BLUE MEDICATED LOTN (Use Selenium Sulfide)	NF	
SELSUN BLUE MOISTURIZING LOTN (Use Selenium Sulfide)	NF	
Corticosteroids - Topical		

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>hydrocortisone (topical) crea 0.5 %</i>	\$0 (Tier 3)	
<i>hydrocortisone (topical) crea 1 %</i>	\$0 (Tier 3)	RX/OTC; NT
<i>hydrocortisone (topical) crea 1 %</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>hydrocortisone (topical) crea 1%, 1 %</i>	\$0 (Tier 3)	RX/OTC
<i>hydrocortisone (topical) lotn 1 %</i>	\$0 (Tier 3)	
<i>hydrocortisone (topical) oint 0.5 %</i>	\$0 (Tier 3)	
<i>hydrocortisone (topical) soln 1 %</i>	\$0 (Tier 3)	
<i>hydrocortisone-aloe vera crea</i>	\$0 (Tier 3)	
MONISTAT SOOTHING CARE ITCH RELIEF CREA (Use Hydrocortisone (Topical))	\$0 (Tier 3)	RX/OTC
Emollient/Keratolytic Agents		
ATRAC-TAIN CREA (Use Urea)	NF	
CARMOL 10 LOTN (Use Urea)	NF	
<i>urea crea 10 %</i>	\$0 (Tier 3)	
<i>urea lotn 10 %</i>	\$0 (Tier 3)	
Emollients		
ALBOLENE CREA	\$0 (Tier 3)	
AMLACTIN ULTRA CREA	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
AQUA GLYCOLIC FACE CREAM CREA	\$0 (Tier 3)	
AQUAPHILIC OINT	\$0 (Tier 3)	
AQUAPHOR ADVANCED THERAPY OINT	\$0 (Tier 3)	
AQUAPHOR OINT	\$0 (Tier 3)	
AVEENO ACTIVE NATURALS SKIN RELIEF MOISTURE REPAIR CREA	\$0 (Tier 3)	
AVEENO INTENSE RELIEF HAND CREA	\$0 (Tier 3)	
AVEENO POSITIVELY AGELESSSKIN STRENGTHENING BODY CREAM CREA	\$0 (Tier 3)	
AVEENO POSITIVELY AGELESSSKIN STRENGTHENING HAND CREAM CREA	\$0 (Tier 3)	
AVEENO POSITIVELY NOURISHING 24-HOUR ULTRA-HYDRATING CREA	\$0 (Tier 3)	
AVEENO POSITIVELY RADIANTOVERNIGHT HYDRATING FACIAL MOISTURI CREA	\$0 (Tier 3)	
BASLE CREA	\$0 (Tier 3)	
BETA CARE CREA	\$0 (Tier 3)	
BETA XMA CREA	\$0 (Tier 3)	
BOUDREAUXS BABY BUTT SMOOTH DRY SKIN OINT	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
CERAVE CREA	\$0 (Tier 3)	
CERAVE RENEWING SA CREA	\$0 (Tier 3)	
CETAPHIL CREA	\$0 (Tier 3)	
CETAPHIL MOISTURIZING CREA (Use <i>Emollient</i>)	\$0 (Tier 3)	
CETAPHIL THERAPEUTIC HAND CREA	\$0 (Tier 3)	
COCONUT OIL BEAUTY CREA	\$0 (Tier 3)	
CVS MOISTURIZING CREAM CREA	\$0 (Tier 3)	
DAILY CONDITIONING TREATMENT OINT	\$0 (Tier 3)	
DERMABASEOIL IN WATER CREA	\$0 (Tier 3)	
DERMAIDE ALOE CREA	\$0 (Tier 3)	
DERMEND MOISTURIZING BRUISE FORMULA CREA	\$0 (Tier 3)	
DHEA CREA EX 1%	\$0 (Tier 3)	
DIABETIDERM CREA	\$0 (Tier 3)	
DIABETIDERM FOOT REJUVENATING CREA	\$0 (Tier 3)	
DMAE CREA	\$0 (Tier 3)	
DML FORTE CREA	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
DROXY CREAM CREA	\$0 (Tier 3)	
ELON SKIN REPAIR SYSTEM CREA	\$0 (Tier 3)	
EMOLLIA-CREME CREA	\$0 (Tier 3)	
<i>emollient crea</i>	\$0 (Tier 3)	
<i>emollient oint</i>	\$0 (Tier 3)	
EQ THERAPEUTIC DRY SKIN CREA	\$0 (Tier 3)	
EQ THERAPEUTIC MOISTURIZING CREAM CREA	\$0 (Tier 3)	
EQL MOISTURIZING CREAM CREA	\$0 (Tier 3)	
EUCERIN CALMING DAILY MOISTURIZER CREA (Use <i>Emollient</i>)	\$0 (Tier 3)	
EUCERIN INTENSIVE REPAIRHAND CREA	\$0 (Tier 3)	
EUCERIN PLUS CREA	\$0 (Tier 3)	
EUCERIN SKIN CALMING DAILY MOISTURIZING CREA (Use <i>Emollient</i>)	\$0 (Tier 3)	
FORMULA 405 ENRICHED EYE CREA	\$0 (Tier 3)	
FORMULA 405 FACE CREAM CREA	\$0 (Tier 3)	
FORMULA 405 LIGHT TEXTURED MOISTURIZER CREA	\$0 (Tier 3)	
GENTLE CREA	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
GOLD BOND ULTIMATE HEALING CREA	\$0 (Tier 3)	
GOLD BOND ULTIMATE HEALING OINT	\$0 (Tier 3)	
GOLD BOND ULTIMATE SOOTHING CREA	\$0 (Tier 3)	
HYDRASYN25 CREA	\$0 (Tier 3)	
HYDRO-LAN CREA	\$0 (Tier 3)	
J & J BURN CREAM CREA	\$0 (Tier 3)	
KERADAN CREA	\$0 (Tier 3)	
KERI LONG LASTING CREA	\$0 (Tier 3)	
LAC-HYDRIN TWELVE LOTN (<i>Use Lactic Acid (Ammonium Lactate)</i>)	\$0 (Tier 3)	RX/OTC
<i>lactic acid (ammonium lactate) crea 12 %</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>lactic acid (ammonium lactate) lotn 12 %</i>	\$0 (Tier 3)	RX/OTC
<i>lactic acid (ammonium lactate) lotn 12 %</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
LACTINOL HX CREA	\$0 (Tier 3)	
LADY ESTHER 4 PURPOSE FACE CREAM CREA	\$0 (Tier 3)	
LANAPHILIC OINT	\$0 (Tier 3)	
LANOLOR CREA	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
LEADER FINGER CREAM CREA	\$0 (Tier 3)	
MEDELA TENDER CARE LANOLIN CREA	\$0 (Tier 3)	
MEDERMA AG FACE CREAM CREA	\$0 (Tier 3)	
MEDERMA STRETCH MARKS THERAPY CREA	\$0 (Tier 3)	
MOISTURIZING CREAM CREA	\$0 (Tier 3)	
MOTHERS FRIEND CREA	\$0 (Tier 3)	
NEUTROGENA HAND CREA	\$0 (Tier 3)	
NEUTROGENA HAND/NORWEGIANFOR MULA/FAST ABSORBING CREA	\$0 (Tier 3)	
NEUTROGENA HEALTHY SKIN CREA	\$0 (Tier 3)	
NISEKO HYDRATING FACIAL MOISTURIZER CREA	\$0 (Tier 3)	
NIVEA CREA	\$0 (Tier 3)	
NIVEA LIGHT CREA	\$0 (Tier 3)	
NIVEA SOFT CREA	\$0 (Tier 3)	
NIVEA VISAGE CREA	\$0 (Tier 3)	
NIVEA VISAGE INNER BEAUTY NIGHTTIME RENEWAL CREA	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
NUTRADERM CREA	\$0 (Tier 3)	
OINTMENT BASE OINT	\$0 (Tier 3)	
PEN-KERA CREA	\$0 (Tier 3)	
PENTRAVAN CREA	\$0 (Tier 3)	
PENTRAVAN PLUS CREA	\$0 (Tier 3)	
PETROLATUM OINT	\$0 (Tier 3)	
PRETTY FEET & HANDS CREA	\$0 (Tier 3)	
RA ADVANCED HEALING OINT	\$0 (Tier 3)	
RA GENTLE SKIN CREAM CREA	\$0 (Tier 3)	
RESTA CREA	\$0 (Tier 3)	
RISABAL-PH CREA	\$0 (Tier 3)	
ROC MULTI CORREXION 5 IN1 RESTORING EYE CREAM CREA	\$0 (Tier 3)	
ROC MULTI CORREXION 5 IN1 RESTORING NIGHT CREAM CREA	\$0 (Tier 3)	
ROC RETINOL CORREXION CREA	\$0 (Tier 3)	
ROC RETINOL CORREXION MAX CREA	\$0 (Tier 3)	
ROC RETINOL CORREXION NIGHT CREA	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
ROC RETINOL CORREXION SENSITIVE EYE CREA	\$0 (Tier 3)	
ROC RETINOL CORREXION SENSITIVE NIGHT CREA	\$0 (Tier 3)	
SOOTHE & COOL SKIN CREAMWITH ALOE & VITAMINS A, D & E CREA	\$0 (Tier 3)	
SORBOLENE CREA	\$0 (Tier 3)	
SPECIAL CARE CREAM CREA	\$0 (Tier 3)	
STUDIO 35 MOISTURIZING SKIN CREA	\$0 (Tier 3)	
THERAPEUTIC MOISTURIZING CREA	\$0 (Tier 3)	
UDDERLY SMOOTH CREA	\$0 (Tier 3)	
UDDERLY SMOOTH EXTRA CARE CREA	\$0 (Tier 3)	
UDDERLY SMOOTH EXTRA CARE20 CREA	\$0 (Tier 3)	
VANICREAM CREA	\$0 (Tier 3)	
VELVACHOL CREA	\$0 (Tier 3)	
VITAMIN E WITH PANTHENOL CREA	\$0 (Tier 3)	
ZIMS CRACK CREME DAYTIME CREA	\$0 (Tier 3)	
Keratolytic/Antimitotic Agents		
COMPOUND W LIQD (<i>Use Salicylic Acid</i>)	NF	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
COMPOUND W MAXIMUM STRENGTH GEL (Use Salicylic Acid)	NF	
<i>salicylic acid gel ex 17 %</i>	\$0 (Tier 3)	
<i>salicylic acid liqd ex 3 %, 17 %</i>	\$0 (Tier 3)	
<i>salicylic acid soln ex 17 %</i>	\$0 (Tier 3)	
Liniments		
ZIKS ARTHRITIS PAIN RELIEF CREA	\$0 (Tier 3)	
Local Anesthetics - Topical		
ARTHRITIS PAIN RELIEVING CREA	\$0 (Tier 3)	
<i>capsaicin crea 0.025 %, 0.1 %</i>	\$0 (Tier 3)	
CAPZASIN LIQD	\$0 (Tier 3)	
CAPZASIN-HP CREA (Use Capsaicin)	NF	
CVS CAPSAICIN LIQD	\$0 (Tier 3)	
GNP CAPSAICIN LIQD	\$0 (Tier 3)	
GOODSENSE CAPSAICIN ARTHRITIS PAIN RELIEF LIQD	\$0 (Tier 3)	
<i>lidocaine crea</i>	\$0 (Tier 3)	
<i>lidocaine-transparent dressing kit</i>	\$0 (Tier 3)	
LMX 4 CREA (Use Lidocaine)	NF	

Drug Name	Drug Tier	Requirements/Limits
LMX 4 PLUS KIT (Use Lidocaine-Transparent Dressing)	\$0 (Tier 3)	
Misc. Dermatological Products		
5 DAY LIQD	\$0 (Tier 3)	RX/OTC
<i>dermatological products, misc. liqd</i>	\$0 (Tier 3)	RX/OTC
DIABETIDERM MASSAGE STIMULATOR LIQD	\$0 (Tier 3)	RX/OTC
GENADUR LIQD	\$0 (Tier 3)	RX/OTC
JOBST IT STAYS/ROLL-ON LIQD	\$0 (Tier 3)	RX/OTC
KERASAL FUNGAL NAIL RENEWAL LIQD	\$0 (Tier 3)	RX/OTC
NAIL SCRUB LIQD	\$0 (Tier 3)	RX/OTC
REMOVE ADHESIVE REMOVER LIQD	\$0 (Tier 3)	RX/OTC
THUM LIQD	\$0 (Tier 3)	RX/OTC
Misc. Topical		
4-N-1 CREA	\$0 (Tier 3)	
A+D FIRST AID OINT	\$0 (Tier 3)	
ABSORBASE OINT	\$0 (Tier 3)	
ALOE VESTA DAILY MOISTURIZER LOTN (Use Dimethicone (Topical))	\$0 (Tier 3)	
ALOE VESTA PROTECTIVE OINT	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
ALOE VESTA SKIN CONDITIONER LOTN (Use Dimethicone (Topical))	\$0 (Tier 3)	
<i>aluminum hydroxide oint ex</i>	\$0 (Tier 3)	
<i>aluminum sulfate & calcium acetate pack</i>	\$0 (Tier 3)	
AMERIDERM PERISHIELD OINT	\$0 (Tier 3)	
AQUAPHOR LIP REPAIR OINT	\$0 (Tier 3)	
BASIS FACIAL MOISTURIZER CREA	\$0 (Tier 3)	RX/OTC
BASIS OVERNIGHT CREA	\$0 (Tier 3)	RX/OTC
<i>benzoin compound tinc</i>	\$0 (Tier 3)	RX/OTC
BENZOIN TINCTURE PLAIN TINC	\$0 (Tier 3)	RX/OTC
BENZOIN TINCTURE TINC	\$0 (Tier 3)	RX/OTC
CARRINGTON MOISTURE BARRIER CREA	\$0 (Tier 3)	RX/OTC
CARRINGTON MOISTURE BARRIER/ZINC CREA	\$0 (Tier 3)	RX/OTC
CERAVE OINT	\$0 (Tier 3)	
CHAPSTICK OVERNIGHT OINT	\$0 (Tier 3)	
CHAPSTICK ULTRA MOISTURE DAYTIME FORMULA OINT	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
CHAPSTICK ULTRASMOOTH FORTIFY OINT	\$0 (Tier 3)	
CHAPSTICK ULTRASMOOTH NOURISH OINT	\$0 (Tier 3)	
CHAPSTICK ULTRASMOOTH REJUVENATE OINT	\$0 (Tier 3)	
CHAPSTICK ULTRASMOOTH SOOTHE OINT	\$0 (Tier 3)	
COOL BOTTOMS CREA	\$0 (Tier 3)	
CRITIC-AID CLEAR MOISTURE BARRIER OINT	\$0 (Tier 3)	
DERMADROX OINT	\$0 (Tier 3)	
DERMAGRAN OINT (Use Aluminum Hydroxide)	\$0 (Tier 3)	
DERMAGRAN SKIN PROTECTANT OINT (Use Aluminum Hydroxide)	\$0 (Tier 3)	
<i>dimethicone (topical) lotn 3 %</i>	\$0 (Tier 3)	
DOMEBORO PACK (Use Aluminum Sulfate & Calcium Acetate)	NF	
EUCERIN CREA (Use Skin Protectants, Misc.)	\$0 (Tier 3)	RX/OTC
GERI PROTECT OINT	\$0 (Tier 3)	
HYDROCERIN CREA	\$0 (Tier 3)	RX/OTC
INSECT REPELLENT-AERO, MISC	\$0 (Tier 3)	
INSECT REPELLENT-LIQD, MISC	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
LANTISEPTIC SKIN PROTECTANT OINT	\$0 (Tier 3)	
MOISTURE GUARD CREA	\$0 (Tier 3)	
NATRAPEL 12-HOUR TICK & INSECT REPELLENT CONTINUOUS SPRAY AERO	\$0 (Tier 3)	
NATRAPEL LIQD	\$0 (Tier 3)	
NEOSPORIN LIP HEALTH OVERNIGHT RENEWAL THERAPY OINT	\$0 (Tier 3)	
NEUTRAPHOR CREA	\$0 (Tier 3)	
NEUTRAPHORUS REX CREA	\$0 (Tier 3)	
OFF FAMILYCARE CLEAN FEEL LIQD	\$0 (Tier 3)	
PALOMAR E OINT	\$0 (Tier 3)	
<i>petrolatum-zinc oxide oint-misc</i>	\$0 (Tier 3)	
PETROLEUM JELLY LIP TREATMENT OINT	\$0 (Tier 3)	
PROSHIELD PLUS SKIN PROTECTANT CREA	\$0 (Tier 3)	
RA RENEWAL ADVANCED HEALING OINT	\$0 (Tier 3)	
REMEDY CLEAR-AID OINT	\$0 (Tier 3)	
REMEDY DIMETHICONE MOISTURE BARRIER CREA	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
REMEDY NUTRASHIELD CREA	\$0 (Tier 3)	
REMEDY SKIN REPAIR CREA	\$0 (Tier 3)	
REPEL TICK DEFENSE AERO	\$0 (Tier 3)	
SAWYER PREMIUM INSECT REPELLENT LIQD	\$0 (Tier 3)	
SECURA DIMETHICONE PROTECTANT CREA	\$0 (Tier 3)	
SENSI-CARE BODY CREAM CREA	\$0 (Tier 3)	
SENSI-CARE MOISTURIZING CREA	\$0 (Tier 3)	RX/OTC
<i>skin protectants, misc. crea</i>	\$0 (Tier 3)	RX/OTC
<i>skin protectants, misc. oint 0.5%-6.3%-70%, 51.1 %</i>	\$0 (Tier 3)	
SM BENZOIN TINCTURE TINC	\$0 (Tier 3)	RX/OTC
SOOTHE & COOL FREE MEDSEPTIC OINT	\$0 (Tier 3)	
SOOTHE & COOL FREE MOISTURE BARRIER OINT	\$0 (Tier 3)	
SOOTHE & COOL FREE SKIN PASTE OINT	\$0 (Tier 3)	
SOOTHE & COOL MOISTURE BARRIER OINT	\$0 (Tier 3)	
SOOTHE & COOL PROTECT MOISTURE BARRIER OINT	\$0 (Tier 3)	
SORBIDON HYDRATE CREA	\$0 (Tier 3)	RX/OTC

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
Scabicides & Pediculicides		
NIX CREME RINSE LIQD (Use Permethrin)	NF	
permethrin liqd ex 1 %	\$0 (Tier 3)	
permethrin lotn ex 1 %	\$0 (Tier 3)	
pyrethrins-piperonyl butoxide liqd 0.33%-4%	\$0 (Tier 3)	
pyrethrins-piperonyl butoxide sham 0.3%- 0.33%-4%, 0.33%-4%	\$0 (Tier 3)	
pyrethrins-piperonyl butoxide-permethrin-nit remover kit	\$0 (Tier 3)	
RID COMPLETE LICE ELIMINATION KIT (Use Pyrethrins-Piperonyl Butoxide-Permethrin-Nit Remover)	NF	
RID LIQD EX 0.33%-4% (Use Pyrethrins-Piperonyl Butoxide)	NF	
Tar Products		
coal tar extract sham	\$0 (Tier 3)	
DENOREX THERAPEUTIC 2-IN-1 SHAM (Use Coal Tar Extract)	NF	
DHS TAR GEL SHAM (Use Coal Tar Extract)	\$0 (Tier 3)	
DHS TAR SHAM (Use Coal Tar Extract)	\$0 (Tier 3)	
NEUTROGENA T/GEL SHAM (Use Coal Tar Extract)	\$0 (Tier 3)	
NEUTROGENA T/GEL STUBBORN ITCH CONTROL SHAM (Use Coal Tar Extract)	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
THERAPLEX T SHAM (Use Coal Tar Extract)	NF	
GASTROINTESTINAL AGENTS - MISC. - Miscellaneous Gastrointestinal Drugs		
Antiflatulents		
GAS-X CHEW (Use Simethicone)	NF	
GAS-X EXTRA STRENGTH CHEW (Use Simethicone)	\$0 (Tier 3)	
MYLICON INFANTS GAS RELIEF SUSP (Use Simethicone)	NF	
MYLICON SUSP (Use Simethicone)	NF	
PHAZYME CAPS (Use Simethicone)	NF	
PHAZYME ULTRA STRENGTH CAPS (Use Simethicone)	NF	
simethicone caps 125mg, 125 mg, 180 mg	\$0 (Tier 3)	
simethicone chew 80 mg, 125 mg	\$0 (Tier 3)	
simethicone susp 20 mg/0.3ml, 40 mg/0.6ml	\$0 (Tier 3)	
GENITOURINARY AGENTS - MISCELLANEOUS - Miscellaneous Drugs to Treat Reproductive Organs and Urinary System		
Urinary Analgesics		
phenazopyridine hcl tabs	\$0 (Tier 3)	
HEMATOPOIETIC AGENTS - Drugs to Treat Blood Disorders		
Cobalamins		
cyanocobalamin soln ij 1000 mcg/ml	\$0 (Tier 3)	
HYDROXOCOBALAMIN SOLN	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
NASCOBAL SOLN	\$0 (Tier 3)	
Folic Acid/Folates		
<i>folic acid caps or 0.8 mg, 800 mcg</i>	\$0 (Tier 3)	
FOLIC ACID CAPS OR 5 MG, 20 MG	\$0 (Tier 3)	
FOLIC ACID POWD XX	\$0 (Tier 3)	RX/OTC
FOLIC ACID SOLN IJ 5 MG/ML	\$0 (Tier 3)	
<i>folic acid tabs or 1 mg</i>	\$0 (Tier 3)	RX/OTC
<i>folic acid tabs or 400 mcg, 800 mcg</i>	\$0 (Tier 3)	
Hematopoietic Mixtures		
BIFERA TABS	\$0 (Tier 3)	
FEOSOL BIFERA TABS	\$0 (Tier 3)	
FOLGARD TABS	\$0 (Tier 3)	
FOLIC + B12 TABS	\$0 (Tier 3)	RX/OTC
FOLITAB 500 TBCR	\$0 (Tier 3)	
FOLTRATE TABS	\$0 (Tier 3)	RX/OTC
HEMATRON-AF TABS (Use Iron-Docusate-B12-Folic Acid-Vit C-Vit E-Copper-Biotin)	NF	RX/OTC

Drug Name	Drug Tier	Requirements/Limits
I.L.X. B-12 ELIX	\$0 (Tier 3)	
<i>iron-docusate-b12-folic acid-vit c-vit e-copper-biotin tabs</i>	\$0 (Tier 3)	RX/OTC
MTX SUPPORT TABS	\$0 (Tier 3)	RX/OTC
NOVAFERRUM 125 LIQD	\$0 (Tier 3)	
OPURITY B12/FOLIC ACID TABS	\$0 (Tier 3)	RX/OTC
VITAMIN B12/FOLIC ACID TABS	\$0 (Tier 3)	RX/OTC
Iron		
<i>carbonyl iron susp</i>	\$0 (Tier 3)	
<i>carbonyl iron tabs</i>	\$0 (Tier 3)	
EZFE 200 CAPS	\$0 (Tier 3)	
FEOSOL TABS (Use Carbonyl Iron)	\$0 (Tier 3)	
FEOSOL TABS (Use Ferrous Sulfate Dried)	\$0 (Tier 3)	
FER-IN-SOL SOLN (Use Ferrous Sulfate)	\$0 (Tier 3)	
FERAHEME SOLN	\$0 (Tier 3)	
FERRLECIT SOLN (Use Sodium Ferric Gluconate Complex in Sucrose)	\$0 (Tier 3)	
<i>ferrous gluconate tabs 27 mg, 240 mg, 324 mg</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FERROUS GLUCONATE TABS 324 MG	\$0 (Tier 3)	
<i>ferrous sulfate dried tabs</i>	\$0 (Tier 3)	
<i>ferrous sulfate dried tbc</i>	\$0 (Tier 3)	
<i>ferrous sulfate elix 220 mg/5ml</i>	\$0 (Tier 3)	
FERROUS SULFATE LIQD 220 MG/5ML	\$0 (Tier 3)	
<i>ferrous sulfate soln 15 mg/ml</i>	\$0 (Tier 3)	
FERROUS SULFATE SYRP 300 MG/5ML	\$0 (Tier 3)	
<i>ferrous sulfate tabs 27 mg, 28 mg, 65 mg, 325 mg</i>	\$0 (Tier 3)	
FERROUS SULFATE TBCR 140 MG	\$0 (Tier 3)	
<i>ferrous sulfate tbc 45 mg, 50 mg, 142 mg, 143 mg, 47.5 mg</i>	\$0 (Tier 3)	
FERROUS SULFATE TBEC 324 MG	\$0 (Tier 3)	
<i>ferrous sulfate tbec 325 mg</i>	\$0 (Tier 3)	
ICAR PEDIATRIC SUSP (Use Carbonyl Iron)	\$0 (Tier 3)	
INFED SOLN	\$0 (Tier 3)	
INJECTAFER SOLN	\$0 (Tier 3)	
IRON CHEWS PEDIATRIC CHEW	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
IRON TABS	\$0 (Tier 3)	
IRON UP LIQD	\$0 (Tier 3)	
NOVAFERRUM 50 CAPS	\$0 (Tier 3)	
NOVAFERRUM PEDIATRIC DROPS LIQD	\$0 (Tier 3)	
PIC 200 CAPS (Use Polysaccharide Iron Complex)	NF	
<i>polysaccharide iron complex caps</i>	\$0 (Tier 3)	
PROFE CAPS	\$0 (Tier 3)	
SLOW FE TBCR (Use Ferrous Sulfate)	\$0 (Tier 3)	
SM SLOW RELEASE IRON TBCR	\$0 (Tier 3)	
<i>sodium ferric gluconate complex in sucrose soln</i>	\$0 (Tier 3)	
VENOFER SOLN	\$0 (Tier 3)	
HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS		
Antihistamine Hypnotics		
<i>diphenhydramine hcl (sleep) tabs 25 mg</i>	\$0 (Tier 3)	
LAXATIVES - Bowel Treatment Drugs		
Bulk Laxatives		
<i>calcium polycarbophil tabs</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
CITRUCEL FIBER LAXATIVE POWD (Use Methylcellulose (Laxative))	\$0 (Tier 3)	
CITRUCEL TABS (Use Methylcellulose (Laxative))	\$0 (Tier 3)	
EVAC POWD (Use Psyllium)	\$0 (Tier 3)	
FIBERCON TABS (Use Calcium Polycarbophil)	NF	
HYDROCIL INSTANT POWD (Use Psyllium)	NF	
KONSYL DAILY FIBER PACK 100 %, 28.3 %	\$0 (Tier 3)	
KONSYL DAILY FIBER POWD 100 % (Use Psyllium)	\$0 (Tier 3)	
KONSYL DAILY FIBER POWD 60.3 %	\$0 (Tier 3)	
KONSYL ORIGINAL FORMULADAILY FIBER POWD (Use Psyllium)	\$0 (Tier 3)	
KONSYL PACK	\$0 (Tier 3)	
KONSYL POWD	\$0 (Tier 3)	
KONSYL-D POWD	\$0 (Tier 3)	
METAMUCIL CAPS 0.52 GM (Use Psyllium)	NF	
METAMUCIL ORIGINAL TEXTURE POWD (Use Psyllium)	\$0 (Tier 3)	
METAMUCIL POWD 48.57 % (Use Psyllium)	\$0 (Tier 3)	
<i>methylcellulose (laxative) powd</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>methylcellulose (laxative) tabs</i>	\$0 (Tier 3)	
<i>psyllium caps 0.52 gm, 520 mg</i>	\$0 (Tier 3)	
<i>psyllium powd 95 %, 100 %, 28.3 %, 30.9 %, 58.6 %, 48.57 %</i>	\$0 (Tier 3)	
Laxative Combinations		
SENNA PROMPT CAPS	\$0 (Tier 3)	
<i>sennosides-docusate sodium tabs</i>	\$0 (Tier 3)	
SEKOT S TABS (Use Sennosides-Docusate Sodium)	\$0 (Tier 3)	
Laxatives - Miscellaneous		
MIRALAX PACK (Use Polyethylene Glycol 3350)	\$0 (Tier 3)	RX/OTC
MIRALAX POWD (Use Polyethylene Glycol 3350)	\$0 (Tier 3)	RX/OTC
<i>polyethylene glycol 3350 pack</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>polyethylene glycol 3350 pack</i>	\$0 (Tier 3)	RX/OTC
<i>polyethylene glycol 3350 powd</i>	\$0 (Tier 3)	RX/OTC
<i>polyethylene glycol 3350 powd</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>polyethylene glycol 3350 powd</i>	\$0 (Tier 3)	RX/OTC; NT
SORBITOL SOLN	\$0 (Tier 3)	
Lubricant Laxatives		

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FLEET OIL ENEM (<i>Use Mineral Oil</i>)	\$0 (Tier 3)	
<i>mineral oil enem re 100 %,</i>	\$0 (Tier 3)	
<i>mineral oil oil or 100 %, 99.9 %,</i>	\$0 (Tier 3)	RX/OTC
Saline Laxatives		
FLEET ENEMA ENEM (<i>Use Sodium Phosphates</i>)	\$0 (Tier 3)	
FLEET ENEMA SIX PACK ENEM (<i>Use Sodium Phosphates</i>)	\$0 (Tier 3)	
FLEET PEDIATRIC ENEM (<i>Use Sodium Phosphates</i>)	\$0 (Tier 3)	
<i>magnesium citrate soln 1.745gm/30ml, 1.745 gm/30ml,</i>	\$0 (Tier 3)	
<i>magnesium hydroxide susp</i>	\$0 (Tier 3)	
<i>magnesium sulfate (laxative) gran</i>	\$0 (Tier 3)	
MILK OF MAGNESIA CONCENTRATE SUSP	\$0 (Tier 3)	
ORAL SALINE LAXATIVE SOLN	\$0 (Tier 3)	
PEDIA-LAX CHEW OR 400 MG	\$0 (Tier 3)	
<i>sodium phosphates enem</i>	\$0 (Tier 3)	
<i>sodium phosphates soln</i>	\$0 (Tier 3)	
Stimulant Laxatives		
<i>bisacodyl supp</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>bisacodyl tbec</i>	\$0 (Tier 3)	
<i>castor oil oil or</i>	\$0 (Tier 3)	
CASTOR OIL OIL OR (<i>Use Castor Oil</i>)	NF	
DULCOLAX SUPP (<i>Use Bisacodyl</i>)	NF	
DULCOLAX TBEC (<i>Use Bisacodyl</i>)	NF	
EX-LAX CHEW (<i>Use Sennosides</i>)	\$0 (Tier 3)	
EX-LAX MAXIMUM STRENGTH TABS (<i>Use Sennosides</i>)	\$0 (Tier 3)	
EX-LAX TABS (<i>Use Sennosides</i>)	\$0 (Tier 3)	
FLEET BISACODYL ENEM	\$0 (Tier 3)	
<i>sennosides chew</i>	\$0 (Tier 3)	
<i>sennosides liqd</i>	\$0 (Tier 3)	
<i>sennosides syrp</i>	\$0 (Tier 3)	
<i>sennosides tabs</i>	\$0 (Tier 3)	
SENOKOT TABS (<i>Use Sennosides</i>)	\$0 (Tier 3)	
Surfactant Laxatives		
COLACE CAPS (<i>Use Docusate Sodium</i>)	\$0 (Tier 3)	
COLACE CLEAR CAPS (<i>Use Docusate Sodium</i>)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>docusate calcium caps</i>	\$0 (Tier 3)	
<i>docusate sodium caps</i>	\$0 (Tier 3)	
<i>docusate sodium enem</i>	\$0 (Tier 3)	
<i>docusate sodium liqd</i>	\$0 (Tier 3)	
<i>docusate sodium syrp</i>	\$0 (Tier 3)	
<i>docusate sodium tabs</i>	\$0 (Tier 3)	
DOCUSOL KIDS ENEM (Use Docusate Sodium)	\$0 (Tier 3)	
DOCUSOL MINI ENEM	\$0 (Tier 3)	
DOCUSOL PLUS MINI-ENEMA ENEM	\$0 (Tier 3)	
ENEMEEZ MINI ENEM	\$0 (Tier 3)	
ENEMEEZ PLUS ENEM	\$0 (Tier 3)	
PEDIA-LAX LIQD OR 50 MG/15ML	\$0 (Tier 3)	

MEDICAL DEVICES AND SUPPLIES

Contraceptives

LATEX CONDOMS	\$0 (Tier 3)	
---------------	-----------------	--

Respiratory Aids

FACE MASK-MISC	\$0 (Tier 3)	RX/OTC
----------------	-----------------	--------

Respiratory Therapy Supplies

Drug Name	Drug Tier	Requirements/Limits
PEAK FLOW METERS-MISC	\$0 (Tier 3)	RX/OTC

MINERALS & ELECTROLYTES

Calcium

CAL-CITRATE CAPS	\$0 (Tier 3)	
CAL-CITRATE PLUS VITAMIND TABS	\$0 (Tier 3)	
CAL-LAC CAPS	\$0 (Tier 3)	
CAL-MINT CHEW	\$0 (Tier 3)	
CAL-QUICK LIQD	\$0 (Tier 3)	
CALCET PETITES TABS	\$0 (Tier 3)	
CALCI-CHEW CHEW	\$0 (Tier 3)	
CALCIONATE SYRP	\$0 (Tier 3)	
<i>calcium & phosphorus w/ vitamin d chew</i>	\$0 (Tier 3)	
CALCIUM 1000 + D TABS	\$0 (Tier 3)	
CALCIUM CARBONATE CHEW 260 MG	\$0 (Tier 3)	
CALCIUM CARBONATE POWD 800 MG/2GM	\$0 (Tier 3)	
<i>calcium carbonate tabs 600mg, 500 mg, 600 mg, 1250 mg, 1500 mg</i>	\$0 (Tier 3)	
<i>calcium carbonate-cholecalciferol caps</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>calcium carbonate-cholecalciferol chew</i>	\$0 (Tier 3)	
<i>calcium carbonate-cholecalciferol tabs</i>	\$0 (Tier 3)	
<i>calcium carbonate-vitamin d caps</i>	\$0 (Tier 3)	
<i>calcium carbonate-vitamin d chew</i>	\$0 (Tier 3)	
<i>calcium carbonate-vitamin d tabs</i>	\$0 (Tier 3)	
<i>calcium carbonate-vitamin d w/ minerals chew</i>	\$0 (Tier 3)	
<i>calcium carbonate-vitamin d w/ minerals tabs</i>	\$0 (Tier 3)	
<i>calcium chloride (dihydrate) soln</i>	\$0 (Tier 3)	
CALCIUM CHLORIDE SOLN	\$0 (Tier 3)	
CALCIUM CITRATE GRAN 760 MG/3.5GM	\$0 (Tier 3)	
<i>calcium citrate tabs 200 mg, 950 mg</i>	\$0 (Tier 3)	
CALCIUM CITRATE TABS 250 MG, 1040 MG	\$0 (Tier 3)	
CALCIUM CITRATE W/D TABS	\$0 (Tier 3)	
<i>calcium citrate-vitamin d tabs 200mg-250unit, 250mg-200unit, 315mg-200unit, 315mg-250unit</i>	\$0 (Tier 3)	
CALCIUM LACTATE TABS	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
CALCIUM PLUS D3 ABSORBABLE CAPS	\$0 (Tier 3)	
CALCIUM PLUS VITAMIN D CAPS 500MG-50UNIT	\$0 (Tier 3)	
CALCIUM TABS 600MG-200UNIT	\$0 (Tier 3)	
CALCIUM/VITAMIN D CAPS	\$0 (Tier 3)	
CALTRATE 600+D PLUS MINERALS CHEW (<i>Use Calcium Carbonate-Vitamin D w/ Minerals</i>)	\$0 (Tier 3)	
CALTRATE 600+D PLUS MINERALS TABS (<i>Use Calcium Carbonate-Vitamin D w/ Minerals</i>)	\$0 (Tier 3)	
CALTRATE 600+D TABS (<i>Use Calcium Carbonate-Cholecalciferol</i>)	\$0 (Tier 3)	
CALTRATE 600+D3 SOFT CHEWS CHEW	\$0 (Tier 3)	
CALTRATE MINIS PLUS MINERALS TABS	\$0 (Tier 3)	
CITRACAL + D3 MAXIMUM TABS (<i>Use Calcium Citrate-Vitamin D</i>)	\$0 (Tier 3)	
CITRACAL CALCIUM GUMMIES CHEW	\$0 (Tier 3)	
CITRACAL MAXIMUM TABS (<i>Use Calcium Citrate-Vitamin D</i>)	\$0 (Tier 3)	
CITRACAL PETITES/VITAMIND TABS (<i>Use Calcium Citrate-Vitamin D</i>)	\$0 (Tier 3)	
CITRACAL+D3 CHEW	\$0 (Tier 3)	
DISNEY CALCIUM + VITAMIND3 GUMMIES CHEW	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
EQL CALCIUM/VITAMIN D CAPS	\$0 (Tier 3)	
LIQUID CALCIUM WITH D3 MAXIMUM STRENGTH CAPS	\$0 (Tier 3)	
MAGNEBIND 300 TABS	\$0 (Tier 3)	
OSTEO-PORETICAL TABS	\$0 (Tier 3)	
<i>oyster shell tabs</i>	\$0 (Tier 3)	
RA CALCIUM HI-CAL/VITAMIND TABS 500MG-125UNIT	\$0 (Tier 3)	
RISACAL-D TABS	\$0 (Tier 3)	
UPCAL D PACK	\$0 (Tier 3)	
UPCAL D POWD	\$0 (Tier 3)	
Electrolyte Mixtures		
CERASPORT EX1 SOLN	\$0 (Tier 3)	
CERASPORT SOLN 4MEQ/L-18MEQ/L-20MEQ/L-6MEQ/L	\$0 (Tier 3)	
ENFAMIL ENFALYTE SOLN	\$0 (Tier 3)	
EQUALYTE SOLN (<i>Use Oral Electrolytes</i>)	\$0 (Tier 3)	
HYDRALYTE FREEZER POPS SOLN	\$0 (Tier 3)	
HYDRALYTE SOLN 270MG/250ML-210MG/250ML, 45MEQ/L-45MEQ/L-20MEQ/L-90MEQ/L-16GM/L	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
MEDI-LYTE TABS	\$0 (Tier 3)	
<i>oral electrolytes soln</i>	\$0 (Tier 3)	
PEDIALYTE ADVANCED CARE SOLN (<i>Use Oral Electrolytes</i>)	\$0 (Tier 3)	
PEDIALYTE FREEZER POPS SOLN (<i>Use Oral Electrolytes</i>)	\$0 (Tier 3)	
PEDIALYTE SINGLES SOLN (<i>Use Oral Electrolytes</i>)	\$0 (Tier 3)	
PEDIALYTE SOLN 20MEQ/L-45MEQ/L-35MEQ/L-5GM/L-20GM/L, 20MEQ/L-45MEQ/L-35MEQ/L-30MEQ/L-25GM/L, 35MEQ/L-45MEQ/L-7.8MG/L-20MEQ/L-25GM/L, 4.7MEQ/237ML-10.6MEQ/237ML-8.3MEQ/237ML, 2.1MEQ/59ML-2.7MEQ/59ML-0.5MG/59ML-1.2MEQ/59ML-1.5GM/59ML (<i>Use Oral Electrolytes</i>)	\$0 (Tier 3)	
THERMOTABS TABS	\$0 (Tier 3)	
Magnesium		
CVS TRIPLE MAGNESIUM COMPLEX CAPS	\$0 (Tier 3)	
MAG-200 TABS (<i>Use Magnesium Oxide (Mg Supplement)</i>)	NF	
MAG-SR PLUS CALCIUM TBEC	\$0 (Tier 3)	
MAG-TAB SR TBCR (<i>Use Magnesium Lactate</i>)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
MAGDELAY TBEC	\$0 (Tier 3)	
MAGNESIUM CAPS 400 MG	\$0 (Tier 3)	
MAGNESIUM CHLORIDE POWD	\$0 (Tier 3)	RX/OTC
<i>magnesium chloride-calcium carbonate tbec</i>	\$0 (Tier 3)	
MAGNESIUM CHLORIDE/CALCIUM TABS	\$0 (Tier 3)	
MAGNESIUM CITRATE TABS 100 MG	\$0 (Tier 3)	
MAGNESIUM GLUCONATE TABS 250 MG, 500 MG	\$0 (Tier 3)	
<i>magnesium gluconate tabs 500 mg, 27.5 mg</i>	\$0 (Tier 3)	
<i>magnesium lactate tbcr</i>	\$0 (Tier 3)	
<i>magnesium oxide (mg supplement) caps</i>	\$0 (Tier 3)	
<i>magnesium oxide (mg supplement) tabs</i>	\$0 (Tier 3)	
MAGNESIUM OXIDE CAPS 400 MG	\$0 (Tier 3)	
MAGOX 400 TABS (Use Magnesium Oxide (Mg Supplement))	\$0 (Tier 3)	
NU-MAG TBEC	\$0 (Tier 3)	
SLOW-MAG TBEC	\$0 (Tier 3)	
Manganese		

Drug Name	Drug Tier	Requirements/ Limits
MANGANESE TRACE METAL SOLN	\$0 (Tier 3)	
Phosphate		
PHOS-NAK POWDER CONCENTRATE PACK (Use Potassium & Sodium Phosphates)	\$0 (Tier 3)	
<i>potassium & sodium phosphates pack</i>	\$0 (Tier 3)	
Sodium		
SODIUM CHLORIDE GRAN XX	\$0 (Tier 3)	RX/OTC
<i>sodium chloride tabs or 1 gm</i>	\$0 (Tier 3)	
Trace Minerals		
CHROMIUM CHLORIDE SOLN	\$0 (Tier 3)	
COPPER TRACE METAL SOLN	\$0 (Tier 3)	
Zinc		
GALZIN CAPS	\$0 (Tier 3)	
ZINC CAPS OR 30 MG	\$0 (Tier 3)	
<i>zinc sulfate caps or 220 mg</i>	\$0 (Tier 3)	
ZINC SULFATE CAPS OR 50 MG	\$0 (Tier 3)	
ZINC SULFATE HEPTAHYDRATE POWD	\$0 (Tier 3)	RX/OTC
ZINC SULFATE MONOHYDRATE POWD	\$0 (Tier 3)	RX/OTC

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ZINC SULFATE POWD XX	\$0 (Tier 3)	RX/OTC
ZINC TRACE METAL SOLN	\$0 (Tier 3)	
MULTIVITAMINS		
B-Complex w/ C		
<i>b complex w/ c tbc</i>	\$0 (Tier 3)	
<i>b-complex w/ c & calcium tabs</i>	\$0 (Tier 3)	
<i>b-complex w/ c & e + zn tabs</i>	\$0 (Tier 3)	
B-Complex w/ Folic Acid		
DIALYVITE 800 PLUS D WAFR	\$0 (Tier 3)	
DIALYVITE 800/ZINC 15 TABS	\$0 (Tier 3)	
DIALYVITE 800/ZINC TABS	\$0 (Tier 3)	
NEPHRONEX LIQD	\$0 (Tier 3)	
VITALINE BIOTIN FORTE/ZINC TABS	\$0 (Tier 3)	
B-Complex w/ Minerals		
APETIGEN-PLUS TABS 18MG-30UNIT-300MG-10MG-8.5MG-20MG-6MCG-15MG-80MG-8MG-225MG	\$0 (Tier 3)	
<i>b-complex w/ minerals liqd</i>	\$0 (Tier 3)	
GLYCO-TECH TABS	\$0 (Tier 3)	
Multivitamins		

Drug Name	Drug Tier	Requirements/Limits
INFUVITE ADULT INJ	\$0 (Tier 3)	
M.V.I. ADULT INJ	\$0 (Tier 3)	
M.V.I.-12 WITHOUT VITAMIN K INJ	\$0 (Tier 3)	
Ped MV w/ Iron		
ANIMAL SHAPES/IRON CHEW	\$0 (Tier 3)	
DINO-LIFE W/IRON & ZINC CHEW	\$0 (Tier 3)	
HONEY BEARS W/IRON AND ZINC CHEW	\$0 (Tier 3)	
MULTI-DELYN/IRON LIQD	\$0 (Tier 3)	
MULTIVITAMIN PLUS IRON CHILDRENS CHEW	\$0 (Tier 3)	
MYKIDZ IRON SUSP	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/ iron chew</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/ iron soln</i>	\$0 (Tier 3)	
POLY-VI-SOL/IRON SOLN (Use Pediatric Multiple Vitamins w/ Iron)	\$0 (Tier 3)	
SCOOBY-DOO ONE A DAY CHEW	\$0 (Tier 3)	
Pediatric Multiple Vitamins		
INFUVITE PEDIATRIC SOLN	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
ONE-A-DAY VITACRAVES GUMMIES+OMEGA-3 DHA CHEW (Use Pediatric Multiple Vitamin w/ C & FA)	\$0 (Tier 3)	
<i>pediatric multiple vitamin w/ c & fa chew</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamin w/ c soln</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamin w/ extra c & fa chew</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins liqd</i>	\$0 (Tier 3)	
POLY-VI-SOL SOLN (Use Pediatric Multiple Vitamin w/ C)	\$0 (Tier 3)	
Pediatric Vitamins		
HONEY BEARS CHEW	\$0 (Tier 3)	
MULTIVITAMIN GUMMIES CHILDRENS CHEW	\$0 (Tier 3)	
<i>pediatric vitamins adc soln</i>	\$0 (Tier 3)	
TRI-VI-SOL SOLN (Use Pediatric Vitamins ADC)	\$0 (Tier 3)	
Prenatal Vitamins		
<i>prenatal vitamins-misc</i>	\$0 (Tier 3)	
Vitamin Mixtures		
<i>vitamins c & e caps</i>	\$0 (Tier 3)	
NASAL AGENTS - SYSTEMIC AND TOPICAL - Drugs to treat the Nose or Sinus		
Nasal Agent Combinations		
AFRIN MENTHOL SOLN	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
Nasal Agents - Misc.		
AYR NASAL DROPS SOLN	\$0 (Tier 3)	
AYR NASAL MIST ALLERGY & SINUS HYPERTONIC SALINE SOLN	\$0 (Tier 3)	
CVS NASAL MIST AERS 0.9 %	\$0 (Tier 3)	
NASADROPS SALINE ON THE GO SOLN	\$0 (Tier 3)	
OCEAN NASAL SPRAY SOLN (Use Saline)	\$0 (Tier 3)	
RA STERILE SALINE NASAL MIST SOLN	\$0 (Tier 3)	
RHINARIS SOLN	\$0 (Tier 3)	
<i>saline gel</i>	\$0 (Tier 3)	
<i>saline soln</i>	\$0 (Tier 3)	
SIMPLY SALINE AERS	\$0 (Tier 3)	
SINUS WASH SALT CRYSTALS	\$0 (Tier 3)	
Nasal Antiallergy		
<i>cromolyn sodium (nasal) aers</i>	\$0 (Tier 3)	
NASALCROM AERS (Use Cromolyn Sodium (Nasal))	NF	
Nasal Steroids		
<i>budesonide (nasal) susp</i>	\$0 (Tier 3)	RX/OTC; NT

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>budesonide (nasal) susp</i>	\$0 (Tier 3)	Over-the-counter;RX/OT C
FLONASE ALLERGY RELIEF CHILDRENS SUSP (Use <i>Fluticasone Propionate (Nasal)</i>)	\$0 (Tier 3)	RX/OTC
FLONASE ALLERGY RELIEF SUSP (Use <i>Fluticasone Propionate (Nasal)</i>)	\$0 (Tier 3)	RX/OTC
FLONASE ALLERGY RELIEF SUSP (Use <i>Fluticasone Propionate (Nasal)</i>)	\$0 (Tier 3)	Over-the-counter;RX/OT C
<i>fluticasone propionate (nasal) susp</i>	\$0 (Tier 3)	RX/OTC; NT
<i>fluticasone propionate (nasal) susp</i>	\$0 (Tier 3)	RX/OTC
<i>fluticasone propionate (nasal) susp</i>	\$0 (Tier 3)	Over-the-counter;RX/OT C
NASACORT ALLERGY 24HR AERO	\$0 (Tier 3)	RX/OTC
NASACORT ALLERGY 24HR AERO (Use <i>Triamcinolone Acetonide (Nasal)</i>)	\$0 (Tier 3)	RX/OTC
NASACORT ALLERGY 24HR CHILDRENS AERO (Use <i>Triamcinolone Acetonide (Nasal)</i>)	\$0 (Tier 3)	RX/OTC
<i>triamcinolone acetonide (nasal) aero</i>	\$0 (Tier 3)	RX/OTC
Sympathomimetic Decongestants		
AFRIN 12 HOUR SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN ALL NIGHT NODRIP SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN NASAL SPRAY SOLN (Use <i>Oxymetazoline HCl</i>)	NF	

Drug Name	Drug Tier	Requirements/ Limits
AFRIN NODRIP EXTRA MOISTURIZING SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN NODRIP ORIGINAL SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN NODRIP SEVERE CONGESTION SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN NODRIP SINUS SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN SINUS SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
AFRIN SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
BENZEDREX INHALER INHA	\$0 (Tier 3)	
DRISTAN SPRAY SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
DURATION 12 HOUR SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
DURATION SPRAY SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
NASAL DECONGESTANT LIQD	\$0 (Tier 3)	
NASAL DECONGESTANT SYRP	\$0 (Tier 3)	
NEO-SYNEPHRINE 12 HOUR EXTRA MOISTURIZING SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
NEO-SYNEPHRINE COLD & SINUS EXTRA SOLN (Use <i>Phenylephrine HCl</i>)	NF	
<i>oxymetazoline hcl soln</i>	\$0 (Tier 3)	
<i>phenylephrine hcl (oral) tabs</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
<i>phenylephrine hcl soln 1 %</i>	\$0 (Tier 3)	
<i>pseudoephedrine hcl liqd 15 mg/5ml</i>	\$0 (Tier 3)	
<i>pseudoephedrine hcl tabs 30 mg, 60 mg</i>	\$0 (Tier 3)	
<i>pseudoephedrine hcl tb12 120 mg</i>	\$0 (Tier 3)	
SUDAFED CHILDRENS LIQD (Use <i>Pseudoephedrine HCl</i>)	NF	
SUDAFED CONGESTION TABS (Use <i>Pseudoephedrine HCl</i>)	NF	
SUDAFED NASAL DECONGESTANT MAXIMUM STRENGTH TABS (Use <i>Pseudoephedrine HCl</i>)	NF	
SUDAFED PE CONGESTION TABS (Use <i>Phenylephrine HCl (Oral)</i>)	NF	
VICKS SINEX 12 HOUR DECONGESTANT SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
VICKS SINEX MOISTURIZING SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
VICKS SINEX SEVERE NASALDECONGESTANT SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
VICKS SINEX SEVERE SOLN NA 0.05 % (Use <i>Oxymetazoline HCl</i>)	NF	
VICKS SINEX SOLN (Use <i>Oxymetazoline HCl</i>)	NF	
NUTRIENTS		
Carbohydrates		
FRUCTOSE GRAN	\$0 (Tier 3)	RX/OTC

Drug Name	Drug Tier	Requirements/ Limits
Misc. Nutritional Substances		
<i>omega-3 fatty acids caps-misc</i>	\$0 (Tier 3)	
<i>omega-3 fatty acids chew-misc</i>	\$0 (Tier 3)	
<i>omega-3 fatty acids cpdr-misc</i>	\$0 (Tier 3)	
<i>omega-3 fatty acids liqd-misc</i>	\$0 (Tier 3)	
PRO NUTRIENTS OMEGA 3 CPDR	\$0 (Tier 3)	
Proteins		
<i>arginine caps 500 mg</i>	\$0 (Tier 3)	
ARGININE PACK 500 MG	\$0 (Tier 3)	
ARGININE TABS 500 MG	\$0 (Tier 3)	
<i>arginine tabs 500 mg, 1000 mg</i>	\$0 (Tier 3)	
ARGININE2000 PACK	\$0 (Tier 3)	
<i>glutamine powd or</i>	\$0 (Tier 3)	
GLUTAMINE POWD XX	\$0 (Tier 3)	RX/OTC
L-ARGININE BASE POWD	\$0 (Tier 3)	RX/OTC
L-ARGININE POWD OR	\$0 (Tier 3)	
L-ARGININE POWD XX	\$0 (Tier 3)	RX/OTC

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
L-GLUTAMINE POWD	\$0 (Tier 3)	RX/OTC
L-GLUTATHIONE CRYSTALS	\$0 (Tier 3)	
L-ISOLEUCINE POWD OR	\$0 (Tier 3)	
L-ISOLEUCINE POWD XX	\$0 (Tier 3)	RX/OTC
PURE L-CITRULLINE CAPS	\$0 (Tier 3)	
OPHTHALMIC AGENTS - Drugs to Treat the Eye		
Artificial Tears and Lubricants		
<i>artificial tear ointment oint</i>	\$0 (Tier 3)	
<i>artificial tear solution soln</i>	\$0 (Tier 3)	
<i>carboxymethylcellulose sodium (ophth) gel 1 %</i>	\$0 (Tier 3)	
<i>carboxymethylcellulose sodium (ophth) soln 0.5 %</i>	\$0 (Tier 3)	
<i>carboxymethylcellulose-glycerin soln</i>	\$0 (Tier 3)	
<i>carboxymethylcellulose-hypromellose gel</i>	\$0 (Tier 3)	
DAKRINA SOLN	\$0 (Tier 3)	
<i>dextran 70-hypromellose soln</i>	\$0 (Tier 3)	
DWELLE SOLN	\$0 (Tier 3)	
FRESHKOTE SOLN	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
GENTEAL GEL (<i>Use Carboxymethylcellulose-Hypromellose</i>)	\$0 (Tier 3)	
GENTEAL MILD SOLN	\$0 (Tier 3)	
GENTEAL MILD TO MODERATE SOLN (<i>Use Hypromellose (Ophth)</i>)	\$0 (Tier 3)	
GENTEAL SEVERE GEL	\$0 (Tier 3)	
<i>hypromellose (ophth) soln</i>	\$0 (Tier 3)	
ISOPTO TEARS SOLN	\$0 (Tier 3)	
<i>polyethylene glycol-propylene glycol (ophth) soln</i>	\$0 (Tier 3)	
<i>polyvinyl alcohol soln</i>	\$0 (Tier 3)	
<i>polyvinyl alcohol-povidone (ophth) soln</i>	\$0 (Tier 3)	
<i>propylene glycol (ophth) soln</i>	\$0 (Tier 3)	
REFRESH LIQUIGEL SOLN	\$0 (Tier 3)	
REFRESH OPTIVE ADVANCED SOLN	\$0 (Tier 3)	
REFRESH OPTIVE GEL 1%-0.9%	\$0 (Tier 3)	
REFRESH OPTIVE SENSITIVE SOLN	\$0 (Tier 3)	
REFRESH OPTIVE SOLN 0.5%-0.9% (<i>Use Carboxymethylcellulose-Glycerin</i>)	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
REFRESH PLUS SOLN (Use Carboxymethylcellulose Sodium (Ophth))	\$0 (Tier 3)	
REFRESH SOLN	\$0 (Tier 3)	
REFRESH TEARS SOLN (Use Carboxymethylcellulose Sodium (Ophth))	\$0 (Tier 3)	
SYSTANE COMPLETE SOLN (Use Propylene Glycol (Ophth))	\$0 (Tier 3)	
SYSTANE GEL GEL	\$0 (Tier 3)	
SYSTANE OVERNIGHT THERAPY LUBRICANT EYE GEL	\$0 (Tier 3)	
SYSTANE PRESERVATIVE FREE SOLN (Use Polyethylene Glycol-Propylene Glycol (Ophth))	\$0 (Tier 3)	
SYSTANE SOLN (Use Polyethylene Glycol-Propylene Glycol (Ophth))	\$0 (Tier 3)	
SYSTANE ULTRA HOME & AWAY PACK SOLN (Use Polyethylene Glycol-Propylene Glycol (Ophth))	\$0 (Tier 3)	
SYSTANE ULTRA PRESERVATIVE FREE SOLN (Use Polyethylene Glycol-Propylene Glycol (Ophth))	\$0 (Tier 3)	
SYSTANE ULTRA SOLN (Use Polyethylene Glycol-Propylene Glycol (Ophth))	\$0 (Tier 3)	
TEARS NATURALE PM OINT (Use White Petrolatum-Mineral Oil)	NF	
THERATEARS GEL 1 % (Use Carboxymethylcellulose Sodium (Ophth))	NF	

Drug Name	Drug Tier	Requirements/Limits
white petrolatum-mineral oil oint	\$0 (Tier 3)	
Ophthalmic Decongestants		
tetrahydrozoline hcl (ophth) soln	\$0 (Tier 3)	
tetrahydrozoline w/ zinc sulfate soln	\$0 (Tier 3)	
VISINE SOLN (Use Tetrahydrozoline HCl (Ophth))	NF	
Ophthalmics - Misc.		
MURO 128 OINT 5 % (Use Sodium Chloride Hypertonic)	\$0 (Tier 3)	
MURO 128 SOLN 2 %	\$0 (Tier 3)	
MURO 128 SOLN 5 % (Use Sodium Chloride Hypertonic)	\$0 (Tier 3)	
sodium chloride hypertonic oint	\$0 (Tier 3)	
sodium chloride hypertonic soln	\$0 (Tier 3)	
OTIC AGENTS - Drugs to Treat the Ear		
Otic Agents - Miscellaneous		
carbamide peroxide (otic) soln	\$0 (Tier 3)	
DEBROX SOLN (Use Carbamide Peroxide (Otic))	NF	
PHARMACEUTICAL ADJUVANTS		
Antimicrobial Agents		
BENZYL ALCOHOL LIQD	\$0 (Tier 3)	RX/OTC
Liquid Vehicles		

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
FLAVOR ORAL SUSP-MISC	\$0 (Tier 3)	
FLAVOR ORAL SYRUP-MISC	\$0 (Tier 3)	
FLAVOR PLUS LIQD	\$0 (Tier 3)	RX/OTC
ORA-PLUS LIQD	\$0 (Tier 3)	RX/OTC
ORAL SUSPEND LIQD	\$0 (Tier 3)	RX/OTC
PROPYLENE GLYCOL SOLN	\$0 (Tier 3)	RX/OTC
SYRSPEND SF LIQD	\$0 (Tier 3)	RX/OTC
Pharmaceutical Excipients		
LACTOSE ANHYDROUS POWD	\$0 (Tier 3)	RX/OTC
LACTOSE HYDROUS POWD	\$0 (Tier 3)	RX/OTC
LACTOSE POWD	\$0 (Tier 3)	RX/OTC
LOLLIBASE POWD	\$0 (Tier 3)	RX/OTC
LOLLIPOP BASE POWD	\$0 (Tier 3)	RX/OTC
Semi Solid Vehicles		
AQUABASE OINT	\$0 (Tier 3)	
HYDROPHILIC PETROLATUM OINT	\$0 (Tier 3)	
PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. - Drugs to Treat Mental and Emotional Conditions		

Drug Name	Drug Tier	Requirements/Limits
Smoking Deterrents		
NICODERM CQ PT24 (Use Nicotine)	\$0 (Tier 3)	
NICORETTE GUM (Use Nicotine Polacrilex)	\$0 (Tier 3)	
NICORETTE LOZG (Use Nicotine Polacrilex)	\$0 (Tier 3)	
NICORETTE MINI LOZG (Use Nicotine Polacrilex)	\$0 (Tier 3)	
NICORETTE STARTER KIT GUM (Use Nicotine Polacrilex)	\$0 (Tier 3)	
<i>nicotine polacrilex gum</i>	\$0 (Tier 3)	
<i>nicotine polacrilex lozg</i>	\$0 (Tier 3)	
<i>nicotine pt24</i>	\$0 (Tier 3)	
NICOTINE TRANSDERMAL SYSTEM KIT	\$0 (Tier 3)	
ULCER DRUGS - Drugs to Treat Bowel, Intestine and Stomach Conditions		
Proton Pump Inhibitors		
<i>omeprazole 20mg tbec</i>	\$0 (Tier 3)	
H-2 Antagonists		
<i>cimetidine tabs</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>cimetidine tabs</i>	\$0 (Tier 3)	RX/OTC
<i>famotidine tabs 10 mg</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>famotidine tabs 20 mg</i>	\$0 (Tier 3)	RX/OTC; NT
<i>famotidine tabs 20 mg</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>famotidine tabs 20 mg</i>	\$0 (Tier 3)	RX/OTC
PEPCID AC MAXIMUM STRENGTH TABS (Use <i>Famotidine</i>)	\$0 (Tier 3)	RX/OTC
PEPCID AC TABS (Use <i>Famotidine</i>)	NF	
<i>ranitidine hcl tabs 150 mg</i>	\$0 (Tier 3)	RX/OTC
<i>ranitidine hcl tabs 150 mg</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
<i>ranitidine hcl tabs 75 mg</i>	\$0 (Tier 3)	
TAGAMET HB TABS (Use <i>Cimetidine</i>)	\$0 (Tier 3)	RX/OTC
ZANTAC 150 MAXIMUM STRENGTH TABS (Use <i>Ranitidine HCl</i>)	NF	RX/OTC
ZANTAC 150 MAXIMUM STRENGTH TABS (Use <i>Ranitidine HCl</i>)	\$0 (Tier 3)	RX/OTC
ZANTAC 75 TABS (Use <i>Ranitidine HCl</i>)	\$0 (Tier 3)	
Proton Pump Inhibitors		
<i>esomeprazole magnesium cpdr</i>	\$0 (Tier 3)	RX/OTC; NT
<i>esomeprazole magnesium cpdr</i>	\$0 (Tier 3)	RX/OTC
<i>esomeprazole magnesium cpdr</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC

Drug Name	Drug Tier	Requirements/Limits
<i>lansoprazole cpdr</i>	\$0 (Tier 3)	RX/OTC
<i>lansoprazole cpdr</i>	\$0 (Tier 3)	Over-the-counter;RX/OTC
NEXIUM 24HR CLEAR MINIS CPDR (Use <i>Esomeprazole Magnesium</i>)	\$0 (Tier 3)	RX/OTC
NEXIUM 24HR CPDR (Use <i>Esomeprazole Magnesium</i>)	\$0 (Tier 3)	RX/OTC
<i>omeprazole magnesium cpdr</i>	\$0 (Tier 3)	
PREVACID 24HR CPDR (Use <i>Lansoprazole</i>)	\$0 (Tier 3)	RX/OTC
PREVACID 24HR CPDR (Use <i>Lansoprazole</i>)	\$0 (Tier 3)	Over-the-counter;RX/OTC
PRILOSEC OTC TBEC	\$0 (Tier 3)	
Ulcer Therapy Combinations		
ZEGERID OTC CAPS (Use <i>Omeprazole-Sodium Bicarbonate</i>)	NF	RX/OTC
URINARY ANTISPASMODICS - Drugs to Treat Miscellaneous Bladder Spasms		
Urinary Antispasmodic - Antimuscarinics		
OXYTROL FOR WOMEN PTTW	\$0 (Tier 3)	RX/OTC
VAGINAL PRODUCTS - Drugs to Treat Vaginal Infections and Low Hormones		
Vaginal Anti-infectives		
<i>clotrimazole vaginal crea</i>	\$0 (Tier 3)	
GYNE-LOTRIMIN 3 CREA (Use <i>Clotrimazole Vaginal</i>)	NF	
GYNE-LOTRIMIN CREA (Use <i>Clotrimazole Vaginal</i>)	NF	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>miconazole nitrate vaginal crea</i>	\$0 (Tier 3)	
<i>miconazole nitrate vaginal kit</i>	\$0 (Tier 3)	
<i>miconazole nitrate vaginal supp</i>	\$0 (Tier 3)	
MONISTAT 1 COMBO PACK KIT (Use <i>Miconazole Nitrate Vaginal</i>)	NF	
MONISTAT 1 DAY OR NIGHT COMBO PACK KIT (Use <i>Miconazole Nitrate Vaginal</i>)	NF	
MONISTAT 3 COMBINATION PACK KIT (Use <i>Miconazole Nitrate Vaginal</i>)	NF	
MONISTAT 3 CREA (Use <i>Miconazole Nitrate Vaginal</i>)	NF	
MONISTAT 7 SIMPLY CURE CREA (Use <i>Miconazole Nitrate Vaginal</i>)	NF	
<i>tioconazole vaginal oint</i>	\$0 (Tier 3)	
VAGISTAT-1 OINT (Use <i>Tioconazole Vaginal</i>)	NF	
VITAMINS		
B-Complex w/ C		
<i>b complex w/ c caps</i>	\$0 (Tier 3)	
<i>b complex w/ c tabs</i>	\$0 (Tier 3)	
B-Complex w/ Folic Acid		
<i>b complex w/ c</i>	\$0 (Tier 3)	
Multiple Vitamins w/ Minerals		
<i>multiple vitamins w/ minerals caps-misc</i>	\$0 (Tier 3)	RX/OTC

Drug Name	Drug Tier	Requirements/Limits
<i>multiple vitamins w/ minerals chew-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals elixer-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals liqd-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals lozenge-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals pack-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals powder-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals syrup-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins w/ minerals tabs-misc</i>	\$0 (Tier 3)	RX/OTC
Multivitamins		
<i>multiple vitamins caps-misc</i>	\$0 (Tier 3)	RX/OTC
<i>multiple vitamins tabs-misc</i>	\$0 (Tier 3)	RX/OTC
Oil Soluble Vitamins		
AQUASOL A PARENTERAL SOLN	\$0 (Tier 3)	
BABY DDROPS LIQD 400 UNT/0.03ML	\$0 (Tier 3)	
BABY DDROPS LIQD 400 UT/0.028ML (Use <i>Cholecalciferol</i>)	\$0 (Tier 3)	
<i>cholecalciferol caps 400 unit, 1000 unit, 2000 unit, 5000 unit, 10000 unit, 50000 unit</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/Limits
<i>cholecalciferol chew 400 unit, 1000 unit, 2000 unit</i>	\$0 (Tier 3)	
<i>cholecalciferol liqd 400 unit/ml, 5000 unit/ml, 400 unt/0.03ml, 400 ut/0.028ml, 2000 unt/0.03ml</i>	\$0 (Tier 3)	
<i>cholecalciferol tabs 400 unit, 1000 unit, 2000 unit, 5000 unit, 50000 unit</i>	\$0 (Tier 3)	
D-VI-SOL LIQD (Use <i>Cholecalciferol</i>)	\$0 (Tier 3)	
D3 DOTS TBDP	\$0 (Tier 3)	
DDROPS LIQD	\$0 (Tier 3)	
DECARA CAPS	\$0 (Tier 3)	
DRISDOL CAPS (Use <i>Ergocalciferol</i>)	NF	
<i>ergocalciferol caps</i>	\$0 (Tier 3)	
<i>ergocalciferol soln</i>	\$0 (Tier 3)	
HM VITAMIN D3 CAPS	\$0 (Tier 3)	
KEY-E CHEW	\$0 (Tier 3)	
MEPHYTON TABS (Use <i>Phytonadione</i>)	\$0 (Tier 3)	NT
NATURAL VITAMIN E TABS	\$0 (Tier 3)	
OPTIMAL D3 M CAPS	\$0 (Tier 3)	
<i>phytonadione soln ij 1 mg/0.5ml</i>	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/Limits
<i>phytonadione tabs or 5 mg</i>	\$0 (Tier 3)	NT
REPLESTA CHILDRENS WAFR	\$0 (Tier 3)	
REPLESTA NX WAFR	\$0 (Tier 3)	
REPLESTA WAFR	\$0 (Tier 3)	
SM VITAMIN D3 MAXIMUM STRENGTH CAPS	\$0 (Tier 3)	
SUPER DAILY D3 LIQD	\$0 (Tier 3)	
THERA-D 4000 TABS	\$0 (Tier 3)	
VITAMIN D2 TABS	\$0 (Tier 3)	
VITAMIN D3 LIQD 1200 UNIT/15ML, 1000 UNIT/SPRAY	\$0 (Tier 3)	
VITAMIN D3 TABS 3000 UNIT, 10000 UNIT	\$0 (Tier 3)	
VITAMIN D3 TBDP 5000 UNIT	\$0 (Tier 3)	
<i>vitamin e caps 100 unit, 200 unit, 400 unit, 1000 unit</i>	\$0 (Tier 3)	
VITAMIN E CHEW 400 UNIT	\$0 (Tier 3)	
<i>vitamin e liqd 400 unit/15ml</i>	\$0 (Tier 3)	
<i>vitamin e oil 100 unt/0.25ml</i>	\$0 (Tier 3)	
<i>vitamin e soln 15 unit/0.3ml</i>	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Drug Name	Drug Tier	Requirements/ Limits
VITAMIN E TABS 100 UNIT, 200 UNIT	\$0 (Tier 3)	
<i>vitamin e tabs 400 unit</i>	\$0 (Tier 3)	
VITAMIN K1 SOLN	\$0 (Tier 3)	
WELLESSE VITAMIN D3 LIQD	\$0 (Tier 3)	
Ped Multiple Vitamins w/ Minerals		
<i>pediatric multiple vitamins chew-misc</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins drops-misc</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/ minerals</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/minerals liqd-misc</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/minerals powd-misc</i>	\$0 (Tier 3)	
<i>pediatric multiple vitamins w/minerals soln-misc</i>	\$0 (Tier 3)	
Water Soluble Vitamins		
<i>ascorbic acid tabs or 500mg, 100 mg, 1000mg, 250 mg, 500 mg, 1000 mg, 10mg-500mg, 37mg-500mg, 37mg-1000mg, 14mg-25mg-500mg</i>	\$0 (Tier 3)	
BIOTIN CAPS OR 1 MG	\$0 (Tier 3)	
<i>biotin caps or 5 mg, 10 mg, 2500 mcg, 5000 mcg</i>	\$0 (Tier 3)	
HARD NAILS CAPS (Use Biotin)	\$0 (Tier 3)	

Drug Name	Drug Tier	Requirements/ Limits
MEGA BIOTIN CAPS (Use Biotin)	\$0 (Tier 3)	
<i>niacin cpcr</i>	\$0 (Tier 3)	
<i>niacin tabs</i>	\$0 (Tier 3)	
<i>niacin tbcr</i>	\$0 (Tier 3)	
NIACIN TR TBCR	\$0 (Tier 3)	
<i>pyridoxine hcl soln ij 100 mg/ml</i>	\$0 (Tier 3)	
PYRIDOXINE HCL SOLN IJ 100 MG/ML	\$0 (Tier 3)	
<i>pyridoxine hcl tabs or 50 mg, 100 mg</i>	\$0 (Tier 3)	
SLO-NIACIN TBCR (Use Niacin)	\$0 (Tier 3)	
<i>thiamine hcl soln ij 100 mg/ml</i>	\$0 (Tier 3)	
VITAMIN C TABS 100 MG	\$0 (Tier 3)	

Updated February 1, 2019. If you have questions, please call Buckeye at 1-866-549-8289, from 8 a.m. to 8 p.m., Monday Friday. TTY users call 711. This call is free. For more information, visit <http://mmp.buckeyehealthplan.com> -NF-non-formulary, RX/OTC-includes both Rx and OTC NDCs

Index

4-N-1	27	ALOE VESTA CLEAR		ASPIRIN	2
5 DAY	27	ANTIFUNGAL	21	aspirin	2
A+D FIRST AID	27	ALOE VESTA DAILY		ATRAC-TAIN	23
ABSORBASE	27	MOISTURIZER	27	ATUSS DA	10
acetaminophen	2	ALOE VESTA		AVEENO ACTIVE NATURALS	
acetaminophen w/ dm	10	PROTECTIVE	27	SKIN RELIEF MOISTURE	
ACIDOPHILUS	5	ALOE VESTA SKIN		REPAIR	23
ACIDOPHILUS/BIFIDUS	5	CONDITIONER	28	AVEENO INTENSE RELIEF	
ACIDOPHILUS/CITRUS		ALPHA LIPOIC ACID	1	HAND	23
PECTIN	6	ALPHA-LIPOIC ACID	1	AVEENO POSITIVELY	
ACNE MEDICATION 10	20	alpha-lipoic acid (thioctic		AGELESSSKIN	
ACNE MEDICATION 5	20	acid)	1	STRENGTHENING BODY	
ACNEFREE 24 HOUR ACNE		alum & mag hydrox-		CREAM	23
CLEARING SYSTEM	20	simethicone	3	AVEENO POSITIVELY	
ACTICON	10	ALUMINUM HYDROXIDE	3	AGELESSSKIN	
ACTINEL	10	aluminum hydroxide	28	STRENGTHENING HAND	
ACTINEL PEDIATRIC	10	aluminum hydroxide-mag		CREAM	23
ADVIL	1	carb	3	AVEENO POSITIVELY	
ADVIL COLD & SINUS	10	aluminum hydroxide-mag		NOURISHING 24-HOUR ULTRA-	
ADVIL MIGRAINE	1	trisil	3	HYDRATING	23
AFRIN	41	aluminum sulfate & calcium		AVEENO POSITIVELY	
AFRIN 12 HOUR	41	acetate	28	RADIANTOVERNIGHT	
AFRIN ALL NIGHT NODRIP		AMBI 60PSE/400GFN	10	HYDRATING FACIAL	
AFRIN MENTHOL	40	AMERIDERM		MOISTURI	23
AFRIN NASAL SPRAY	41	PERISHIELD	28	AYR NASAL DROPS	40
AFRIN NODRIP EXTRA		AMLACTIN ULTRA	23	AYR NASAL MIST ALLERGY	
MOISTURIZING	41	ANIMAL SHAPES/IRON	39	& SINUS HYPERTONIC	
AFRIN NODRIP ORIGINAL		ANTACID	4	SALINE	40
AFRIN NODRIP SEVERE		ANTACID SOFT CHEWS	4	AZOLEN TINCTURE	21
CONGESTION	41	AP-HIST DM	10	b complex w/ c	39
AFRIN NODRIP SINUS	41	APETIGEN-PLUS	39	b complex w/ c	47
AFRIN SINUS	41	AQUA GLYCOLIC FACE		b complex w/ c caps	47
ALA-HIST IR	7	CREAM	23	b complex w/ c tabs	47
ALA-HIST PE	10	AQUABASE	45	b-complex w/ c & calcium	39
ALAHIST DM	10	AQUANAZ	10	b-complex w/ c & e + zn	39
ALBOLENE	23	AQUAPHILIC	23	b-complex w/ minerals	39
ALEVAZOL	21	AQUAPHOR	23	BABY DDROPS	47
ALEVE	1	AQUAPHOR ADVANCED		BACIGUENT	21
ALEVE-D SINUS & COLD	10	THERAPY	23	bacitracin (topical)	21
ALEVE-D SINUS &		AQUAPHOR LIP REPAIR	28	bacitracin zinc	21
HEADACHE	10	AQUASOL A		bacitracin-polymyxin b	21
ALKA-SELTZER PLUS		PARENTERAL	47	BASIS FACIAL	
COLD	10	arginine	42	MOISTURIZER	28
ALLEGRA ALLERGY	8	ARGININE	42	BASIS OVERNIGHT	28
ALLEGRA ALLERGY		arginine	42	BASLE	23
CHILDRENS	8	ARGININE2000	42	BD GLUCOSE	4
ALLEGRA-D 12 HOUR		ARTHRITIS PAIN		BENADRYL ALLERGY	7
ALLERGY & CONGESTION		RELIEVING	27	BENADRYL ALLERGY	
ALOE VESTA ANTIFUNGAL		artificial tear ointment	43	CHILDRENS	7
21		artificial tear solution	43	BENADRYL EXTRA	
		ascorbic acid	49	STRENGTH	22
		aspirin	2	BENZAC AC WASH	20

BENZEDREX INHALER.....	41	CALCIUM.....	36	CARMOL 10.....	23
BENZEFOAM.....	20	calcium & phosphorus w/ vitamin d.....	35	CARRINGTON MOISTURE BARRIER.....	28
BENZEFOAM ULTRA.....	20	CALCIUM 1000 + D.....	35	CARRINGTON MOISTURE BARRIER/ZINC.....	28
benzoin compound.....	28	CALCIUM CARBONATE 4,35 calcium carbonate.....	35	castellani paint.....	21
BENZOIN TINCTURE.....	28	calcium carbonate (antacid).....	4	CASTOR OIL.....	9
BENZOIN TINCTURE PLAIN.....	28	calcium carbonate- cholecalciferol.....	35	castor oil.....	34
benzonatate.....	9	calcium carbonate-mag hydrox.....	3	CERASPORT.....	37
benzoyl peroxide.....	20	calcium carbonate- simethicone.....	3	CERASPORT EX1.....	37
BENZOYL PEROXIDE.....	20	calcium carbonate-vitamin d.....	36	CERAVE.....	24
benzoyl peroxide.....	20	calcium carbonate-vitamin d w/ minerals.....	36	CERAVE RENEWING SA.....	24
BENZOYL PEROXIDE CLEANSER.....	20	CALCIUM CHLORIDE.....	36	CETAPHIL.....	24
BENZYL ALCOHOL.....	44	calcium chloride (dihydrate).....	36	CETAPHIL MOISTURIZING.....	24
BETA CARE.....	23	CALCIUM CITRATE.....	36	CETAPHIL THERAPEUTIC HAND.....	24
BETA XMA.....	23	calcium citrate.....	36	cetirizine hcl.....	8
BETADINE.....	8	CALCIUM CITRATE.....	36	cetirizine-pseudoephedrine.....	11
BETADINE SKIN CLEANSER.....	8	CALCIUM CITRATE W/D.....	36	CHAPSTICK OVERNIGHT.....	28
BETADINE SURGICAL SCRUB.....	8	calcium citrate-vitamin d.....	36	CHAPSTICK ULTRA MOISTUREDAYTIME FORMULA.....	28
BETADINE SWAB AID.....	9	CALCIUM LACTATE.....	36	CHAPSTICK ULTRASMMOOTH FORTIFY.....	28
BETADINE SWABSTICKS.....	9	CALCIUM PLUS D3 ABSORBABLE.....	36	CHAPSTICK ULTRASMMOOTH NOURISH.....	28
BIFERA.....	31	CALCIUM PLUS VITAMIN D.....	36	CHAPSTICK ULTRASMMOOTH REJUVENATE.....	28
BIONEL.....	10	calcium polycarbophil.....	32	CHAPSTICK ULTRASMMOOTH SOOTHE.....	28
BIONEL PEDIATRIC.....	10	CALCIUM/VITAMIN D.....	36	CHERACOL PLUS.....	11
BIOTIN.....	9,49	CALTRATE 600+D.....	36	CHERACOL-D COUGH.....	11
biotin.....	49	CALTRATE 600+D PLUS MINERALS.....	36	CHEW Q.....	1
BIOTIN-D.....	9	CALTRATE 600+D3 SOFT CHEWS.....	36	CHLO HIST.....	11
bisacodyl.....	34	CALTRATE MINIS PLUS MINERALS.....	36	CHLO TUSS.....	11
bismuth subsalicylate.....	5	CAPCOF.....	11	CHLOR-TRIMETON.....	7
BOUDREAUXS BABY BUTT SMOOTH DRY SKIN.....	23	CAPMIST DM.....	11	CHLOR-TRIMETON ALLERGY.....	7
BPO CREAMY WASH COMPLETEPACK.....	20	CAPRON DM.....	11	chlorpheniramine & phenylephrine.....	11
BROHIST D.....	11	capsaicin.....	27	chlorpheniramine & pseudoeph.....	11
brompheniramine & phenyleph.....	11	CAPZASIN.....	27	chlorpheniramine maleate.....	7
brompheniramine & pseudoeph.....	11	CAPZASIN-HP.....	27	chlorpheniramine-dm.....	11
BROTAPP DM.....	11	carbamide peroxide (otic).....	44	chlorpheniramine-phenylephrine- acetaminophen.....	11
budesonide (nasal).....	40	carbonyl iron.....	31	chlorpheniramine-phenylephrine- asa.....	11
CAL-CITRATE.....	35	carboxymethylcellulose sodium (ophth).....	43	cholecalciferol.....	47,48
CAL-CITRATE PLUS VITAMIND.....	35	carboxymethylcellulose-glycerin	43	CHROMIUM CHLORIDE.....	38
CAL-LAC.....	35	carboxymethylcellulose- hypromellose.....	43	cimetidine.....	45
CAL-MINT.....	35			CITRACAL + D3 MAXIMUM.....	36
CAL-QUICK.....	35				
CALCET PETITES.....	35				
CALCI-CHEW.....	35				
CALCIONATE.....	35				

CITRACAL CALCIUM GUMMIES.....	36	CRITIC-AID CLEAR MOISTUREBARRIER.....	28	dextran 70-hypromellose.....	43
CITRACAL MAXIMUM.....	36	cromolyn sodium (nasal).....	40	dextromethorphan hbr.....	10
CITRACAL PETITES/VITAMIND.....	36	CVS CAPSAICIN.....	27	DEXTROMETHORPHAN HBR MONOHYDRATE.....	10
CITRACAL+D3.....	36	CVS CASTOR OIL.....	9	dextromethorphan polistirex.....	10
CITRUCEL.....	33	CVS GLUCOSE.....	4	dextromethorphan-acetaminophen-chlorpheniramine.....	12
CITRUCEL FIBER LAXATIVE.....	33	CVS MOISTURIZING CREAM.....	24	dextromethorphan-doxylamine-acetaminophen.....	12
CITRULLINE(L).....	9	CVS NASAL MIST.....	40	dextromethorphan-guaifenesin.....	12
CLARITIN.....	8	CVS TRIPLE MAGNESIUM COMPLEX.....	37	dextromethorphan-phenylephrine-acetaminophen.....	12
CLARITIN ALLERGY CHILDRENS.....	8	cyanocobalamin.....	30	dextrose (diabetic use).....	4
CLARITIN CHILDRENS.....	8	CYTO-Q.....	1	DHEA.....	24
CLARITIN REDITABS.....	8	CYTO-Q MAX.....	1	DHS TAR.....	30
CLARITIN-D 12 HOUR.....	11	CYTO-Q T/F.....	1	DHS TAR GEL.....	30
CLARITIN-D 24 HOUR.....	11	D-VI-SOL.....	48	DHS ZINC.....	22
CLEAN & CLEAR ADVANTAGE 3-IN-1 EXFOLIATING CLEANSER.....	20	D3 DOTS.....	48	DIABETIDERM.....	24
CLEAR COUGH PM MULTI-SYMPTOM.....	11	DAILY CONDITIONING TREATMENT.....	24	DIABETIDERM FOOT REJUVENATING.....	24
clemastine fumarate.....	7	DAKRINA.....	43	DIABETIDERM MASSAGE STIMULATOR.....	27
clotrimazole (topical).....	21	DALLERGY.....	12	DIALYVITE 800 PLUS D.....	39
clotrimazole vaginal.....	46	DAY TIME MULTI-SYMPTOM COLD/FLU RELIEF.....	12	DIALYVITE 800/ZINC.....	39
CO Q-10.....	1	DDROPS.....	48	DIALYVITE 800/ZINC 15.....	39
CO Q-10 PLUS.....	1	DEBROX.....	44	dimenhydrinate.....	6
coal tar extract.....	30	DECARA.....	48	DIMETAPP COLD & ALLERGY.....	12
COCONUT OIL BEAUTY.....	24	DECONEX DMX.....	12	DIMETAPP DM COLD & COUGH.....	12
coenzyme q10 (ubidecarenone).....	1	DECONEX IR.....	12	DIMETAPP LONG ACTING COUGH PLUS COLD.....	12
COLACE.....	34	DELSYM.....	9	DIMETAPP MULTI-SYMPTOM COLD & FLU.....	12
COLACE CLEAR.....	34	DELSYM COUGH CHILDRENS.....	9	dimethicone (topical).....	28
COMPOUND W.....	26	DENOREX THERAPEUTIC 2-IN-1.....	30	DINO-LIFE W/IRON & ZINC.....	39
COMPOUND W MAXIMUM STRENGTH.....	27	DERMABASEOIL IN WATER.....	24	diphenhydramine hcl.....	7
COMTREX COLD & COUGH DAY/NIGHT MAXIMUM STRENGTH.....	11	DERMADROX.....	28	diphenhydramine hcl (sleep).....	32
COMTREX COLD & COUGH MAXIMUM STRENGTH.....	11	DERMAGRAN.....	28	diphenhydramine hcl (topical).....	22
COMTREX COLD & COUGH NIGHTTIME MAXIMUM STRENGTH.....	11	DERMAGRAN SKIN PROTECTANT.....	28	diphenhydramine-acetaminophen.....	12
CONEX COLD/ALLERGY.....	11	DERMAIDE ALOE.....	24	diphenhydramine-phenylephrine.....	12
CONGESTAC.....	12	dermatological products, misc.....	27	diphenhydramine-phenylephrine-acetaminophen.....	13
COOL BOTTOMS.....	28	DERMEND MOISTURIZING BRUISE FORMULA.....	24	diphenhydramine-zinc acetate.....	22
COPPER TRACE METAL.....	38	DESQUAM-X WASH.....	20	DISNEY CALCIUM + VITAMIND3 GUMMIES.....	36
CORICIDIN HBP COUGH & COLD.....	12	DEX4.....	4	DMAE.....	24
CORICIDIN HBP FLU.....	12	DEX4 FAST ACTING GLUCOSE.....	4		
		DEX4 NATURALS.....	4		
		DEX4 POUCH PACK.....	4		
		DEX4 QUICK DISSOLVE GLUCOSE.....	4		

DML FORTE.....	24	EUCERIN CALMING DAILY MOISTURIZER.....	24	FLORAJEN ACIDOPHILUS... 5
docusate calcium.....	35	EUCERIN INTENSIVE REPAIRHAND.....	24	FLOWTUSS..... 13
docusate sodium.....	35	EUCERIN PLUS.....	24	FLU & SORE THROAT..... 13
DOCUSOL KIDS.....	35	EUCERIN SKIN CALMING DAILY MOISTURIZING.....	24	fluticasone propionate (nasal).....
DOCUSOL MINI.....	35	EVAC.....	33	41
DOCUSOL PLUS MINI- ENEMA.....	35	EX-LAX.....	34	FOLGARD.....
DOMEBORO.....	28	EX-LAX MAXIMUM STRENGTH.....	34	FOLIC + B12.....
DONATUSSIN.....	13	EZFE 200.....	31	folic acid.....
DOUBLE-TUSSIN DM.....	13	FACE MASK-MISC.....	35	31
doxylamine-dm.....	13	famotidine.....	45,46	FOLIC ACID.....
doxylamine-phenylephrine- acetaminophen.....	13	FEOSOL.....	31	folic acid.....
DRAMAMINE.....	6	FEOSOL BIFERA.....	31	31
DRISDOL.....	48	FER-IN-SOL.....	31	FOLITAB 500.....
DRISTAN SPRAY.....	41	FERAHEME.....	31	FOLTRATE.....
DROXY CREAM.....	24	FERRLECIT.....	31	31
DULCOLAX.....	34	ferrous gluconate.....	31	FORMULA 405 ENRICHED EYE.....
DURAFLU.....	13	FERROUS GLUCONATE.....	32	24
DURATION 12 HOUR.....	41	ferrous sulfate.....	32	FORMULA 405 FACE CREAM.....
DURATION SPRAY.....	41	FERROUS SULFATE.....	32	24
DURAVENT DM.....	13	ferrous sulfate.....	32	FORMULA 405 LIGHT TEXTURED MOISTURIZER.....
DWELLE.....	43	FERROUS SULFATE.....	32	24
ECOTRIN REGULAR STRENGTH.....	2	ferrous sulfate.....	32	FRESHKOTE.....
ED A-HIST.....	13	FERROUS SULFATE.....	32	43
ED A-HIST DM.....	13	ferrous sulfate.....	32	FRUCTOSE.....
ED BRON GP.....	13	FERROUS SULFATE.....	32	42
ED CHLORPED.....	7	ferrous sulfate.....	32	fructose-dextrose-phosphoric acid.....
ED CHLORPED D.....	13	FERROUS SULFATE.....	32	7
ELON SKIN REPAIR SYSTEM.....	24	ferrous sulfate.....	32	FUNGOID TINCTURE.....
EMETROL.....	7	FERROUS SULFATE.....	32	21
EMOLLIA-CREME.....	24	ferrous sulfate.....	32	GALZIN.....
emollient.....	24	FERROUS SULFATE.....	32	38
ENEMEEZ MINI.....	35	ferrous sulfate.....	32	GAS-X.....
ENEMEEZ PLUS.....	35	FERROUS SULFATE.....	32	30
ENFAMIL ENFALYTE.....	37	ferrous sulfate.....	32	GAS-X EXTRA STRENGTH.....
EQ THERAPEUTIC DRY SKIN.....	24	ferrous sulfate.....	32	30
EQ THERAPEUTIC MOISTURIZING CREAM.....	24	ferrous sulfate.....	32	GAVISCON.....
EQL CALCIUM/VITAMIN D.....	37	ferrous sulfate.....	32	3
EQL MOISTURIZING CREAM.....	24	ferrous sulfate.....	32	GAVISCON EXTRA STRENGTH.....
EQUALYTE.....	37	ferrous sulfate.....	32	3
ergocalciferol.....	48	ferrous sulfate.....	32	GAVISCON EXTRA STRENGTH RELIEF FORMULA.....
esomeprazole magnesium.....	46	FEVERALL INFANTS.....	2	3
EUCERIN.....	28	fexofenadine hcl.....	8	GELUSIL.....
		fexofenadine-pseudoephedrine	13	3
		FIBERCON.....	33	GENADUR.....
		FLAVOR ORAL SUSP- MISC.....	45	43
		FLAVOR ORAL SYRUP- MISC.....	45	GENTEAL.....
		FLAVOR PLUS.....	45	43
		FLEET BISACODYL.....	34	GENTEAL MILD.....
		FLEET ENEMA.....	34	43
		FLEET ENEMA SIX PACK.....	34	GENTEAL MILD TO MODERATE.....
		FLEET OIL.....	34	43
		FLEET PEDIATRIC.....	34	GENTEAL SEVERE.....
		FLOINASE ALLERGY RELIEF.....	41	24
		FLOINASE ALLERGY RELIEF CHILDRENS.....	41	28
				GERI PROTECT.....
				13
				GLUCOSE.....
				4,5
				GLUCOSE INSTANT ENERGY.....
				5
				glutamine.....
				42
				GLUTAMINE.....
				42
				GLYCERIN.....
				9
				GLYCERINE.....
				9
				GLYCEROL FORMAL.....
				9
				GLYCO-TECH.....
				39

GNP CAPSAICIN.....	27	hydrocodone w/ homatropine.....	10	L-GLUTAMINE.....	43
GNP COLD RELIEF PLUS..	13	hydrocortisone (topical)....	23	L-GLUTATHIONE.....	43
GNP DAY TIME MUCUS RELIEFDM.....	13	hydrocortisone-aloe vera..	23	L-ISOLEUCINE.....	43
GNP FLU & SORE THROAT	13	HYDROPHILIC PETROLATUM.....	45	LAC-HYDRIN TWELVE.....	25
GNP GLUCOSE.....	5	HYDROXOCOBALAMIN..	30	lactic acid (ammonium lactate).....	25
GNP QUICK DISSOLVE GLUCOSE.....	5	hypromellose (ophth).....	43	LACTINEX.....	6
GOLD BOND ULTIMATE HEALING.....	25	HYVEE ADVANCED ANTACID MAXIMUM STRENGTH.....	3	LACTINOL HX.....	25
GOLD BOND ULTIMATE SOOTHING.....	25	I.L.X. B-12.....	31	lactobacillus.....	6
GOODSENSE CAPSAICIN ARTHRITIS PAIN RELIEF..	27	ibuprofen.....	1	lactobacillus acidophilus- pectin.....	6
GOODSENSE GLUCOSE.....	5	ICAR PEDIATRIC.....	32	LACTOSE.....	45
guaifenesin.....	20	IMODIUM A-D.....	6	LACTOSE ANHYDROUS.....	45
guaifenesin-codeine.....	13	INFANTS ADVIL.....	1	LACTOSE HYDROUS.....	45
GYNE-LOTRIMIN.....	46	INFED.....	32	LADY ESTHER 4 PURPOSE FACE CREAM.....	25
GYNE-LOTRIMIN 3.....	46	INFUVITE ADULT.....	39	LAMISIL ADVANCED.....	21
HARD NAILS.....	49	INFUVITE PEDIATRIC.....	39	LAMISIL AT.....	21
HEMATRON-AF.....	31	INJECTAFER.....	32	LAMISIL AT JOCK ITCH.....	21
HISTAFLEX.....	2	inositol niacin.....	9	LAMISIL AT SPRAY.....	21
HISTEX.....	7	INSECT REPELLENT-AERO, MISC.....	28	LANAPHILIC.....	25
HISTEX PD.....	7	INSECT REPELLENT-LIQD, MISC.....	28	LANOLOR.....	25
HISTEX-AC.....	13	INSTA-GLUCOSE.....	5	lansoprazole.....	46
HISTEX-DM.....	13	IRON.....	32	LANTISEPTIC SKIN PROTECTANT.....	29
HISTEX-PE.....	13	IRON CHEWS PEDIATRIC.....	32	LATEX CONDOMS.....	35
HM CASTOR OIL.....	9	IRON UP.....	32	LEADER FINGER CREAM..	25
HM GLUCOSE.....	5	iron-docusate-b12-folic acid-vit c-vit e-copper-biotin.....	31	LEADER GLUCOSE.....	5
HM VITAMIN D3.....	48	ISOPTO TEARS.....	43	LEADER QUICK DISSOLVE GLUCOSE.....	5
HONEY BEARS.....	40	J & J BURN CREAM.....	25	levonorgestrel (emergency oc).....	9
HONEY BEARS W/IRON AND ZINC.....	39	JOBST IT STAYS/ROLL- ON.....	27	lidocaine.....	27
HY-VEE GLUCOSE.....	5	KALA.....	6	lidocaine-transparent dressing.....	27
HYCOFENIX.....	13	KERADAN.....	25	LIPOIC ACID.....	1
HYDRALYTE.....	37	KERASAL FUNGAL NAIL RENEWAL.....	27	LIQ-10.....	1
HYDRALYTE FREEZER POPS.....	37	KERI LONG LASTING.....	25	LIQUID CALCIUM WITH D3 MAXIMUM STRENGTH.....	37
HYDRASYN25.....	25	KEY-E.....	48	LMX 4.....	27
HYDRO-LAN.....	25	KONSYL.....	33	LMX 4 PLUS.....	27
HYDROCERIN.....	28	KONSYL DAILY FIBER.....	33	LODRANE D.....	14
HYDROCIL INSTANT.....	33	KONSYL ORIGINAL FORMULADAILY FIBER..	33	LOHIST-D.....	14
HYDROCODONE BITARTRATE/CHLORPHENIRA MINE MALEATE/PSE.....	13	KONSYL-D.....	33	LOHIST-DM.....	14
HYDROCODONE BITARTRATE/GUAIFENESIN	13	KROGER GLUCOSE.....	5	LOLLIBASE.....	45
hydrocodone polistirex- chlorpheniramine polistirex..	14	L-ARGININE.....	42	LOLLIPOP BASE.....	45
		L-ARGININE BASE.....	42	LONGS GLUCOSE.....	5
		L-CITRULLINE.....	9	loperamide hcl.....	6
				loratadine.....	8

loratadine & pseudoephedrine	14	MEDERMA AG FACE CREAM	25	MUCINEX DM	14
LORTUSS DM	14	MEDERMA STRETCH MARKS THERAPY	25	MUCINEX DM MAXIMUM STRENGTH	14
LORTUSS EX	14	MEDI-LYTE	37	MUCINEX FAST-MAX COLD & SINUS	14
LORTUSS LQ	14	MEGA BIOTIN	49	MUCINEX FAST-MAX COLD FLU& SORE THROAT	14
LOTRIMIN AF	21	MEIJER GLUCOSE	5	MUCINEX FAST-MAX COLD FLU& SORE THROAT CLEAR & COOL	14
LOTRIMIN AF FOR HER	21	MEPHYTON	48	MUCINEX FAST-MAX COLD/FLU/SORE THROAT	15
LOTRIMIN AF JOCK ITCH	21	METAMUCIL	33	MUCINEX FAST-MAX DAY TIME/NIGHT TIME	15
M-CLEAR WC	14	METAMUCIL ORIGINAL TEXTURE	33	MUCINEX FAST-MAX DAY/NIGHT	15
M-END DMX	14	methylcellulose (laxative)	33	MUCINEX FAST-MAX DAY/NIGHT MAXIMUM STRENGTH	15
M-END PE	14	MI-ACID	3	MUCINEX FAST-MAX DAY/NITE M/S	15
M.V.I. ADULT	39	MICATIN	22	MUCINEX FAST-MAX SEVERE COLD	15
M.V.I.-12 WITHOUT VITAMIN K	39	miconazole nitrate (topical)	22	MUCINEX FAST-MAX SEVERE CONGESTION & COUGH	15
MAALOX ADVANCED MAXIMUM STRENGTH	3	miconazole nitrate vaginal	47	MUCINEX FAST-MAX SEVERE CONGESTION & COUGH CLEAR & COOL	15
MAALOX MAX	3	MILK OF MAGNESIA CONCENTRATE	34	MUCINEX FOR KIDS	20
MAG-200	37	mineral oil	34	MUCINEX MAXIMUM STRENGTH	20
MAG-AL	3	MIRALAX	33	MUCINEX MULTI-SYMPATOM COLD DAY/NIGHT PACK	15
MAG-SR PLUS CALCIUM	37	MOISTURE GUARD	29	MUCINEX SINUS-MAX DAY/NIGHT	15
MAG-TAB SR	37	MOISTURIZING CREAM	25	MUCINEX SINUS-MAX SEVERE CONGESTION RELIEF	15
MAGDELAY	38	MONISTAT 1 COMBO PACK	47	MUCINEX STUFFY NOSE & COLD CHILDRENS	15
MAGNEBIND 300	37	MONISTAT 1 DAY OR NIGHT COMBO PACK	47	MULTI-DELYN/IRON	39
MAGNESIUM	38	MONISTAT 3	47	MULTI-SYMPATOM COLD DAYTIME/NIGHTTIME CHILDRENS	15
MAGNESIUM CHLORIDE	38	MONISTAT 3 COMBINATION PACK	47	multiple vitamins caps-misc	47
magnesium chloride-calcium carbonate	38	MONISTAT 7 SIMPLY CURE	47	multiple vitamins tabs-misc	47
MAGNESIUM CHLORIDE/CALCIUM	38	MONISTAT SOOTHING CARE ITCH RELIEF	23	multiple vitamins w/ minerals caps-misc	47
magnesium citrate	34	MORE-DOPHILUS ACIDOPHILUS	6	multiple vitamins w/ minerals chew-misc	47
MAGNESIUM CITRATE	38	MOTHERS FRIEND	25	multiple vitamins w/ minerals elixer-misc	47
MAGNESIUM GLUCONATE	38	MOTRIN INFANTS DROPS	1	multiple vitamins w/ minerals liqd-misc	47
magnesium gluconate	38	MTX SUPPORT	31	multiple vitamins w/ minerals lozenge-misc	47
magnesium hydroxide	34	MUCINEX	20	multiple vitamins w/ minerals pack-misc	47
magnesium lactate	38	MUCINEX CHILDRENS COLD COUGH & SORE THROAT	14		
magnesium oxide	4	MUCINEX CHILDRENS MULTI-SYMPATOM COLD	14		
MAGNESIUM OXIDE	38	MUCINEX CHILDRENS MULTI-SYMPATOM COLD & FEVER	14		
magnesium oxide (mg supplement)	38	MUCINEX CONGESTION & COUGH CHILDRENS	14		
magnesium sulfate (laxative)	34	MUCINEX COUGH FOR KIDS	14		
MAGOX 400	38	MUCINEX D	14		
MANGANESE TRACE METAL	38	MUCINEX D MAXIMUM STRENGTH	14		
MAOX	4				
MAR-COF BP	14				
MAR-COF CG EXPECTORANT	14				
meclizine hcl	6,7				
MEDELA TENDER CARE LANOLIN	25				

multiple vitamins w/ minerals powder-misc	47	NEUTROGENA HAND/NORWEGIANFORMULA/FAST ABSORBING	25	omega-3 fatty acids caps-misc	42
multiple vitamins w/ minerals syrup-misc	47	NEUTROGENA HEALTHY SKIN	25	omega-3 fatty acids chew-misc	42
multiple vitamins w/ minerals tabs-misc	47	NEUTROGENA T/GEL	30	omega-3 fatty acids cpdr-misc	42
MULTIVITAMIN GUMMIES CHILDRENS	40	NEUTROGENA T/GEL STUBBORN ITCH CONTROL	30	omega-3 fatty acids liqd-misc	42
MULTIVITAMIN PLUS IRON CHILDRENS	39	NEXIUM 24HR	46	omeprazole 20mg tbec	45
MURO 128	44	NEXIUM 24HR CLEAR	46	omeprazole magnesium	46
MYKIDZ IRON	39	MINIS	46	ONE-A-DAY VITACRAVES GUMMIES+OMEGA-3 DHA	40
MYLICON	30	niacin	49	OPTIMAL D3 M	48
MYLICON INFANTS GAS RELIEF	30	NIACIN TR	49	OPURITY B12/FOLIC ACID	31
NAIL SCRUB	27	NICODERM CQ	45	ORA-PLUS	45
naproxen sodium	1	NICORETTE	45	oral electrolytes	37
NASACORT ALLERGY 24HR	41	NICORETTE MINI	45	ORAL SALINE LAXATIVE	34
NASACORT ALLERGY 24HR CHILDRENS	41	NICORETTE STARTER KIT	45	ORAL SUSPEND	45
NASADROPS SALINE ON THE GO	40	nicotine	45	OSTEO-PORETICAL	37
NASAL DECONGESTANT	41	nicotine polacrilex	45	oxymetazoline hcl	41
NASALCROM	40	NICOTINE TRANSDERMAL SYSTEM	45	OXYTROL FOR WOMEN	46
NASCOBAL	31	NINJACOF	15	oyster shell	37
NASOPEN PE	15	NINJACOF-A	15	PALOMAR E	29
NATRAPEL	29	NINJACOF-XG	15	PANOXYL-4 CREAMY WASH	21
NATRAPEL 12-HOUR TICK & INSECT REPELLENT CONTINUOUS SPRAY	29	NISEKO HYDRATING FACIAL MOISTURIZER	25	PEAK FLOW METERS-MISC	35
NATURAL VITAMIN E	48	NIVANEX DMX	15	PEDIA-LAX	34,35
NEO-SYNEPHRINE 12 HOUR EXTRA MOISTURIZING	41	NIVEA	25	PEDIALYTE	37
NEO-SYNEPHRINE COLD & SINUS EXTRA	41	NIVEA LIGHT	25	PEDIALYTE ADVANCED CARE	37
neomycin-bacitracin-polymyxin	21	NIVEA SOFT	25	PEDIALYTE FREEZER	37
neomycin-bacitracin-polymyxin-pramoxine	21	NIVEA VISAGE	25	POPS	37
neomycin-polymyxin w/ pramoxine	21	NIVEA VISAGE INNER BEAUTY NIGHTTIME RENEWAL	25	PEDIALYTE SINGLES	37
NEOQ10	1	NIX CREME RINSE	30	pediatric multiple vitamin w/ c	40
NEOSPORIN LIP HEALTH OVERNIGHT RENEWAL THERAPY	29	NOREL AD	15	pediatric multiple vitamin w/ c & fa	40
NEOSPORIN ORIGINAL	21	NORTEMP INFANTS	2	pediatric multiple vitamin w/ extra c & fa	40
NEOSPORIN PLUS PAIN RELIEF MAXIMUM STRENGTH	21	NOVAFERRUM 125	31	pediatric multiple vitamins	40
NEPHRONEX	39	NOVAFERRUM 50	32	pediatric multiple vitamins chew-misc	49
NEUTRAPHOR	29	NOVAFERRUM PEDIATRIC DROPS	32	pediatric multiple vitamins drops-misc	49
NEUTRAPHORUS REX	29	NU-MAG	38	pediatric multiple vitamins w/ iron	39
NEUTROGENA HAND	25	NUPREP 5% POVIDONE- IODINE	9	pediatric multiple vitamins w/ minerals	49
		NUTRADERM	26	pediatric multiple vitamins w/minerals liqd-misc	49
		OBREDON	15	pediatric multiple vitamins w/minerals powd-misc	49
		OCEAN NASAL SPRAY	40	pediatric multiple vitamins w/minerals soln-misc	49
		OFF FAMILYCARE CLEAN FEEL	29		
		OINTMENT BASE	26		

pediatric vitamins adc.....	40	phenylephrine-doxylamine-dm-guaifenesin-apap.....	16	PROMETHAZINE/PHENYLEPHRINE/CODEINE.....	17
PEN-KERA.....	26	phenylephrine-guaifenesin.....	16	PROPYLENE GLYCOL.....	45
PENTRAVAN.....	26	phenylephrine-mineral oil-petrolatum.....	3	propylene glycol (ophth).....	43
PENTRAVAN PLUS.....	26	phenylephrine-shark liver oil-mineral oil-petrolatum.....	3	PROSHIELD PLUS SKIN PROTECTANT.....	29
PEPCID AC.....	46	PHENYLHISTINE DH.....	16	pseudoephed-bromphen-dm.....	17
PEPCID AC MAXIMUM STRENGTH.....	46	PHOS-NAK POWDER CONCENTRATE.....	38	pseudoephed-cpm w/ hydrocod.....	17
PEPTO BISMOL.....	6	phytonadione.....	48	pseudoephedrine hcl.....	42
PEPTO-BISMOL.....	6	PIC 200.....	32	pseudoephedrine w/ codeine-gg.....	17
PEPTO-BISMOL INSTACOOOL.....	6	PLAN B ONE-STEP.....	9	pseudoephedrine-brompheniramine-codeine.....	17
PEPTO-BISMOL MAX STRENGTH.....	6	POLY HIST FORTE.....	16	pseudoephedrine-chlorphen-dm.....	17
PEPTO-BISMOL TO-GO.....	6	POLY-HIST DM.....	16	pseudoephedrine-dexchlorpheniramine-chlophedianol.....	17
PERCOGESIC.....	15	POLY-HIST PD.....	17	pseudoephedrine-doxylamine-dextromethorphan.....	17
permethrin.....	30	POLY-TUSSIN AC.....	17	pseudoephedrine-guaifenesin.....	17
PETROLATUM.....	26	POLY-VENT DM.....	17	pseudoephedrine-ibuprofen.....	17
petrolatum-zinc oxide oint-misc.....	29	POLY-VENT IR.....	17	pseudoephedrine-naproxen sodium.....	17
PETROLEUM JELLY LIP TREATMENT.....	29	POLY-VI-SOL.....	40	psyllium.....	33
PHAZYME.....	30	POLY-VI-SOL/IRON.....	39	PURE L-CITRULLINE.....	43
PHAZYME ULTRA STRENGTH.....	30	polyethylene glycol 3350.....	33	PX GLUCOSE.....	5
phenazopyridine hcl.....	30	polyethylene glycol-propylene glycol (ophth).....	43	pyrantel pamoate.....	4
phenylephrine hcl.....	42	polysaccharide iron complex.....	32	pyrethrins-piperonyl butoxide.....	30
phenylephrine hcl (oral).....	41	POLYSPORIN.....	21	pyrethrins-piperonyl butoxide-permethrin-nit remover.....	30
PHENYLEPHRINE HCL/PYRILAMINE MALEATE.....	15	polyvinyl alcohol.....	43	pyridoxine hcl.....	49
phenylephrine in hard fat.....	2	polyvinyl alcohol-povidone (ophth).....	43	PYRIDOXINE HCL.....	49
phenylephrine w/ acetaminophen.....	15	potassium & sodium phosphates.....	38	pyridoxine hcl.....	49
phenylephrine w/ dm-gg.....	16	povidone-iodine.....	9	pyrithione zinc.....	22
phenylephrine-acetaminophen-guaifenesin.....	16	PREFERRED PLUS GLUCOSE.....	5	Q-GEL.....	1
phenylephrine-brompheniramine-dm.....	16	pregnancy vitamins-misc.....	40	QC CASTOR OIL.....	9
phenylephrine-chlorphen-dm.....	16	PREPARATION H.....	3	QC MEDIFIN PE.....	17
phenylephrine-chlorpheniramine-dm w/ apap.....	16	PRETTY FEET & HANDS.....	26	QH.....	1
phenylephrine-cocoa butter.....	3	PREVACID 24HR.....	46	RA ADVANCED HEALING.....	26
phenylephrine-diphenhydramine-dm-guaifenesin-apap.....	16	PRILOSEC OTC.....	46	RA CALCIUM HI-CAL/VITAMIND.....	37
phenylephrine-diphenhydramine-gg w/ apap.....	16	PRO NUTRIENTS OMEGA 3.....	42	RA GENTLE SKIN CREAM.....	26
phenylephrine-dm.....	16	PRO-RED AC.....	17	RA GLUCOSE.....	5
phenylephrine-dm-gg w/ apap.....	16	PROBIOTIC.....	6	RA RENEWAL ADVANCED HEALING.....	29
phenylephrine-doxylamine-dextromethorphan-acetaminophen.....	16	PROBIOTIC GOLD EXTRA STRENGTH.....	6	RA STERILE SALINE NASAL MIST.....	40
		PROFE.....	32	ranitidine hcl.....	46
		promethazine w/codeine.....	17	REESES PINWORM MEDICINE.....	4
		promethazine-dm.....	17		
		promethazine-phenylephrine-codeine.....	17		

REFRESH.....	44	ROBITUSSIN PEAK COLD		SILPHEN COUGH.....	7
REFRESH LIQUIGEL.....	43	DM.....	18	simethicone.....	30
REFRESH OPTIVE.....	43	ROBITUSSIN PEAK COLD		SIMPLY SALINE.....	40
REFRESH OPTIVE		MULTI-SYMPTOM COLD.....	18	SINUS WASH SALT.....	40
ADVANCED.....	43	ROBITUSSIN TO GO COUGH		skin protectants, misc.....	29
REFRESH OPTIVE		&COLD CF.....	18	SLO-NIACIN.....	49
SENSITIVE.....	43	ROC MULTI CORREXION 5		SLOW FE.....	32
REFRESH PLUS.....	44	IN1 RESTORING EYE		SLOW-MAG.....	38
REFRESH TEARS.....	44	CREAM.....	26	SM BENZOIN TINCTURE.....	29
RELHIST BP.....	17	ROC MULTI CORREXION 5		SM COUGH & SORE THROAT	
RELION GLUCOSE.....	5	IN1 RESTORING NIGHT		DAYTIME PAIN RELIEVER.....	18
REMEDY CLEAR-AID.....	29	CREAM.....	26	SM GLUCOSE.....	5
REMEDY DIMETHICONE		ROC RETINOL		SM SLOW RELEASE IRON.....	32
MOISTURE BARRIER.....	29	CORREXION.....	26	SM VITAMIN D3 MAXIMUM	
REMEDY NUTRASHIELD.....	29	ROC RETINOL CORREXION		STRENGTH.....	48
REMEDY SKIN REPAIR.....	29	MAX.....	26	SMART SENSE GLUCOSE.....	5
REMOVE ADHESIVE		ROC RETINOL CORREXION		SMART SENSE GLUCOSE	
REMOVER.....	27	NIGHT.....	26	TABLETS.....	5
REPEL TICK DEFENSE.....	29	ROC RETINOL CORREXION		sodium bicarbonate (antacid).....	3
REPHRESH PRO-B.....	6	SENSITIVE EYE.....	26	SODIUM CHLORIDE.....	38
REPLESTA.....	48	ROC RETINOL CORREXION		sodium chloride.....	38
REPLESTA CHILDRENS.....	48	NIGHT.....	26	sodium chloride (inhalant).....	20
REPLESTA NX.....	48	RU-HIST D.....	18	sodium chloride hypertonic.....	44
RESCON.....	17	RYDEX.....	18	sodium ferric gluconate complex	
RESPAIRE-30.....	17	RYMED.....	18	in sucrose.....	32
RESTA.....	26	SALICYLIC ACID.....	9	sodium phosphates.....	34
REZIRA.....	17	salicylic acid.....	27	SOOTHE & COOL FREE	
RHINARIS.....	40	salicylic acid & sulfur.....	22	MEDSEPTIC.....	29
RID.....	30	saline.....	40	SOOTHE & COOL FREE	
RID COMPLETE LICE		SAWYER PREMIUM INSECT		MOISTURE BARRIER.....	29
ELIMINATION.....	30	REPELLENT.....	29	SOOTHE & COOL FREE SKIN	
RISABAL-PH.....	26	SCOOBY-DOO ONE A		PASTE.....	29
RISACAL-D.....	37	DAY.....	39	SOOTHE & COOL MOISTURE	
ROBITUSSIN CHILDRENS		SEBULEX.....	22	BARRIER.....	29
COUGH & COLD CF.....	17	SECURA DIMETHICONE		SOOTHE & COOL PROTECT	
ROBITUSSIN CHILDRENS		PROTECTANT.....	29	MOISTURE BARRIER.....	29
COUGH LONG-ACTING.....	10	selenium sulfide.....	22	SOOTHE & COOL SKIN	
ROBITUSSIN CHILDRENS		SELSUN BLUE.....	22	CREAMWITH ALOE &	
COUGH/COLD LONG-		SELSUN BLUE DAILY.....	22	VITAMINS A, D & E.....	26
ACTING.....	17	SELSUN BLUE		SORBIDON HYDRATE.....	29
ROBITUSSIN LINGERING		MEDICATED.....	22	SORBITOL.....	33
COLDLONG-ACTING		SELSUN BLUE		SORBOLENE.....	26
COUGHGELS.....	10	MOISTURIZING.....	22	SPECIAL CARE CREAM.....	26
ROBITUSSIN NIGHTTIME		SENNA PROMPT.....	33	STAFLEX.....	18
COUGH LONG-ACTING DM		senosides.....	34	STAHIST AD.....	18
CHILDRENS.....	17	senosides-docusate		STUDIO 35 MOISTURIZING	
ROBITUSSIN PEAK COLD		sodium.....	33	SKIN.....	26
COUGH+ CHEST CONGESTION		SENOKOT.....	34	SUDAFED CHILDRENS.....	42
DM MAX STRENGTH.....	17	SENOKOT S.....	33	SUDAFED CONGESTION.....	42
ROBITUSSIN PEAK COLD		SENSI-CARE BODY		SUDAFED NASAL	
DAY/NIGHT PACK MAXIMUM		CREAM.....	29	DECONGESTANT MAXIMUM	
STRENGTH.....	17	SENSI-CARE		STRENGTH.....	42
		MOISTURIZING.....	29		
		SESAME OIL.....	9		

SUDAFED PE		TYLAMINIC COLD & COUGH		TYLENOL EXTRA	
CONGESTION	42	DAY TIME CHILDRENS	18	STRENGTH	2
SUPER DAILY D3	48	TYLAMINIC COUGH &		TYLENOL INFANTS	2
SYRSPEND SF	45	CONGESTION		TYLENOL INFANTS	
SYSTANE	44	CHILDRENS	18	PAIN+FEVER	2
SYSTANE COMPLETE	44	TYLAMINIC COUGH & SORE		TYLENOL SINUS SEVERE	19
SYSTANE GEL	44	THROAT	18	TYLENOL SORE THROAT	
SYSTANE OVERNIGHT		TYLAMINIC NIGHT TIME		DAYTIME	2
THERAPY LUBRICANT		COLD & COUGH	18	TYLENOL WARMING COUGH &	
EYE	44	triprolidine &		SEVER CONGESTION	
SYSTANE PRESERVATIVE		pseudoephedrine	18	DAYTIME	19
FREE	44	triprolidine hcl	7	UDDERLY SMOOTH	26
SYSTANE ULTRA	44	TUMS	4	UDDERLY SMOOTH EXTRA	
SYSTANE ULTRA HOME &		TUMS CHEWY BITES	4	CARE	26
AWAY PACK	44	TUMS CHEWY DELIGHTS	4	UDDERLY SMOOTH EXTRA	
SYSTANE ULTRA		TUMS E-X 750	4	CARE20	26
PRESERVATIVE FREE	44	TUMS EXTRA STRENGTH		UP & UP GLUCOSE	5
TAGAMET HB	46	750	4	UPCAL D	37
TAVIST ALLERGY	7	TUMS KIDS	4	urea	23
TEARS NATURALE PM	44	TUMS LASTING EFFECTS	4	VAGISTAT-1	47
terbinafine hcl (topical)	22	TUMS SMOOTHIES	4	VALUE PLUS GLUCOSE	5
TESSALON PERLES	10	TUMS ULTRA 1000	4	VANACLEAR PD	7
tetrahydrozoline hcl (ophth)	44	TUSNEL	18	VANACOF	19
tetrahydrozoline w/ zinc		TUSNEL C	18	VANACOF DM	19
sulfate	44	TUSNEL PEDIATRIC	18	VANACOF-8	19
TGT GLUCOSE	5	TUSNEL-DM PEDIATRIC	18	VANAHIST PD	7
THERA-D 4000	48	TUSSICAPS	18	VANAMINE PD	7
THERAFLU FLU & SORE		TUSSIONEX PENNKINETIC		VANICREAM	26
THROAT	18	EXTENDED RELEASE	18	VELVACHOL	26
THERAFLU SEVERE COLD &		TYLENOL	2	VENOFER	32
COUGH DAYTIME	18	TYLENOL 8 HOUR	2	VICKS DAYQUIL MUCUS	
THERAFLU SEVERE COLD &		TYLENOL 8 HOUR		CONTROL DM	19
COUGH NIGHTTIME	18	ARTHRITISPAIN	2	VICKS NYQUIL COLD &	
THERAFLU SEVERE COLD		TYLENOL CHILDRENS	2	FLU	19
NIGHTTIME	18	TYLENOL CHILDRENS		VICKS NYQUIL COLD & FLU	
THERAPEUTIC		CHEWABLES/PAIN +		NIGHTTIME RELIEF	19
MOISTURIZING	26	FEVER	2	VICKS NYQUIL COUGH	19
THERAPLEX T	30	TYLENOL CHILDRENS PLUS		VICKS NYQUIL HBP COLD &	
THERATEARS	44	FLU	19	FLU	19
THERMOTABS	37	TYLENOL CHILDRENS PLUS		VICKS SINEX	42
thiamine hcl	49	MULTI-SYMPTOM COLD	19	VICKS SINEX 12 HOUR	
THUM	27	TYLENOL COLD & FLU		DECONGESTANT	42
TINACTIN	22	SEVERE	19	VICKS SINEX	
TINACTIN DEODORANT	22	TYLENOL COLD & HEAD		MOISTURIZING	42
TINACTIN JOCK ITCH	22	SEVERE CONGESTION	19	VICKS SINEX SEVERE	42
tioconazole vaginal	47	TYLENOL COLD MAX	19	VICKS SINEX SEVERE	
tolnaftate	22	TYLENOL COLD MULTI-		NASALDECONGESTANT	42
TRI-VI-SOL	40	SYMPTOM NIGHTTIME	19	VISINE	44
triamcinolone acetonide		TYLENOL COLD MULTI-		VITALINE BIOTIN	
(nasal)	41	SYMPTOM SEVERE		FORTE/ZINC	39
TYLAMINIC COLD &		DAYTIME	19	VITAMIN B12/FOLIC ACID	31
ALLERGY	18	TYLENOL		VITAMIN C	49
		COLD/COUGH/SORE			
		THROAT CHILDRENS	19		

VITAMIN D2.....	48
VITAMIN D3.....	48
vitamin e.....	48
VITAMIN E.....	48
vitamin e.....	48
VITAMIN E.....	49
vitamin e.....	49
VITAMIN E WITH PANTHENOL.....	26
VITAMIN K1.....	49
vitamins c & e.....	40
WAL-FLU SEVERE COLD NIGHT TIME.....	19
WALGREENS GLUCOSE....	5
WELLESSE VITAMIN D3....	49
white petrolatum-mineral oil.	44
Z-TUSS AC.....	19
ZANTAC 150 MAXIMUM STRENGTH.....	46
ZANTAC 75.....	46
ZEGERID OTC.....	46
ZIKS ARTHRITIS PAIN RELIEF.....	27
ZIMS CRACK CREME DAYTIME.....	26
ZINC.....	38
zinc sulfate.....	38
ZINC SULFATE.....	38,39
ZINC SULFATE HEPTAHYDRATE.....	38
ZINC SULFATE MONOHYDRATE.....	38
ZINC TRACE METAL.....	39
ZUTRIPRO.....	19
ZYRTEC ALLERGY.....	8
ZYRTEC CHILDRENS ALLERGY.....	8
ZYRTEC-D ALLERGY/CONGESTION....	20